

Rev. 3/18
No List Prices



PREFABRICATED ROUND AND RECTANGULAR DUCT AND FITTINGS

21 Baldwin Street East Longmeadow, Massachusetts 01028
Phone (413) 525-3302 Fax (413) 525-8366
Specifications are subject to change without notice.



The Duc-Pac Corporation

Makers of Prefabricated Round and Rectangular Duct and Fittings

21 Baldwin Street
East Longmeadow, Massachusetts 01028
Phone (413) 525-3302
Fax (413) 525-8366

Dear Customer,

All prefab. duct is not the same!

Duc-Pac was founded by a family of successful HVAC installers. Over 65 years later, our company has shaped its line around the needs and preferences of those who design and install forced air systems.

The goal has always been to deliver the best and to do it faster and friendlier than the rest.

This catalog is your handbook to a full line of ducting and venting parts.

If you are new to us, try us and see the difference.

If you already use our products, let us know how we're doing. We'd love to hear from you!

Thank You



INDEX

DESCRIPTION			ITEM #	PAGE	DESCRIPTION			ITEM #	PAGE
Aluminum Pipe & Fittings				21	Elbows				
Black Pipe & Fittings				22		Round 90°		#90	6
						Round 45°		#95	6
						Stack Vertical 90°, 45°	#280, 281, 285, 286		15
						Stack Reverse		#350, 351	15
						Flat 90°, 45°	#250, 251, 255, 256		15
						Trunk (Slide & Drive) Vertical 90°, 45°		#140, 145	11
						Flat 90°, 45°		#120, 125	11
Boots	Stack Angle, Straight, End	#31, 32, 33		14	Filter Rack, 1"			#154	13
	Trunk - Cold Air (Slide & Drive)	#150		10	Hanger	Twist Hanger		#384	19
	Cold Air Return Boot w/ Filter Rack	#151		13		Strap 36"		#385	19
						"L" Hanger		#386	19
Boxes	Register Angle, Straight, End	#21, 22, 23		8	Increases/	Round	#72, 72S, 72L		7
	Stack Head	#200, 201		14	Reducers	Short Rise		#72SR	7
	Stack Head Straight	#210, 211		14		Trunk (Slide & Drive)		#130, 132	10
	Floor Diffuser	#220		14		Trunk Cut for Increaser (Slide & Drive)		#135	10
	Floor / Ceiling	#79		20	Locks	"S"		#370	19
	Funnel	#79F		20	Oval Pipe & Fittings				16
	Ceiling	#79CD		20		Oval, Round and Rectangular Comparison			16
	Side	#79SD		20	Panning			#180	12
	Short Ceiling Box	#79TR		20	Plenum			#100 #100F	12
Caps/Plugs	Caps	#96		7	Plenum, Adjustable			#900	12
	Plugs	#96C		7	Smoke Pipe			#40, 44, 45, 97, 97-1/2	6
	Chimney	#53		18	Thimbles	Wall		#52	18
	End Cap (Stack)	#290, 291		15	Tees	Round Galv.		#78T	7
	End Cap - Trunk (Slide & Drive)	#170		10		Register		#25	20
	Register Cap	#27		20	Trunk Duct	Slide & Drive		#160, 164, 165	10
CFM Velocity Chart				3		10" & 12" Slide & Drive		#164, 165	10
Cold Air Return Solutions Cold Air Return Package		#168 #169		13	Take-Offs	Double Top		#14	17
	90 Deg 5" Filter Box	#156		13		Adjustable & Stick-On		#15, 115	17
	Horizontal Return Air Box	#175		13		Adjustable for Fiberglass		#15FG	18
Cold Air Return Frame		#330		12		Non-Adjustable Top & Stick-On		#16, 116	17
Collars	Trunk (Slide & Drive) Offset	#110-OS		10		Non-Adjustable Top for Fiberglass		#16FG	18
	Straight	#110-S		10		Elbow Takeoff for Fiberglass	#90FG, #91FG		18
	Transition Starting (Slide & Drive)	#110-SP		11		Non-Adjustable Stick-On w/ Damper		#216	17
	Prenotched Starting	#70S, 70L		9		Side (Round)		#17	17
	Flat	#51		18		Stick-On Plain & High Volume	#58, 58HV		17
	Flex	#71S		9		Stick-On w/ Damper & High Volume	#59, 59HV		17
	Prenotched Starting w/ Damper	#60		9		Stick-On w/ Scoop		#81	17
	Metal Spin-in Fittings	#46, 47, 48, 49		9		Stick-On w/ Scoop & Damper		#82	17
	Spin-in for Ductboard	#62, 63, 65, 66		9		Stick-on Round Pipe	#58RP, #59RP		17
	Spring Collar	#54		18		Stick-on Conical	#58C, #59C		17
	Starting for Ductboard	#67, 68		9		Register		#26	20
Connector	Flame Resistant Vibration Absorbing			12		Stack Top		#230, 231	15
	Connectors (Slide & Drive)					Side (Stack)		#240, 241	15
	Starting Collar Type	#400		12		Side Straight (Stack)		#240S, 241S	15
	Plenum Type	#401		12	Stack Duct			#270, 271	14
	Duct Type	#402		12	Stainless Steel Pipe & Fittings				21
	100' Roll of Flame Resistant Material	#410		12	Vents	Galv. Fresh Air		#12	18
Damper	Round	#80, 83		19		Galv. Dryer/Exhaust Vent		#13	18
	Rectangle (Volume)	#190		19		Premium Copper Vents		#13CS	24
	Stack	#320		19	Wyes	Tee Wye		#98Y	7
	Section	#61		18		Branch Wye		#11	7
Drawbands		#84		18					
Diverter	Horizontal	#55		18					
	Vertical	#56		18					
Drive Cleats		#390		19					
Dryer Venting									
	"The Dryer Box"			21					

INDEX BY PRODUCT NUMBER

ITEM	PAGE	DESCRIPTION	ITEM	PAGE	DESCRIPTION
11	7	Branch Wye	78T	7	Tees - Round
12	18	Fresh Air Vent	78T-A, 78T-SS	21	Tees - Round - Aluminum, Stainless Steel
13	18	Dryer Vent	78T-B	22	Tees - Black
13CS	24	Premium Copper Vent	79	20	Boxes - Floor / Ceiling
14	17	Takeoff- Double Top	79CD	20	Boxes - Ceiling
15	17	Takeoff- Adjustable	79SD	20	Boxes - Side
15FG	18	Takeoff- Adjustable for Fiberglass	79F	20	Boxes - Funnel
16	17	Takeoff- Non-adjustable	79TR	20	Short Ceiling Box
16FG	18	Takeoff- Non-adjustable for Fiberglass	80	19	Damper - Round
17	17	Takeoff- Side	81	17	Takeoff, Stick-On with Scoop
21	8	Boxes - Register - Angle	82	17	Takeoff, Stick-On with Scoop and Damper
22	8	Boxes - Register - Straight	83	19	Economy Damper - Round
23	8	Boxes - Register - End	84	18	Draw Band
25	20	Tees - Register	84B	22	Black Draw Band
26	20	Takeoff- Register	88B	22	Black Connector
27	20	Caps - Register Caps	90	6	Elbow - 90°
31	14	Boots - Stack - Angle	90A, 90-SS	21	Elbow - 90° - Aluminum, Stainless Steel
32	14	Boots - Stack - Straight	90B	22	Elbow - 90° - Black
33	14	Boots - Stack - End	90FG, 90FGL	18	Elbow - Takeoff for Fiberglass - Tabbed
38B	22	Round to Oval Boot - Black	91FG	18	Elbow - Takeoff for Fiberglass - Spin-in
39B	22	Chimney Adapter - Black	95	6	Elbow - 45°
40	6	Smoke Pipe 5'	96, 96C	7	Caps & Plugs
40A	21	Smoke Pipe 5' - Aluminum	96A, 96-SS	21	Tee Cap - Aluminum, Stainless Steel
40-SS	21	Smoke Pipe 5' - Stainless Steel	96B	22	Tee Cap - Black
43B	22	Smoke Pipe 3' - Black	97	6	Smoke Pipe - 2'
44	6	Smoke Pipe 4'	97A, 97SS	21	Smoke Pipe - 2' - Aluminum, Stainless Steel
45	6	Smoke Pipe 10'	97B	22	Smoke Pipe - 2' - Black
46, 47, 48, 49	9	Collars - Metal Spin-in	97-1/2	6	Smoke Pipe - 1'
51	18	Collars - Flat	97-1/2B	22	Smoke Pipe - 1' - Black
51B	22	Collars - Flat - Black	98Y	7	Tee Wyes
52	18	Thimbles - Wall	100, 100F	12	Plenums
53	18	Caps - Chimney	110-OS	10	Collar (Slide and Drive) - Trunk - Offset
54	18	Spring Collar	110-S	10	Collar (Slide and Drive) - Trunk - Straight
54B	22	Spring Collar - Black	110-SP	11	Collar (Slide and Drive) - Transition - Starting
55	18	Diverter - Horizontal	115	17	Adjustable Takeoff Stick-On
56	18	Diverter - Vertical	116	17	Non-adjustable Takeoff Stick-On
58	17	Takeoff, Stick-On	120	11	Trunk Duct (Slide and Drive) - 90° Flat Elbow
58C	17	Takeoff, Stick-On Conical	125	11	Trunk Duct (Slide and Drive) - 45° Flat Elbow
58HV	17	Takeoff, Stick-On High Volume	130	10	Trunk Duct (Slide and Drive) - Increaser
58RP	17	Takeoff, Stick-On Round Pipe	132	10	Trunk Transition (Slide and Drive) - One Piece
59	17	Takeoff, Stick-On with Damper	135	10	Trunk Cut for Incr. 18" Long (Slide & Drive)
59C	17	Takeoff, Stick-On Conical with Damper	140	11	Elbow (Slide and Drive) - Trunk Vertical 90°
59HV	17	Takeoff, Stick-On High Volume with Damper	145	11	Elbow (Slide and Drive) - Trunk Vertical 45°
59RP	17	Takeoff, Stick-On Round Pipe with Damper	150	10	Trunk - Cold Air Boot (Slide and Drive)
60	9	Starting Collar Prenotched w/ Damper	151	13	Cold Air Return Boot with Filter Rack
61	18	Damper Section	154	13	1" Filter Rack
62, 63, 65, 66	9	Collars - Spin-in for Ductboard	156	13	90 Deg 5" Filter Box
67, 68	9	Collars - Starting for Ductboard	160, 164, 165	10	Trunk Duct (Slide and Drive)
70S, 70L	9	Collars - Prenotched Start	168, 169	13	Cold Air Return Package
71S	9	Collar - Flex - Crimped	170	10	Trunk (Slide and Drive) - End Cap
72, 72S, 72L	7	Inc./Red - Round			
72A, 72-SS	21	Inc./Red - Round - Aluminum, Stainless Steel			
72B	22	Inc./Red - Black Pipe			
72SR	7	Inc./Red - Short Rise			

INDEX (Continued)

175	13	Horizontal Return Air Box	370	19	"S" Locks
180	12	Panning	382	19	18 Ga. Strap Hanger
190	19	Rectangular (Vol.) Damper	384	19	Twist Hanger - 9"
200, 200L	14	Stackhead - 3-1/4"	385	19	Strap Hanger Combination
201	14	Stackhead - 2-1/4"	386	19	"L" Hanger
210	14	Horizontal Stackhead - 3 - 1/4"	390	19	Drive Cleats
211	14	Horizontal Stackhead - 2 - 1/4"	400	12	Flame Resistant Vibration Absorbing
216	17	Non-adjustable Takeoff Stick On w/ Damper	401		Connectors (Slide & Drive & Dimple Lock)
220	14	Floor Diffuser Box	402		
230	15	Top Takeoff 3-1/4"	600-OV	16	60" Oval Pipe
231	15	Top Takeoff 2-1/4"	601-OV	16	100" Oval Pipe
240	15	Side Takeoff 3-1/4"	605-OV	16	Oval Vertical Elbow 90°
240S	15	Side Takeoff, Straight 3-1/4"	606-OV	16	Oval Flat Elbow 90°
241	15	Side Takeoff 2-1/4"	607-OV	16	Oval Vertical Angle 45°
241S	15	Side Takeoff, Straight 2-1/4"	608-OV	16	Oval Flat Angle 45°
250	15	Elbow - Flat 90° - 3-1/4"	610-OV	16	Round to Oval Boot 90°
251	15	Elbow - Flat 90° - 2-1/4"	610T-OV	16	Tapered Round to Oval Boot 90°
255	15	Elbow - Flat 45° - 3-1/4"	611-OV	16	Oval to Round Boot 90°
256	15	Elbow - Flat 45° - 2-1/4"	612-OV	16	Oval End Boot
270, 271	14	Stack Duct - 3-1/4", 2-1/4"	612T-OV	16	Tapered Oval End Boot
280	15	Elbow - Vertical 90° - 3-1/4"	613-OV	16	Oval Straight Boot
281	15	Elbow - Vertical 90° - 2-1/4"	613T-OV	16	Tapered Oval Straight Boot
285	15	Elbow - Vertical 45° - 3-1/4"	615	16	Oval to Oval Reverse Boot
286	15	Elbow - Vertical 45° - 2-1/4"	620-OV	16	Oval Stackhead with Ears
290	15	End Cap - 3-1/4"	622-OV	16	Double Stackhead with ears
291	15	End Cap - 2-1/4"	625-OV	16	Oval Adapter Not Crimped
320	19	Stack Damper	630-OV	16	Oval Box 90°
330	12	Cold Air Return Frame	635-OV	16	Oval Box 45°
350	15	Reverse Stack Elbow 3-1/4	640-OV	16	Oval Starting Collar No Crimp
351	15	Reverse Stack Elbow 2-1/4	900	12	Adjustable Plenums

RESIDENTIAL CFM CHART FOR TRUNK DUCT & ROUND PIPE

Residential CFM capacities of trunk sizes with velocity not to exceed 1000 FPM. Based on static of .10 (Friction per 100' of duct.)


TRUNK DUCT	
SIZE	CFM READING
8 x 8	up to 300
10 x 8	300 to 400
12 x 8	400 to 500
14 x 8	500 to 600
16 x 8	600 to 700
18 x 8	700 to 800
20 x 8	800 to 900
22 x 8	900 to 1000
24 x 8	1000 to 1100
26 x 8	1100 to 1200
28 x 8	1200 to 1300
30 x 8	1300 to 1400
32 x 8	1400 to 1500
34 x 8	1500 to 1600
36 x 8	1600 to 1700

Residential CFM capacities of round duct sizes with velocity not to exceed 600 FPM. Based on static of .10 (Friction per 100' of duct.)


ROUND PIPE	
SIZE	CFM READING
4"	up to 50
5"	50 to 75
6"	75 to 100
7"	100 to 150
8"	150 to 200
9"	200 to 300
10"	300 to 400
11"	400 to 500
12"	500 to 650
13"	650 to 800
14"	800 to 1000
15"	1000 to 1200
16"	1400 to 1500

Specifications are subject to change without notice.


TYPICAL WARM AIR SYSTEM



TYPICAL WET AIR SYSTEM



TYPICAL ATTIC AIR CONDITIONING SYSTEM





Smoke Pipe


 #90 Elbow
90° Adjustable

 #95 Elbow
45° Adjustable

Round Pipe

Size	Ctn.	#97-1/2 1 Foot Pipe		#97 2 Foot Pipe			Ctn.	#40 5 Foot Pipe				Ctn.	#45 10 Foot Pipe
		26 Gauge	24 Gauge	30 Gauge	26 Gauge	24 Gauge		30 Gauge	Ctn.	26 Gauge	24 Gauge		
3"	10 →	•	-	•	•	-	-	-	10 →	•	-	-	-
4"	10 →	•	-	•	•	•	10 →	•	10 →	•	-	5 →	•
5"	10 →	•	•	•	•	•	10 →	•	10 →	•	•	5 →	•
6"	10 →	•	•	•	•	•	10 →	•	10 →	•	•	5 →	•
7"	10 →	•	•	•	•	•	10 →	•	5 →	•	•	5 →	•
8"	10 →	•	•	•	•	•	10 →	•	5 →	•	•	5 →	•
9"	10 →	•	•	•	•	•	10 →	•	5 →	•	•	-	-
10"	10 →	•	•	•	•	•	5 →	•	5 →	•	•	-	-
12"	10 →	•	•	•	•	•	5 →	•	5 →	•	•	-	-
14"	10 →	•	•	-	•	•	-	-	5 →	•	•	-	-
16"	10 →	-	-	-	•	•	-	-	-	-	-	-	-
18"	10 →	-	-	-	-	•	-	-	-	-	-	-	-
20"	10 →	-	-	-	-	•	-	-	-	-	-	-	-
24"	10 →	-	-	-	-	•	-	-	-	-	-	-	-

Round Elbows

Size	Ctn.	#90 - 90° Elbow			Ctn.	#95 - 45° Elbow		
		30 Gauge	26 Gauge	24 Gauge		30 Gauge	26 Gauge	24 Gauge
3"	24 →	•	•	-	24 →	-	•	-
4"	24 →	•	•	•	24 →	-	•	-
5"	24 →	•	•	•	24 →	•	•	•
6"	24 →	•	•	•	24 →	•	•	•
7"	12 →	•	•	•	24 →	•	•	•
8"	12 →	•	•	•	24 →	•	•	•
9"	12 →	•	•	•	pcs →	•	•	•
10"	12 →	•	•	•	pcs →	•	•	•
12"	4 →	•	•	•	pcs →	•	•	•
14"	4 →	-	•	•	pcs →	-	•	•
16"	pcs →	-	•	•	pcs →	-	•	•
18"	pcs →	-	-	•	pcs →	-	-	•
20"	pcs →	-	-	•	pcs →	-	-	•
24"	pcs →	-	-	•	pcs →	-	-	•

#44 4 Foot Pipe	Ctn.	
16" - 26 Gauge	pcs	•
16" - 24 Gauge	pcs	•
18" - 24 Gauge	pcs	•

WYES, TEES, CAPS & PLUGS, INCREASERS / REDUCERS



#98Y Tee Wye



#11 Branch Wye



#78T Round Tee



#96 Cap (No crimp)
#96C Plug (crimped)

#98Y Tee Wyes

Size	Ctn.	26 Gauge	24 Gauge
3"	12 →	●	-
4"	12 →	●	●
5"	12 →	●	●
6"	12 →	●	●
7"	12 →	●	●
8"	12 →	●	●
9"	12 →	●	-
10"	12 →	●	-
12"	12 →	●	-

Larger sizes available upon request

#11 Branch Wye

Size	Ctn.	26 Gauge
6x4x4	pcs →	●
7x5x5	pcs →	●
8x6x6	pcs →	●
10x8x8	pcs →	●
12x10x10	pcs →	●

#78T Round Tees

Size	Ctn.	26 Gauge	24 Gauge
3"	12 →	●	-
4"	12 →	●	●
5"	12 →	●	●
6"	12 →	●	●
7"	12 →	●	●
8"	12 →	●	●
9"	pcs →	●	●
10"	pcs →	●	●
12"	pcs →	●	●
14"	pcs →	●	●
16"	pcs →	●	●
18"	pcs →	●	●
20"	pcs →	-	●
24"	pcs →	-	●

*Add 30% for reducing tees

#96, #96C Caps & Plugs

Size	Ctn.	26 Gauge	24 Gauge
3"	12 →	●	●
4"	12 →	●	●
5"	12 →	●	●
6"	12 →	●	●
7"	12 →	●	●
8"	12 →	●	●
9"	12 →	●	●
10"	12 →	●	●
12"	12 →	●	●
14"	12 →	●	●
16"	12 →	●	●
18"	12 →	●	●
20"	12 →	●	●
22"	12 →	●	●
24"	12 →	●	●



#72



#72L



#72SR



#72SR
"Short Rise"

Increases/Reducers

Size	Ctn.	#72		#72SR
		26 Gauge	24 Gauge	24 Gauge
4"	12 →	●	●	●
5"	12 →	●	●	●
6"	12 →	●	●	●
7"	12 →	●	●	●
8"	12 →	●	●	●
9"	12 →	●	●	●
10"	12 →	●	●	●
12"	12 →	●	●	-
14"	12 →	●	-	-
16"	12 →	●	-	-
18"	12 →	●	-	-
20"	12 →	●	-	-
22"	12 →	●	-	-
24"	12 →	●	-	-

Prices based on
large end

#72S/#72SRS
Small End Crimped

#72L/#72SRL
Large End Crimped


#72/#72SR
No Crimp



#21 90° Angle
Register Box




#22 Straight
Register Box



#23L End Register Box
(Left)



#23C End Register Box
(Center)



#23R End Register Box
(Right)

Register Boxes

Size	Ctn.	#21/#22	#23C	#23L,R
2-1/4 x 10 to 4	12 →	•	•	-
2-1/4 x 10 to 5	12 →	•	•	•
2-1/4 x 10 to 6	12 →	•	•	•
2-1/4 x 10 to 7	12 →	•	•	•
2-1/4 x 10 to 8	12 →	•	•	-
2-1/4 x 12 to 4	12 →	•	•	-
2-1/4 x 12 to 5	12 →	•	•	•
2-1/4 x 12 to 6	12 →	•	•	•
2-1/4 x 12 to 7	12 →	•	•	•
2-1/4 x 12 to 8	12 →	•	•	•
2-1/4 x 14 to 4	12 →	•	•	-
2-1/4 x 14 to 5	12 →	•	•	•
2-1/4 x 14 to 6	12 →	•	•	•
2-1/4 x 14 to 7	12 →	•	•	•
2-1/4 x 14 to 8	12 →	•	•	•
4 x 10 to 4	12 →	•	•	-
4 x 10 to 5	12 →	•	•	•
4 x 10 to 6	12 →	•	•	•
4 x 10 to 7	12 →	•	•	•
4 x 10 to 8	12 →	•	•	•

ALL SALES FINAL

Size	Ctn.	#21/#22	#23C	#23L,R
4 x 12 to 4	12 →	•	•	-
4 x 12 to 5	12 →	•	•	•
4 x 12 to 6	12 →	•	•	•
4 x 12 to 7	12 →	•	•	•
4 x 12 to 8	12 →	•	•	•
4 x 14 to 4	12 →	•	•	-
4 x 14 to 5	12 →	•	•	-
4 x 14 to 6	12 →	•	•	-
4 x 14 to 7	12 →	•	•	•
4 x 14 to 8	6 →	•	•	•
6 x 10 to 5	6 →	•	•	-
6 x 10 to 6	6 →	•	•	-
6 x 10 to 7	6 →	•	•	-
6 x 10 to 8	6 →	•	•	-
6 x 12 to 5	6 →	•	•	-
6 x 12 to 6	6 →	•	•	-
6 x 12 to 7	6 →	•	•	-
6 x 12 to 8	6 →	•	•	-
6 x 14 to 6	6 →	•	•	-
6 x 14 to 7	6 →	•	•	-
6 x 14 to 8	6 →	•	•	-

ALL SALES FINAL

COLLARS



#60 Starting Collar
Prenotched w/ Damper



#70S Short Starting Collar
#70S = Small Collar (crimped)
#70L = Large Collar (not crimped)



#71S Flex. Duct
Starting Collar



#67 Fiberglass
Starting Collar
(One-piece tabloc collars also available)



#68 Fiberglass Starting
Collar with Damper

Long Tabs for 1.5" Duct Board Available

Tabbed Collars

Ctn.	3"	4"	5"	6"	7"	8"	9"	10"	12"	14"	16"	18"	20"	24"
Ctn.	12	12	12	12	12	12	12	12	12	12	12	6	6	6
#71S	•	•	•	•	•	•	•	•	•	•	•	•	•	-
Ctn.	12	12	12	12	12	12	12	12	12	12	6	6	6	6
#60	-	•	•	•	•	•	•	•	•	•	•	•	-	-
#70S/L	•	•	•	•	•	•	•	•	•	•	•	•	•	•
#67	-	•	•	•	•	•	•	•	•	•	•	•	•	-
#68	-	•	•	•	•	•	•	•	•	•	•	•	-	-



#46 Metal
Spin-In Plain



#47 Metal
Spin-In w/ Scoop



#48 Metal
Spin-In w/ Damper



#49 Metal Spin-In
w/ Scoop & Damper

Metal Spin-In Fittings

Size	Ctn.	#46 Metal Spin-In Plain	#47 Metal Spin-In with Scoop	#48 Metal Spin-In with Damper	#49 Metal Spin-In w/ Scoop & Damper
4"	12 →	•	•	•	•
5"	12 →	•	•	•	•
6"	12 →	•	•	•	•
7"	12 →	•	•	•	•
8"	12 →	•	•	•	•
9"	12 →	•	•	•	•
10"	12 →	•	•	•	•
12"	12 →	•	•	•	•
14"	12 →	•	•	•	•
16"	6 →	•	•	•	•



#65 Spin-In
Plain



#66 Spin-In
w/ Scoop & Damper



#62 Spin-In
w/ Damper



#63 Spin-In
w/ Scoop

Spin-In Collars for Duct Board

Size	Ctn.	#62 Spin-In with Damper	#63 Spin-In with Scoop	#65 Spin-In Plain	#66 Spin-In w/ Scoop & Damper
4"	12 →	-	-	•	-
5"	12 →	-	-	•	-
6"	12 →	•	•	•	•
7"	12 →	•	•	•	•
8"	12 →	•	•	•	•
9"	12 →	•	•	•	•
10"	12 →	•	•	•	•
12"	12 →	•	•	•	•
14"	12 →	•	•	•	•
16"	6 →	-	-	•	-
18"	6 →	-	-	•	-

SLIDE & DRIVE TRUNK DUCT & FITTINGS



Trunk (Slide & Drive)




#110S Straight Starting Collar



#110OS 2" Offset Starting Collar



#132 Trunk Transition
One Piece - Specify size of both ends



#170 End Cap




#150 Cold Air Boot

Trunk Duct & Cold Air Boot (Slide & Drive)

ALL SALES FINAL

ALL SALES FINAL

Size	Ctn.	#160 Trunk Duct 36" Long	#164 Trunk Duct 48" Long	#165 Trunk Duct 60" Long	Ctn.	#110-S Straight Starting Collar	#110-OS Offset Starting Collar	#132 One Piece Trunk Transition	#170 End Cap	Ctn.	#150 Cold Air Boot
8 x 8	3 →	•	•	•	12 →	•	•	-	•	pcs →	•
10 x 8	3 →	•	•	•	12 →	•	•	•	•	pcs →	•
12 x 8	3 →	•	•	•	12 →	•	•	•	•	pcs →	•
14 x 8	3 →	•	•	•	12 →	•	•	•	•	pcs →	•
16 x 8	3 →	•	•	•	12 →	•	•	•	•	pcs →	•
18 x 8	3 →	•	•	•	12 →	•	•	•	•	pcs →	•
20 x 8	3 →	•	•	•	6 →	•	•	•	•	pcs →	•
22 x 8	3 →	•	•	•	6 →	•	•	•	•	pcs →	•
24 x 8	3 →	•	•	•	6 →	•	•	•	•	pcs →	•
26 x 8	pcs →	•	•	•	6 →	•	•	•	•	pcs →	•
28 x 8	pcs →	•	•	•	6 →	•	•	•	•	pcs →	•
30 x 8	pcs →	•	•	•	6 →	•	•	•	•	pcs →	•
32 x 8	pcs →	•	•	•	6 →	•	•	-	•	pcs →	•
36 x 8	pcs →	•	•	•	6 →	•	•	-	•	pcs →	•
10 x 10	3 →	-	•	•	pcs →	•	•	•	•	-	-
12 x 10	3 →	-	•	•	pcs →	•	•	•	•	-	-
14 x 10	3 →	-	•	•	pcs →	•	•	•	•	-	-
16 x 10	3 →	-	•	•	pcs →	•	•	•	•	-	-
18 x 10	3 →	-	•	•	pcs →	•	•	•	•	-	-
20 x 10	3 →	-	•	•	pcs →	•	•	•	•	-	-
22 x 10	3 →	-	•	•	pcs →	•	•	•	•	-	-
24 x 10	3 →	-	•	•	pcs →	•	•	•	•	-	-
12 x 12	pcs →	-	•	•	pcs →	•	•	•	•	-	-
14 x 12	pcs →	-	•	•	pcs →	•	•	•	•	-	-
16 x 12	pcs →	-	•	•	pcs →	•	•	•	•	-	-
18 x 12	pcs →	-	•	•	pcs →	•	•	•	•	-	-
20 x 12	pcs →	-	•	•	pcs →	•	•	•	•	-	-
22 x 12	pcs →	-	•	•	pcs →	•	•	•	•	-	-
24 x 12	pcs →	-	•	•	pcs →	•	•	•	•	-	-




#130 Trunk Increaser

Trunk Increasers

Size	2 x 8	4 x 8	6 x 8	8 x 8	12 x 8	16 x 8	20 x 8	24 x 8	2 x 10	4 x 10	6 x 10	8 x 10
#130 Trunk Increaser	•	•	•	•	-	-	-	-	•	•	•	•
#135 Trunk Cut For Inc.	-	-	-	•	•	•	•	•	-	-	-	-
Ctn.	12	12	12	12	12	12	6	6	12	12	12	12

SLIDE & DRIVE TRUNK DUCT



#120 Flat 90° Elbow



#125 Flat 45° Elbow



#140 Vertical 90° Elbow



#145 Vertical
45° Elbow



#110SP Transition Starting Collar

Rectangular Elbows (Slide & Drive)

Size	Ctn.	#120 Flat 90° Elbow	#125 Flat 45° Elbow	#140 Vertical 90° Elbow	#145 Vertical 45° Elbow
8 x 8	12 →	•	•	•	•
10 x 8	12 →	•	•	•	•
12 x 8	12 →	•	•	•	•
14 x 8	12 →	•	•	•	•
16 x 8	12 →	•	•	•	•
18 x 8	12 →	•	•	•	•
20 x 8	6 →	•	•	•	•
22 x 8	6 →	•	•	•	•
24 x 8	6 →	•	•	•	•
26 x 8	pcs →	•	•	•	•
28 x 8	pcs →	•	•	•	•
30 x 8	pcs →	•	•	•	•
32 x 8	pcs →	•	•	•	•
36 x 8	pcs →	•	•	•	•
10 x 10	pcs →	•	•	•	•
12 x 10	pcs →	•	•	•	•
14 x 10	pcs →	•	•	•	•
16 x 10	pcs →	•	•	•	•
18 x 10	pcs →	•	•	•	•
20 x 10	pcs →	•	•	•	•
22 x 10	pcs →	•	•	•	•
24 x 10	pcs →	•	•	•	•
12 x 12	pcs →	•	•	•	•
14 x 12	pcs →	•	•	•	•
16 x 12	pcs →	•	•	•	•
18 x 12	pcs →	•	•	•	•
20 x 12	pcs →	•	•	•	•
22 x 12	pcs →	•	•	•	•
24 x 12	pcs →	•	•	•	•

ALL SALES FINAL

ALL SALES FINAL

#110SP Transition Starting Collars

Duct Size	12 x 8	14 x 8	16 x 8	18 x 8	20 x 8	24 x 8	26 x 8	28 x 8	30 x 8	32 x 8	36 x 8
Collar Size	10w x 12d	10w x 12d	11w x 12d	14w x 12d	14w x 12d	16w x 12d	16w x 14d	16w x 14d	19w x 14d	19w x 14d	21w x 14d
Ctn.	pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs
	•	•	•	•	•	•	•	•	•	•	•

ALL SALES FINAL

10" & 12" #110SP Transition Starting Collars

Duct Size	10 x 10	12 x 10	14 x 10	16 x 10	18 x 10	20 x 10	22 x 10	24 x 10
Collar Size	8w x 12d	10w x 12d	12w x 12d	12w x 14d	14 w x 14d	16w x 14d	16w x 14d	17w x 14d
	•	•	•	•	•	•	•	•
Ctn.	pcs	pcs	pcs	pcs	pcs	pcs	pcs	pcs
Duct Size	-	12 x 12	14 x 12	16 x 12	18 x 12	20 x 12	22 x 12	24 x 12
Collar Size	-	10w x 14d	12w x 14d	12w x 16d	14w x 16d	16w x 16d	18w x 16d	18w x 16d
	-	•	•	•	•	•	•	•
Ctn.	-	pcs	pcs	pcs	pcs	pcs	pcs	pcs

ALL SALES FINAL

Transition starting collars fit plenums smaller than duct. Centered style furnished unless off set right facing discharge or offset left facing discharge is requested. Order Left - Right - Centered.

• = Available item. Contact distributor for pricing.
Specifications are subject to change without notice.



#100 Plenum Chamber

Duc-Pac has custom fit plenums for many equipment lines. Contact distributor for details.

•Priced by inch of girth (ROUND FRACTIONS UP)

Example:

If plenum measures 19.25" x 29.75" x 36" high
 Girth = 2 sides x 20" = 40
 plus 2 sides x 30" = 60
 (total inches of girth) = 100"

Total inches of girth x price for Height (from chart)
 will equal your list price.

•Shipped knocked down in one carton

#900 Adjustable Plenum

Width	Height 36"
14 x 14	•
16 x 16	•
18 x 18	•
20 x 20	•
22 x 22	•
24 x 24	•
26 x 26	•
28 x 28	•
30 x 30	•
32 x 32	•

To install Adjustable Plenum:

- Cut raw edges of side panels to desired width and height sizes.
- Trim top to 1/8" less than plenum width and depth
- Assemble 3 sides, slide top into side panel pockets, then position fourth side
- Secure with sheet metal screws



#180 Panning

#180 Panning


Size	Ctn.	
17x36	25	•
32x30	5	•

24GA panning available upon request

#100 26GA Plenum

Height		Height	
18"	•	42"	•
24"	•	48"	•
30"	•	60"	•
36"	•		

ALL SALES FINAL



#100 F Supply Plenum with 1/2" Flange

- Feature 1/2" Flange instead of S-locks
- Shipped knocked down in one carton
- Contact Duc-Pac or your distributor for price and availability



#330 Cold Air Return Frame


#330 Cold Air Return Frame

Size	pcs	
10 x 6	pcs	•
12 x 6	pcs	•
14 x 6	pcs	•

Flame Resistant Vibration Absorbing Connectors

Size	Ctn.	#400 #401	#402
8 x 6	pcs →	•	•
8 x 8	pcs →	•	•
10 x 8	pcs →	•	•
12 x 8	pcs →	•	•
14 x 8	pcs →	•	•
16 x 8	pcs →	•	•
18 x 8	pcs →	•	•
20 x 8	pcs →	•	•
22 x 8	pcs →	•	•
24 x 8	pcs →	•	•
26 x 8	pcs →	•	•
28 x 8	pcs →	•	•
30 x 8	pcs →	•	•
32 x 8	pcs →	•	•
All Sales Final			

Plenum to Trunk 400
 Furnace to Plenum 401
 Trunk to Trunk 402



100' roll of Flame
 Resistant Material.
 Contact Duc-Pac for:



Specs. _____

Price\$ _____


Date (_____) _____



#168 Cold Air Return Package

Both Packages Consists of:
 1 - #110S Starting Collar
 2 - #160 30" Long Trunk Duct
 6 - #390 Drive Cleat
 1 - #170 End Cap
 1 - Return Air Boot with 1" Filter Rack

Shipped knocked down in one carton



#169 Cold Air Return Package

20x14 Drop combines with a 20x20x1 filter rack for maximum air flow

Hinged, spring loaded filter door

20x14 opening fits new low profile furnaces

**The
"One Size Fits All"
Return Air Drop
A Duc-Pac Exclusive**



#151 Cold Air Return Boot with Filter Rack

#168 - Cold Air Return Package		
20 x 14 - 20 x 10	pcs	•
20 x 16 - 20 x 10	pcs	•
25 x 16 - 25 x 10	pcs	•
ALL SALES FINAL		

#169 - Cold Air Return Package		
20 x 14 - 20 x 14 w/ 20x20x1 filter rack	pcs	•


#151 Cold Air Return Boot		
20 x 8 - 20 x 14	pcs	•
20 x 8 - 20 x 16	pcs	•
24 x 8 - 24 x 16	pcs	•

x 10" Sizes available upon request



#156 90 Deg 5" Filter Box

- Sold with a 20x25x5 (merv 8) media filter **included**
- Adjustable duct opening can accomodate 24x8 or 24x10 trunk (drop)
- Rubber feet keep metal dry and absorb vibration (noise)
- Exterior dimension 25.5"x24"x15.5"
- Furnace openings 23"x13.5"



#175 Horizontal Return Air Box

#175 Horizontal Return Air Box		
30 x 28 x 10" (RA opening 24 x 8)	pcs	•
38 x 28 x 10" (RA opening 25 x 10)	pcs	•



#154 1" Filter Rack

- Features a hinged, spring loaded door
- Joins trunk drop to furnace for an economical and/or space saving solution.

#154 1" Filter Rack		
20 x 14 x 1	pcs	•
20 x 16 x 1	pcs	•
25 x 16 x 1	pcs	•

4" and 5" filter widths available upon request


#156 90 Deg 5" Filter Box	pcs	•
---------------------------	-----	---




#270 Stack Duct



#200 Stackhead



#200-L Longthroat
Stackhead w/ ears



#210 Horizontal
Stackhead



#220 Floor
Diffuser Box



#31 90° Angle Boot



#32 Straight Boot



#33 End Boot

Stack Duct

Size	Ctn.	#270 12"	#270 24"	#270 36"	Ctn.	#270 60"	#270 100"
3-1/4 x 10	6 →	•	•	•	6 →	•	•
3-1/4 x 12	6 →	•	•	•	6 →	•	•
3-1/4 x 14	6 →	-	•	•	6 →	•	•
Size	Ctn.	#271 12"	#271 24"	#271 36"	Ctn.	#271 60"	#271 100"
2-1/4 x 10	6 →	•	•	•	6 →	•	•
2-1/4 x 12	6 →	•	•	•	6 →	•	•
2-1/4 x 14	6 →	-	•	•	6 →	•	•

Stack Boots

Size	Ctn.	#31 - 90° Angle Boot	#32 Straight Boot	#33 End Boot
2-1/4 x 10 to 5	12 →	•	•	•
2-1/4 x 10 to 6	12 →	•	•	•
2-1/4 x 12 to 5	12 →	•	•	•
2-1/4 x 12 to 6	12 →	•	•	•
3-1/4 x 10 to 4	12 →	•	•	•
3-1/4 x 10 to 5	12 →	•	•	•
3-1/4 x 10 to 6	12 →	•	•	•
3-1/4 x 10 to 7	12 →	•	•	•
3-1/4 x 10 to 8	12 →	•	•	•
3-1/4 x 12 to 4	12 →	•	•	•
3-1/4 x 12 to 5	12 →	•	•	•
3-1/4 x 12 to 6	12 →	•	•	•
3-1/4 x 12 to 7	12 →	•	•	•
3-1/4 x 12 to 8	12 →	•	•	•
3-1/4 x 14 to 4	12 →	•	•	•
3-1/4 x 14 to 5	12 →	•	•	•
3-1/4 x 14 to 6	12 →	•	•	•
3-1/4 x 14 to 7	12 →	•	•	•
3-1/4 x 14 to 8	12 →	•	•	•

Floor Diffuser Boxes

Size	Ctn.	#220 Floor Diffuser Box 3-1/4" Wide
10 x 3-1/4 to 10 x 2-1/4	12 →	•
12 x 3-1/4 to 12 x 2-1/4	12 →	•
14 x 3-1/4 to 14 x 2-1/4	12 →	•

Stackhead

Size	Ctn.	#200 #210 3-1/4" Wide	Size	Ctn.	#200L 3-1/4" Wide	Size	Ctn.	#201 #211 2-1/4" Wide
10 x 3-1/4 - 10 x 6	12 →	•	10 x 3-1/4 - 10 x 6	12 →	•	10 x 2-1/4 - 10 x 6	12 →	•
12 x 3-1/4 - 12 x 6	12 →	•	12 x 3-1/4 - 12 x 6	12 →	•	12 x 2-1/4 - 12 x 6	12 →	•
14 x 3-1/4 - 14 x 6	12 →	•	14 x 3-1/4 - 14 x 6	12 →	•	14 x 2-1/4 - 14 x 6	12 →	•


STACK FITTINGS




#230 Top Takeoff



#240 Side Takeoff



#240S Side Takeoff,
Straight



#250 Flat 90° Elbow



#255 Flat 45° Elbow



#280 Vertical
90° Elbow



#285 Vertical
45° Elbow



#290 End Cap



#350 Reverse Stack Elbow
Right - Left - Center
(Right shown here)

Stack Fittings

Size	Ctn.	#230 Top Takeoff	#240 Side Takeoff	#240S Side Takeoff, Straight	#250 Flat 90° Elbow	#255 Flat 45° Elbow
10 x 3-1/4	12 →	•	•	•	•	•
12 x 3-1/4	12 →	•	•	•	•	•
14 x 3-1/4	12 →	•	•	•	•	•

Size	Ctn.	#231 Top Takeoff	#241 Side Takeoff	#241S Side Takeoff, Straight	#251 Flat 90° Elbow	#256 Flat 45° Elbow
10 x 2-1/4	12 →	•	•	•	•	•
12 x 2-1/4	12 →	•	•	•	•	•
14 x 2-1/4	12 →	•	•	•	•	•

Stack Fittings

Size	Ctn.	#280 Vertical 90° Elbow	#285 Vertical 45° Elbow	#290 End Cap	#350 Reverse Stack Elbow Specify L-R-C
10 x 3-1/4	12 →	•	•	•	•
12 x 3-1/4	12 →	•	•	•	•
14 x 3-1/4	12 →	•	•	•	•

Size	Ctn.	#281 Vertical 90° Elbow	#286 Vertical 45° Elbow	#291 End Cap	#351 Reverse Stack Boot Specify L-R-C
10 x 2-1/4	12 →	•	•	•	•
12 x 2-1/4	12 →	•	•	•	•
14 x 2-1/4	12 →	•	•	•	•



#600-OV (60")
#601-OV (100")



#605-OV 90° One Piece
Vertical Oval Elbow



#606-OV 90°
4-Piece Flat Oval Elbow



#607-OV 45° One Piece
Vertical Oval Angle



#608-OV 45°
Flat Oval Angle



#612-OV Round to Oval
End Boot



#613-OV Round to Oval
Straight Boot



#620-OV Standard Oval
Stackhead



#622-OV Double Oval
Stackhead



#625-OV Oval Adapter
(not crimped)



#630-OV Oval Box 90°



#610-OV/#611-OV 90°
Round to Oval 90° Boot



#635-OV Oval Box 45°



#640-OV Oval Starting Collar
(not crimped)

Oval Pipe and Fittings

Catalog Number	Ctn.	Item	5"	6"	7"	8"
600-OV	5 →	60" Oval Pipe	•	•	•	-
601-OV	5 →	100" Oval Pipe	•	•	•	•
605-OV	12 →	Oval Vertical Elbow 90°	•	•	•	•
606-OV	12 →	Oval Flat Elbow 90°	•	•	•	•
607-OV	12 →	Oval Vertical Angle 45°	•	•	•	•
608-OV	12 →	Oval Flat Angle 45°	•	•	•	•
610-OV	12 →	Round to Oval Boot 90°	•	•	•	•
610T-OV	12 →	Tapered Round to Oval Boot 90°	6" round to 7" oval	•	•	-
611-OV	12 →	Oval to Round Boot 90°	•	•	•	•
612-OV	12 →	Round to Oval End Boot	•	•	•	•
612T-OV	12 →	Tapered Round to Oval End Boot	6" round to 7" oval	•	•	-
613-OV	12 →	Round to Oval Straight Boot	•	•	•	•
613T-OV	12 →	Tapered Round to Oval Striaight Boot	6" round to 7" oval	•	•	-
615	12 →	Oval to Oval Reverse Boot	-	•	•	-
620-OV		Oval Stackhead with ears				
	pcs →	4 x 12	-	•	-	-
	pcs →	6 x 10	•	•	•	-
	pcs →	6 x 12	-	•	•	•
	pcs →	6 x 14	-	-	-	•
622-OV		Double Stackhead w/ ears				
	pcs →	6 x 10	-	•	•	-
	pcs →	6 x 12	-	•	•	-
	pcs →	6 x 14	-	-	-	•
625-OV		Oval Adapter not crimped				
	pcs →	3-1/4 x 10	-	•	-	-
	pcs →	3-1/4 x 12	-	•	•	-
	pcs →	4 x 10	-	•	•	-
630-OV		Oval Box 90°				
	pcs →	4 x 10	•	•	•	-
	pcs →	4 x 12	-	•	•	-
635-OV		Oval Box 45°				
	pcs →	2.25 x 12	-	•	-	-
	pcs →	4 x 10	-	•	•	-
	pcs →	4 x 12	-	•	•	-
640-OV	pcs →	Oval Starting Collar Not Crimped	•	•	•	•

Capacities of branch ducts for residential application at recommended maximum velocity of 600 fpm.

Branch Duct	Wrap	Area Sq.In.	CFM
5" Round	15.7"	19.6 in ²	82
6" Round	18.9"	28.3 in ²	118
7" Round	22.0"	38.5 in ²	160
8" Round	25.1"	50.3 in ²	210
5" Oval	15.7"	17.2 in ²	72
6" Oval	18.9"	22.3 in ²	93
7" Oval	22.0"	27.4 in ²	114
8" Oval	25.1"	32.5 in ²	136
2.25 x 10 Stack	24.5"	22.5 in ²	94
3.25 x 10 Stack	26.5"	32.5 in ²	135
3.25 x 12 Stack	30.5"	39.0 in ²	162
3.25 x 14 Stack	34.5"	45.5 in ²	190

Nominal duct sizes conform to industry standards.

Specifications are subject to change without notice.

• = Available item. Contact distributor for pricing.

TABBED TAKEOFFS & STICK-ON TAKEOFFS



#14 Double Top Takeoff



#17 Side Takeoff



#15 Adjustable Takeoff



#16 Non-Adjustable Takeoff



#58 & #59 Stick-on



#81 & #82 Stick-On w/ Scoop



#116 & #216 Non-Adj. Takeoff Stick-on



#115 Adj. Takeoff Stick-On Plain



#58RP & #59RP Round Pipe Stick-On



#58C & #59C Conical Stick-On



#58HV & #59HV Commercial High Volume Stick-On



#58HVE & #59HVE Residential High Volume Stick-On

Tabbed Takeoffs

Size	Ctn.	#14 Double Top Takeoff	#15 Adjustable Takeoff	#16 Non-Adjustable Takeoff	#17 Side Takeoff
4"	12 →	-	•	•	•
5"	12 →	•	•	•	•
6"	12 →	•	•	•	•
7"	12 →	•	•	•	•
8"	12 →	•	•	•	•
9"	6 →	-	•	•	•
10"	6 →	-	•	•	•
12"	6 →	-	•	•	•
14"	6 →	-	-	-	•

Stick-On Takeoffs

Ctn.	#58RP Round Pipe Stick-on Plain	#59RP Rnd Pipe Stick-on w/damper	#58C Conical Stick-on	#59C Conical Stick-on w/ damper
12 →	•	•	Conicals listed by pipe size. Add 2" for large end.	
12 →	•	•		
12 →	•	•	•	•
12 →	•	•	•	•
12 →	•	•	•	•
12 →	•	•	-	-
6 →	•	•	•	•
6 →	•	•	•	•
6 →	•	•	•	•

Stick-On Takeoffs

Size	Ctn.	#58 Stick-On Plain	#59 Stick-On with Damper	#81 Stick-On with Scoop	#82 Stick-On Scoop & Damper	Ctn.	#58HV Commercial High Volume Stick-On Plain	#59HV Commercial High Volume Stick-On w/Dmpr	#58HVE Residential High Volume Stick-On Plain	#59HVE Residential High Volume Stick-On w/Dmpr
4"	12 →	•	•	•	•	-	-	-	-	-
5"	12 →	•	•	•	•	12 →	•	•	•	•
6"	12 →	•	•	•	•	12 →	•	•	•	•
7"	12 →	•	•	•	•	12 →	•	•	•	•
8"	12 →	•	•	•	•	12 →	•	•	•	•
9"	12 →	•	•	•	•	6 →	•	•	-	-
10"	12 →	•	•	•	•	6 →	•	•	-	-
12"	12 →	•	•	•	•	6 →	•	•	-	-
14"	12 →	•	•	•	•	6 →	•	•	-	-
16"	6 →	•	•	•	•	2 →	•	•	-	-
18"	6 →	•	-	-	-	-	-	-	-	-

Stick-On Takeoffs

Size	Ctn.	#115 Adjustable Takeoff Stick-On Plain	#116 Non-Adjustable Takeoff Stick-On Plain	#216 Non-Adjustable Takeoff Stick-On with Damper	Size	Ctn.	#115 Adjustable Takeoff Stick-On Plain	#116 Non-Adj. Takeoff Stick-On Plain	#216 Non-Adjustable Takeoff Stick-On with Damper
5"	12 →	•	•	•	9"	6 →	•	•	•
6"	12 →	•	•	•	10"	6 →	•	•	•
7"	12 →	•	•	•	12"	6 →	•	•	•
8"	12 →	•	•	•	14"	4 →	-	•	•



#15FG
Adjustable Takeoff
for Fiberglass



#90FGL
Elbow Takeoff for
Fiberglass w/ Damper - Tabbed



#16FG
Non-Adjustable Takeoff
for Fiberglass



#91FGL
Elbow Takeoff for
Fiberglass w/ Damper - Spin-in

Fiberglass Takeoffs					
Size	Ctn.	#15 FG	#16 FG	#90 FGL	#91 FG
4"	12 →	-	•	-	-
5"	12 →	•	•	-	-
6"	12 →	•	•	•	•
7"	12 →	•	•	•	•
8"	12 →	•	•	•	•
9"	6 →	-	•	-	-
10"	6 →	-	•	-	-
12"	6 →	-	•	-	-

Fiberglass Takeoffs available for 1.5" Duct Board
Order with an "L" designation, ex. #15FGL

Accessories

Size	Ctn.	#12 Fresh Air Vent	#13 Dryer Vent	#51 Flat Collar	#52 Thimble	#53 Chimney Cap	#54 Spring Collar	#55 Horizontal Draft Diverter	#56 Vertical Draft Diverter	#61 Damper Section	#84 Draw Band
3"	12 →	•	-	•	•	•	•	•	•	-	-
4"	12 →	•	•	•	•	•	•	•	•	•	•
5"	12 →	•	•	•	•	•	•	•	•	•	•
6"	12 →	•	•	•	•	•	•	•	•	•	•
7"	12 →	•	•	•	•	•	•	•	•	•	•
8"	12 →	•	•	•	•	•	•	•	•	•	•
9"	12 →	•	•	•	•	•	•	•	•	•	•
10"	12 →	•	•	•	•	•	-	•	•	•	•
12"	12 →	•	-	-	•	•	-	-	-	•	•
14"	12 →	•	-	-	-	•	-	-	-	-	-



#12 Fresh Air Vent
(w/ screen)



#13 Dryer Vent
(w/ damper)



#51 Flat Collar




#52 Thimble



#53 Chimney Cap



#54 Spring Collar



#55 Horizontal Draft Diverter



#56 Vertical Draft Diverter



#61 Damper Section



#84 Draw Band

See our **Premium Copper Wall Vents** on page 24

ACCESSORIES



#80 Damper
(Springloaded)



#83 Economy Damper
(No Spring)

Dampers

Size	Ctn.	#80 Damper	Pack	#83 Economy Damper
4"	12 →	●	-	-
5"	12 →	●	-	-
6"	12 →	●	50	●
7"	12 →	●	50	●
8"	12 →	●	50	●
9"	12 →	●	-	-
10"	12 →	●	-	-
12"	12 →	●	-	-
14"	12 →	●	-	-

#80 sizes 4" thru 7" have one spring bearing
sizes 8" thru 14" have two spring bearings



#190 Rect. Volume Damper

#190 Rect. Volume Damper

Size	Ctn.	
8 x 8	12 →	●
10 x 8	12 →	●
12 x 8	12 →	●
14 x 8	12 →	●
16 x 8	12 →	●
18 x 8	12 →	●
20 x 8	12 →	●
22 x 8	12 →	●
24 x 8	12 →	●

All Sales Final	26 x 8	pcs →	●
	28 x 8	pcs →	●
	30 x 8	pcs →	●
	32 x 8	pcs →	●
	36 x 8	pcs →	●



Save install time, ask about
Duc-Pac's pre-installed damper
extensions for any takeoff.



1/4" Damper extension kit
available upon request



1"x100' Roll of 30 Ga Strap
available upon request



#370 "S" Lock

#370 "S" Lock

Size	Ctn.	
8"	100 →	●
10"	100 →	●
12"	100 →	●
16"	100 →	●
18"	100 →	●
20"	100 →	●
24"	100 →	●
36"	50 →	●
60"	25 →	●
96"	25 →	●



Front

Duc-Pac Ductulator

pcs

●



#390 Drive Cleat



#382 Strap Hanger



#385 Strap Hanger Combination
(hole punched)

#390 Drive Cleat 1" Wide

Size	Ctn.	
8"	100 →	●
10"	100 →	●
12"	100 →	●
96"	25 →	●

#382 18 Gauge Strap Hanger

Size	Ctn.
120"	25

(Contact Duc-Pac for Pricing)

#385 Strap Hanger Combo

Size	Ctn.	
36"	100 →	●



#320 Stack Damper

#320 Stack Damper 3-1/4" Wide

Size	Ctn.	
8 x 3-1/4"	12 →	●
10 x 3-1/4"	12 →	●
12 x 3-1/4"	12 →	●
14 x 3-1/4"	12 →	●



#384 Twist Hanger

#384 Twist Hanger

Size	Ctn.	
9"	100 →	●



#386 "L" Hanger

#386 "L" Hanger

Size	Ctn.	Std. Gauge	Heavy Gauge
8"	100 →	●	●

BOXES - CEILING / FLOOR & REGISTER ITEMS




#79
Blank Register Box



#79F
Funnel Register Box



#79CD Ceiling Diffuser
with 2" Flange



#79SD Side Diffuser



#79TR Short
Ceiling Box

#79 Blank Box With 1/2" Flange			
Size	Ctn.	4" Deep	7" Deep
6 x 10	12 →	•	•
6 x 12	12 →	•	•
8 x 10	12 →	•	•
8 x 12	12 →	•	•
9 x 12	12 →	•	•
10 x 12	12 →	•	•
10 x 14	12 →	•	•
12 x 14	12 →	•	•
14 x 16	12 →	•	-

#79 Blank Register Box, square with 1" Flange		
Size	Ctn.	11" Deep
6 x 6	12 →	•
8 x 8	12 →	•
10 x 10	12 →	•
12 x 12	12 →	•
14 x 14	12 →	•

#79F Funnel Register Box			
Size	Collar Size	Ctn.	
6 x 10	6,7,8	6 →	•
6 x 12	6,7,8	6 →	•
6 x 14	6,7,8	6 →	•
8 x 10	8	6 →	•
8 x 12	8,10	6 →	•
8 x 14	8	6 →	•
10 x 12	8,10	6 →	•

#79TR			
Size	Collar Size	Ctn.	
6 x 6	5,6	12 →	•
8 x 8	6,7,8	12 →	•
9 x 9	7,8,9	12 →	•
10 x 10	7,8,10	12 →	•
12 x 12	8,10,12	12 →	•
14 x 14	10,12,14	12 →	•
16 x 16	12,14,16	12 →	•

Larger sizes available on request.



#25 Register Tee
with Register Extension
3-1/4" High



#26 Register
Take-Off
3-1/4" High



#27 Register Cap (Top)

Ceiling & Side Diffusers				
Box Size	#79CD		#79SD	
	Ctn.		Ctn.	
6 x 6 - 4	12 →	•	12 →	•
6 x 6 - 5	12 →	•	12 →	•
6 x 6 - 6	12 →	•	12 →	•
8 x 8 - 6	12 →	•	12 →	•
8 x 8 - 7	12 →	•	12 →	•
8 x 8 - 8	12 →	•	12 →	•
9 x 9 - 7	6 →	•	6 →	•
9 x 9 - 8	6 →	•	6 →	•
9 x 9 - 9	6 →	•	6 →	•
10 x 10 - 6	6 →	•	12 →	•
10 x 10 - 7	12 →	•	12 →	•
10 x 10 - 8	12 →	•	12 →	•
10 x 10 - 10	6 →	•	6 →	•
12 x 12 - 8	12 →	•	6 →	•
12 x 12 - 10	6 →	•	6 →	•
12 x 12 - 12	6 →	•	6 →	•
14 x 14 - 10	6 →	•	4 →	•
14 x 14 - 12	6 →	•	4 →	•
14 x 14 - 14	6 →	•	4 →	•
16 x 16 - 12	pcs →	•	pcs →	•
16 x 16 - 14	pcs →	•	pcs →	•
16 x 16 - 16	pcs →	•	pcs →	•

Register Items Available in all sizes for one price		
#25 Register Tee w/ Register Ext. 3-1/4" High	#26 Register Take-Off 3-1/4" High	#27 Register Cap
•	•	•
pcs	pcs	pcs
All sales are final.		

ALUMINUM & STAINLESS STEEL


• All Stainless Steel and Aluminum Made to Order • All Sales Final • Contact Duc-Pac or Distributor for Pricing



#90-A or #90-SS
90° Elbow



#78T-A or #78T-SS
Tee



Smoke Pipe



#72-A or #72-SS
Reducer/Increaser



#96-A or #96-SS
Tee Cap

.025 Aluminum Pipe and Fittings

Size	Ctn.	#72-A Inc./Red.	#78T-A Tee	#90-A 90° Elbow	#96-A Tee Cap	#97-A 2' Pipe	#40-A 5' Pipe
3"	pcs →						
4"	pcs →						
5"	pcs →						
6"	pcs →						
7"	pcs →						
8"	pcs →						
9"	pcs →						
10"	pcs →						
12"	pcs →						
14"	pcs →						

Call for Availability,
Price and Lead Time

Stainless Steel Pipe and Fittings

Size	Ctn.	#72-SS Inc./Red.	#78T-SS Tee	#90-SS 90° Elbow	#96-SS Tee Cap	#97-SS 2' Pipe	#40-SS 5' Pipe
4"	pcs →						
5"	pcs →						
6"	pcs →						
7"	pcs →						
8"	pcs →						
9"	pcs →						
10"	pcs →						
12"	pcs →						
14"	pcs →						

Call for Availability,
Price and Lead Time

.020 Aluminum Pipe and Elbows

Size	#90-AR Elbow	#97-AR 2' Pipe	#40-AR 2' Pipe
4"	●	●	●
Ctn.	12	10	10

Duc-Pac is your source for Dryerbox products

- Order small quantities and have it go toward your minimum Duc-Pac freight requirement.
- Visit www.dryerbox.com for specifications and additional information.

the dryerbox



3D

4D

350

425

480

Model	DB3D	DB4D	DB350	DB425	DB480
Ctn.	6	5	6	5	5
	●	●	●	●	●

Also now stocking

the DRYER-ELL



LT90

LT45

Model	LT90	LT45
Ctn.	12	12
	●	●

www.dryer-ell.com



Black Smoke Pipe
1', 2', or 3' Lengths



#38B
Round to Oval Boot



#39B
Chimney Adapter



#51B
Flat Collar



#54B
Spring Collar



#72B
Reducer/Inceaser



#78T-B Tee



#84B
Draw Band



#88B
Connector



#90B
90° Elbow



#96B Tee Cap
#96BC Plug, crimped

Black Pipe				
Size	Ctn.	#97 1/2 B 1' Pipe	#97B 2' Pipe	#43B 3' Pipe
4"	10 →	•	•	•
5"	10 →	•	•	•
6"	10 →	•	•	•
7"	10 →	•	•	•
8"	10 →	•	•	•

Black Accessories											
Size	Ctn.	#38B Round to Oval Boot	#39B Chimney Adapter	#51B Flat Collar	#54B Spring Collar	#72B Red./Inc.	#78T-B Tee	#84B Draw Band	#88B Connector	#90B Elbow	#96B, #96BC Tee Cap or Plug
4"	pcs →	-	-	•	•	•	•	-	•	•	•
5"	pcs →	-	-	•	•	•	•	•	•	•	•
6"	pcs →	•	•	•	•	•	•	•	•	•	•
7"	pcs →	•	•	•	•	•	•	•	•	•	•
8"	pcs →	•	•	•	•	•	•	•	•	•	•

Premium Copper Wall Vents



#13C, 13CS Round Copper Vent



#13CS Rectangular Copper Vent

Superior Design:

- Removable Screen:

Heavy wire mesh with larger percentage open area (less resistance) than expanded metal screens. Round wire mesh is also less likely to collect debris. No visible screws or rivets. Screen is easily removed and replaced.

- 7.5" Long collar for easier installation.
- Flange to prevent damper from flapping in wind.
- Hemmed edges add to the quality look and feel.
- Individually packaged for protection.

Copper Wall Vents		
Part#	Description	Quick#
13C	4" Round Copper Vent w/Damper Only	•
<i>Duc-Pac does not recommend using a screened vent for dryer applications.</i>		
13CS	4" Round Copper Vent w/Screen & Damper	•
13CS	6" Round Copper Vent w/Screen & Damper	•
13CS	8" Round Copper Vent w/Screen & Damper	•
13CS	10" Round Copper Vent w/Screen & Damper	•
13CS	3.25" x 10" Rectangular Copper Vent	•



30%
TOTAL RECOVERED FIBER
PLEASE RECYCLE

Not responsible for typographical errors
Specifications are subject to change without notice.