

# Flush-Glazed Glass

for Fiber-Classic® Oak Collection™ & Smooth-Star® Doors

**THERMA TRU®**  
DOORS



Let the light shine in.



## Expand your view.

Expand your view with  
Therma-Tru® flush-glazed  
doors from entry to patio.  
Enjoy a wider view outside  
and more light inside. Create  
a lasting look with clean lines  
and long-term performance.



Top: Smooth-Star, Low-E Glass with  
SDLs, Door – S4814,  
Sidelites – S4812SL

Bottom: Smooth-Star, Clear Glass,  
Doors – S82200

Right Page: Smooth-Star, Clear  
Glass, Door – S8000





## Wider Daylight Opening\*

Let in more natural light with a wider daylight opening.

- Offers up to a 16% increase in visible glass area.
- Wider compared to conventional lite frames.



•

Create a seamless entrance.



## Seamless, Clean Lines



Flush-Glazed Glass



Traditional Lip-Lite

Factory-built, seamless construction features clean lines.

- Eliminates the need for a lite frame and screw plugs.
- Offers a clean, consistent appearance when finished.
- Creates a variety of looks from Classic to Contemporary.

\*Compared to conventional lite frames.




## Authentic Wood Door Appeal

True flush-glazed construction delivers authentic wood door appeal.

- Crafted with attention to detail that replicates traditional wood door construction.
- Features wide glass, narrow stiles and rails, and an authentic sticking profile.



Rated a *Consumers Digest* Best Buy for its exceptional warranty, breadth of style options and wood-grained texture.



## Long-Term Performance

Glass built directly into the door during manufacturing offers long-term performance.

### Polyurethane Foam Core

Surrounds the glass, helping to provide durability and strength. Eliminates potential pathways for air and water.

### Dual Adhesive Weather Seal

Provides high-performance protection inside and out to help prevent air and water infiltration.

### Black Tape

Helps provide a clean sight line and prevent finish weep between the door and glass. Eliminates the need to mask or scrape – simply finish and cut tape.




### Flush-Glazed Fiberglass Door Replacement Rider

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and glass.



Choose clear glass or factory-coated Low-E glass for exceptional energy efficiency.



Top: Shown Top – Smooth-Star, Satin Etch Glass with SDLs, Door – S128XE; Shown Bottom – Fiber-Classic Oak Collection, Satin Etch Glass with SDLs, Door – FCO2000XE-3C  
Bottom: Smooth-Star, Clear Glass with SDLs, Door – S85720

# Privacy & Textured Glass Options

Bring functionality and aesthetics together with the benefits of flush-glazed construction. Versatile designs align with personal style and homeowner desires for privacy while natural light brightens the interior.

## Available Glass Designs



**Satin Etch (XE)**  
Glass Privacy  
Rating: 10



**Chord (XC)**  
Glass Privacy  
Rating: 10



**Chinchilla (XJ)**  
Glass Privacy  
Rating: 10




**Rainglass (XR)**  
Glass Privacy  
Rating: 8



**Granite (XN)**  
Glass Privacy  
Rating: 10

## Triple-Pane Construction



Privacy and textured glass features triple-pane construction for added energy efficiency and a smooth, easy-to-clean surface.

## Divided Lite Options

Coordinate with the home's window patterns for a cohesive look and increased curb appeal.

- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Tailor the look with different texture, profile and color choices for simulated divided lites (SDLs) and grilles between glass (GBGs).\*
- The simple sticking profile on the door provides a great fit for SDLs.





## Choose a Grid Pattern




## Choose a Bar Option


### SDL Bar Options\*\*




**Fiber-Classic & Smooth-Star**  
(28.6 mm / 1.125 in.)  
Look for the (  ) icon.




**Smooth-Star**  
(28.6 mm / 1.125 in.)  
Look for the (  ) icon.



**Fiber-Classic & Smooth-Star**  
(88.9 mm / 3.5 in.)  
Look for the (  ) icon.

### GBG Bar Options



**Flat** (20 mm / 0.787 in.) **Contour** (18 mm / 0.708 in.)



White Almond Bronze Tan\*\*\* Stone\*\*\*

\*See pages 8–11 to find the divided lite options available in each configuration.

















\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

\*\*\*Available in Special Quote Program.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

# Flush-Glazed Style for Every Entrance

Choose Therma-Tru® flush-glazed doors to bring out the best of a home's style. And complete the look around your entire house with stylish options from entry to patio.

	Entry	Patio	Utility
<b>Colonial</b> 	 S2250	 S2050	 S2150
<b>Victorian</b> 	 FC755 / 2000XJSL	 2000	 2100
<b>European</b> 	 S2105 / S92SL	 2000	 2150
<b>Craftsman</b> 	 S4816 / S4812SL	 S2000-6C	 S4810



## Southwest



Entry



S205 / S2000SL

Patio




S2200

Utility



S2100

## Coastal



S2000-3C / S2000SL-2C



S1204 / S1204SL



S2250

## Traditional



S4810 / S2000SL



S2050



S2150

## Modern



S5720



S2000



S2000XE

## Key

-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)\*
-  Simulated Divided Lites (SDLF1)\*
-  Simulated Divided Lites (SDLF2)\*
-  Flat White Grilles Between Glass Only (GBGFW)
-  Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
-  Removable Wood Grilles (RG)
-  Vented Sidelite (No Impact)

▲ 6'6" Height Available

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

**XE** = Satin Etch Glass

**XC** = Chord Glass

**XJ** = Chinchilla Glass

**XR** = Rainglass

**XN** = Granite Glass

## Optional Dentil Shelf\*

### 4-Block Dentil Shelf

























Available for all Craftsman-style Smooth-Star doors.







\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

\*\*Available 2nd quarter 2017.  
To learn more about availability, call 1-800-323-3533.































# Flush-Glazed Privacy & Textured Glass

## Fiber-Classic® Oak































							
FC1207_	2010_	2050_	2050_SL	FC02000_-2C	FC082000_-2C	FC02000_-3C	FC082000_-3C
 	 	 	 	 	 	 	 
2'6" x 6'8" ▲	2'6" x 6'8" ▲	2'6" x 6'8" ▲	12" x 6'8"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"
2'8" x 6'8" ▲	2'8" x 6'8" ▲	2'8" x 6'8" ▲	14" x 6'8"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"
2'10" x 6'6"	2'10" x 6'6"	2'10" x 6'6"		2'10" x 6'6"	2'10" x 8'0"	2'10" x 6'6"	2'10" x 8'0"
3'0" x 6'8" ▲	3'0" x 6'8" ▲	3'0" x 6'8" ▲		3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"

									
FC02000_-4C	FC082000_-4C	FC02000_-6C	FC082000_-6C	FC5700_	FC85700_	FC5710_	FC85710_	FC5720_	FC85720_
 	 	 	 	 	 	 	 	 	 
2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"
2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"
2'10" x 6'6"	2'10" x 8'0"	2'10" x 6'6"	2'10" x 8'0"	2'10" x 6'6"	2'10" x 8'0"	2'10" x 6'6"	2'10" x 8'0"	2'10" x 6'6"	2'10" x 8'0"
3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"




## Smooth-Star®

									
FC5700_SL	FC5710_SL	FC5720_SL	2000_	8000_	2000_SL	S1207_	S82105_	S82106_	S82107_
 	 	 	 	 	 	 	 	 	 
12" x 6'8"	12" x 6'8"	12" x 6'8"	2'0" x 6'8" ▲	2'0" x 8'0"	12" x 6'8"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 8'0"	2'6" x 8'0"
14" x 6'8"	14" x 6'8"	14" x 6'8"	2'6" x 6'8" ▲	2'6" x 8'0"	14" x 6'8"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 8'0"	2'8" x 8'0"
			2'8" x 6'8" ▲	2'8" x 8'0"		2'10" x 6'8" ▲	2'10" x 8'0"	2'10" x 8'0"	2'10" x 8'0"
			2'10" x 6'6"	2'10" x 8'0"		3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"
			3'0" x 6'8" ▲	3'0" x 8'0"					


									
S2010_SL	S84886_SL	S2000_-2C	S82000_-2C	S2000_-3C	S82000_-3C	S2000_-4C	S82000_-4C	S2000_-6C	S82000_-6C
 	 	 	 	 	 	 	 	 	 
10" x 6'8" ▲	12" x 8'0" ▲	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8" ▲	2'6" x 8'0"
12" x 6'8" ▲	14" x 8'0" ▲	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"	2'8" x 6'8" ▲	2'8" x 8'0"
14" x 6'8" ▲		2'10" x 6'8" ▲	2'10" x 8'0"	2'10" x 6'8" ▲	2'10" x 8'0"	2'10" x 6'8" ▲	2'10" x 8'0"	2'10" x 6'8" ▲	2'10" x 8'0"
		3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8" ▲	3'0" x 8'0"







## Flush-Glazed Clear Glass

### Fiber-Classic® Oak




# Flush-Glazed Clear Glass *Continued*




## Fiber-Classic® Oak *Continued*



## Smooth-Star®







# Flush-Glazed Glass

for Fiber-Classic® Oak Collection™  
& Smooth-Star® Doors

Expand your view with Therma-Tru® flush-glazed doors from entry to patio. Enjoy a wider view outside and more light inside. Create a lasting look with clean lines and long-term performance.

## Great Looks from Entry to Patio

Pair flush-glazed doors to complete the look around the entire house.

## On-Trend Door Styles

Find designs with broad appeal to suit any home style.

## Popular Door Surfaces

Choose from a realistic wood grain or sleek, smooth surface.

## Variety of Door Heights

Find 6'6", 6'8" and 8'0" flush-glazed door heights to fit your entrance.

## Convenient Glass Options

Choose from versatile privacy and textured, energy-efficient Low-E or standard clear glass.

## Flush-Glazed Fiberglass Door Replacement Rider

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and glass.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

©2016 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit [ConsumersDigest.com](http://ConsumersDigest.com). ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. Part #MAFFGB17 MTZT / DEC 2016

**THERMA-TRU®**  
DOORS

[www.thermatru.com](http://www.thermatru.com)

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



Cover: Smooth-Star, Chinchilla Glass, Door – S2000XJ; Clear Glass, Transom – 19200T  
Cover Inset: Fiber-Classic Oak Collection, Clear Glass, Doors – 2000  
Bottom: Smooth-Star, Clear Glass with SDLs, Doors – S82000-6C

