

Wholesale Catalog



- ▶ **Training and Certification Products**
- ▶ **Performance Products**
- ▶ **Indoor Air Quality (IAQ) Products**



QwikPad™ for Condensers (QT8036, QT8040, QT8110, QT8111)

Our new, lightweight, easy-to-install pad for condensers meets wind loading requirements up to 180 MPH!

Rated for winds up to 180 mph and exceeds Miami-Dade 175 mph wind requirements. Contains a fill medium that is a unique gelling agent... Once water is added, it forms a solidus gel that can't be removed and provides freeze protection. Includes four Stainless Steel Tie-Down Assemblies to secure the outdoor unit for exceptional hurricane protection (304 Stainless Steel, 14 gauge). Tie-Down Assemblies are completely adjustable to properly secure any size and shape of outdoor unit.

- ▶ **Rated for winds up to 180 mph and exceeds Miami-Dade 175 mph wind requirements.**
- ▶ UV-resistant, high-durability construction is lightweight (**for shipping and easy 1-man handling**), but heavy once filled.
- ▶ Contains a super absorbent material that acts as a unique gelling agent... Once water is added, a solidus gel is formed that provides weight and freeze protection.

- ▶ Includes corrosion-resistant Tie-Down Assemblies to secure the outdoor unit for exceptional hurricane protection (304 Stainless Steel, 13 gauge). *Tie-Down Assemblies are completely adjustable to properly secure any size and shape of outdoor unit.*
- ▶ Our 36" x 36" pad weighs just 29 lbs for transport, but 163 pounds once filled. The 40" x 40" pad weighs just 35 lbs for transport, but 203 lbs filled.

This product has received Florida Product Approval #FL25896 in accordance with the Florida Building Code - Sixth Edition (2017)

Go to <https://www.qwik.com/product/qwikpad-for-condensers-and-accessories/> for test results!



Qwik System Flush®

(QT1100, QT1130 QT1150)

Safely and Effectively Flushes Oil, Acid, Moisture and Other Impurities from any Air Conditioning or Refrigeration System.

Ideal for Unit Change-Outs from R-22 to R-410A or Clean-Up after a System Burnout.

The Ultimate in A/C and Refrigerant Line Cleaners!



Go to www.qwik.com/test-results/flush/ for test results!

QwikPad® for Generators

(QT8200, QT8210, QT8220, QT8230, QT8240)

U.S. Patent #10,557,589 and other Patents Pending



This new, lightweight, easy-to-install generator pad meets wind loading requirements up to 180 MPH!

Unfilled Weight = 46 lbs / Filled Weight = 330 lbs!!!

- ▶ **Rated for winds up to 180 mph and exceeds Miami-Dade 175 mph wind requirements.**
- ▶ UV-resistant, high-durability construction is lightweight for shipping and 1-man handling but once filled, **more than 50 lbs heavier than competitor's concrete pads.**
- ▶ Contains a unique gelling agent that forms a solidus gel and provides freeze protection.
- ▶ Includes corrosion-resistant **stainless steel mounting hardware** specific to the mounted generator model.

This product has received Florida Product Approval #FL25896 in accordance with the Florida Building Code - Sixth Edition (2017)

This product has been tested by a nationally recognized, independent research and development laboratory and deemed compliant with Section 4.1.4 and Section A.4.1.4.1.2 of the Annex of NFPA 37 (2018), Standard for the Installation and Use of Stationary Combustion Engines and Gas Turbines.

Go to <https://www.qwik.com/product/qwikpad-for-generators-and-accessories/> for test results!

(QT3000, QT3001 QT3002, QT3004, QT3008, QT3100)

Qwik608®

EPA Approved, Proctored Type I, II, III, and Universal Exams

This EPA approved course & test from Mainstream Engineering Corporation® covers Type I, II, III, and Universal certification. Our self-study materials, course and test offer the learning flexibility you deserve, available in English or Spanish.



Course:

- Our study course contains a complete reference manual, study guide, exam, download code and access to: **Downloadable interactive training software and hours of video and audio study materials.**

Exams:

- We offer a paper exam and an online QwikTest™ exam. The original paper exam will be graded within 48 business hours of receipt. The online QwikTest™ exam is graded instantly!
- A certification card is always included when you become certified by Mainstream Engineering Corporation.
- **Choose the solution that meets your needs.**

(QT2800, QT2810, QT2812, QT2910, QT2912)

QwikLug® U.S Patent #7,232,775

Compressor Terminal Repair Kit w/3 Terminal Repair Lugs

Patented QwikLug easily attaches to damaged or corroded spade connectors, quickly and easily solving the problem of a compressor with pitted or severely corroded spade terminals.

- ▶ Enables tight clean connections to damaged or corroded terminals
- ▶ Available with 10 AWG or 12 AWG leads in 2' or 4' lengths
- ▶ Fits all standard compressor terminals
- ▶ 2' leads have been pre-stripped at the wire connection end
- ▶ Easily tightens from the front
- ▶ 4' leads have fully insulated female connectors for connection directly to the contactor
- ▶ Optional set screws for tight installations
- ▶ Provides a durable brass connection, tested for more than 100,000 compressor starts
- ▶ Fully insulated brass connector



(QT2000)

QwikCheck®

2-Second Refrigerant Acid Test

Fast, accurate, and easy to use, QwikCheck is ideal for preventive maintenance checks and for verifying proper acid clean up. The QwikCheck indicator paper is golden yellow before testing and will turn pink or red upon being exposed to as little as 1 part per million (PPM) of organic acid.

Perform an acid test in about 2 seconds on operating systems... just insert QwikCheck's valve core depressor into the center of the suction side of the vapor service valve while the system is operating.



(QT2501)

QwikShot®

U.S Patents #9,816,740 and #10,495362

Refrigerant and Oil Treatment (Removes water and acid!) ½oz Bottle that Works with All Refrigerants and Oils

QwikShot Refrigerant and Oil Treatment was developed to solve the problem of treating acid without leaving disruptive residues. Neutralization acid treatment must leave a residue of some kind and residues can cause problems. Instead of neutralizing, QwikShot quickly flushes any harmful acids and moisture into the filter-drier of an operating system.

- ▶ 1-½oz Bottle Treats up to a 6 Ton System
- ▶ Removes up to 26 Drops of Moisture!
- ▶ Tests to ARI-700 limit of 1 PPM
- ▶ Meets EPA Venting Rules



(QT6000)

QwikSEER+®

U.S Patent #9,207,001

Provides Variable Airflow for PSC Blower Motors Enhances System Efficiency & Humidity Removal

QwikSEER+ is the affordable solution to enhancing A/C or heat pump systems, Typically Saving homeowners 10% or more on annual operating costs! Plus QwikSEER+ can improve the humidity removal rate up to 156%!!!

(QT6001)

QwikSEER+® Accessory Humidity Sensor

Provides Improved Humidity Removal when used with QwikSEER+





(QT6100, QT6101, QT6104)

QwikSwap® (X1, X3 and V3) Converts ECM Blower Motors to PSC Motors

U.S. Patents #9,207,001, #9,417,005
#10,605,495, #10,852,004

QwikSwap is the low-cost, robust alternative to expensive unreliable ECM motors. It's impractical to carry all variations of ECM motors on your truck. QwikSwap is a money saving solution that allows replacement of a failed OEM ECM, X13 or SelecTech® motor with a lower cost, more reliable Permanent Split Capacitor (PSC) motor. Simple "Plug 'n Play" installation!

There's a QwikSwap board for every type of ECM motor!

QwikSwap® X3 - QT6100

Provides variable air flow while replacing a constant torque ECM blower motor

(Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)

QwikSwap® X1 - QT6101

Single-Speed, Universal Constant Torque ECM Blower Motor Replacement

(Includes Control Board, Built-in Mount & Installation Instructions)

QwikSwap® V3 - QT6104

Universal variable air flow ECM blower motor replacement

Replaces: 2.0, 2.3, 2.5, 3.0, as well as Emerson, US Motors and Nidec ECMS

(Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)

QwikConnect™ - QT6110

ECM Adapter / Useful for replacing ECM 2.3 or Eon motors in fan coil units to Evergreen CM or EM motors*

*This adapter cable can only be used to replace a defective ECM 2.3 or Eon motor which uses a 16-pin connector and PWM speed control with the same voltage Evergreen EM (115, 208 or 230 VAC) or (208, 230, 277 VAC) motor. Use a QwikSwap® for other motor types and applications.



(QT2510)

QwikInjector®

Liquid Injector

Perfect for injecting QwikShot® Refrigerant and Oil Treatment (QT2501)

Add oil or other liquid additives into a vapor-compression refrigeration or air conditioning system quickly and without interrupting operation of the system. QwikInjector uses the natural pressure difference developed by the compressor of an operating system to push any liquid additive into a system.

- ▶ Includes Connection Hose (as pictured)
- ▶ Tested & Approved for R-410A
- ▶ Rated for 800 psig
- ▶ Compatible with **ALL** oils, dyes, and QwikShot® Refrigerant & Oil Treatment, QwikGlowPro® Leak Detector and QwikSeal® AC/R Leak Sealant w/Drying Agent



(QT7710, QT7711, QT7712)

QwikDescaler+®

Descaler Concentrate Solution / Complete Descaler Kit

Quickly dissolves water scale, lime, rust, and other water formed deposits. Restores full efficiency to heat exchangers, heaters, tankless water heaters, and any other appliances where water passages must be kept free of mineral deposits.

Unique color indicating chemistry lets you know when more solution is required.

- ▶ Safe to Handle
- ▶ Non-Corrosive & Non-Toxic
- ▶ Biodegradable, Zero V.O.C.
- ▶ Economical - All these features at a great price!

The **QT7710** Concentrated Descaler solution is available in economical gallon containers; **one gallon makes 6 gallons** of descaler.

Our **QT7711** Descaler Kit Has everything needed for Cleaning Tankless Water heaters that have $\frac{3}{4}$ inch garden hose service connections, including a mixing container, quart of concentrated Descaler solution, circulation pump and necessary hoses.

The smaller **QT7712** quart container Concentrated Descaler solution, **one quart makes 6 quarts** of cleaning descaling solution.


(QT2510)

Qwik System Flush®

Air Conditioning and Refrigeration System Flush

Formulated for fighter jets, modified for HVAC systems. Qwik **System Flush** is 9-10 times more effective in acid removal & moisture absorption than competitive products. Qwik **System Flush** is OEM Approved.

- ▶ Superior Patented Formulation
- ▶ Non-Toxic
- ▶ Non-Flammable
- ▶ Ozone Safe
- ▶ Aerosol Leave No Residue



QT1150

QT1100



For any product evaluations, and independent test results proving product effectiveness, visit www.qwik.com/test-results/flush/

(QT1105)

Qwik System Flush® Can Access Valve

With Built-In Pressure Relief Valve

A durable, reusable can access valve designed specifically for use with Qwik **System Flush** aerosol cans.



(QT1110, QT1106)

Qwik System Flush® Line Set Flush Tools

Access anywhere there isn't an existing flare fitting!

Use these handy tools to access piping and line sets with Qwik **System Flush**. Available as our traditional line set tool, or as a "Squeeze-Style" QwikNozzle™ for one-hand operation.

QT1110



(QT1110, QT1106)

QwikGlowPro® Leak Detector

UV Leak Detection Additive / 1 Bottle Treats Up-To a 15 Ton System!

Our new super-concentrated leak detection product quickly and easily helps to identify leaking refrigerant in operating A/C systems or heat exchangers. Ideal for preventive maintenance, leak detection and proven safe for all systems! Brilliant fluorescing agent, works with all UV lamps (325-400 NM wavelength).

- ▶ **Super-Concentrated**
- ▶ Compatible with All Refrigerants, Filter-Driers and Lubricants
- ▶ Ideal for Preventive Maintenance & Leak Repairs
- ▶ Proven **Safe for All** Systems!
- ▶ Suitable for Copper & Aluminum
- ▶ **No Mess!** - Flushes Clean During Injection.



New!



(QT2782)

QwikBright®-MC

Microchannel Coil Cleaner & Protectant

QwikBright-MC is a neutral pH microchannel coil cleaner and protectant that is specially formulated to quickly penetrate and dissolve grease, dirt, grime, lint, dirt, dust, and bugs without removing any existing protective film while adding an additional protective film.

- ▶ Specially formulated for all aluminum microchannel heat exchangers
- ▶ Neutral pH
- ▶ Heavy Duty Foaming Action
- ▶ No Rinsing Required!
- ▶ Improves Coil Efficiency
- ▶ Includes Metal Protectant to Extend Life
- ▶ For Indoor or Outdoor Use

▶ **Super Concentrated...**
Mix 1 part QwikBright®-MC with 4 to 8 parts water



(QT2540)

QwikSeal®

2-Part AC/R Leak Sealant with Drying Agent

2-part kit provides a simple solution to sealing minor AC/R system leaks along with an active drying agent.

- ▶ 2-Part Kit Seals & Dries Systems from 1.5 to 6 Tons!
- ▶ Drying Agent Removes Up to 26 Drops of Water
- ▶ Compatible with **ALL** Oils and Refrigerants

Indoor Air Quality (IAQ) Products



(QT2403)

QwikTreat® Condensate Pan Tablets

Bottle of 100 specially formulated, fast acting tablets control odors, and help remove deposits that can clog drain lines and foul humidifier pans.

- ▶ For Use in A/C, Heat Pumps and Humidifiers
- ▶ 100% Soluble
- ▶ Leaves No Residue
- ▶ No Corrosive Vapors
- ▶ Safe for Computer Rooms



(QT4200)

QwikTreat® Mold Test Kit

Uses convenient sample strips and incorporates the internet to deliver test results back to the Service Technician as quickly as possible. Includes 5 Adhesive Mold Sampling Strips, Instructions, and Postage-Paid Mailer for Laboratory Testing. There is an additional fee for testing depending on the number of Mold Samples.

3 Easy Steps...

- 1 Sample,
- 2 Test,
- 3 Identify.



(QT2730)


QwikPure TripleGuard™

Industrial-Grade UV Air Sanitizer

This advanced patent-pending Triple Protection whole house air purification system ensures air sanitization using:

- ▶ **UV-C Light**
- ▶ **Photocatalytic Oxidation**
- ▶ **Activated Carbon/Potassium Permanganate (AC/PP) Purifier**

Twice the power of most air purifiers, means faster air purification for systems up to 7 tons or 3000 CFM. This is an Industrial-Grade Air Purification system that can be applied to residential systems. Replacement UV-C Bulbs (QT2732) and Purifier (QT2734) also available.



(QT2700, QT2712)

PuraClean® Filter Spray (16oz)

Turns an Ordinary Filter into an Electrostatic Filter

PuraClean Filter Spray dramatically increases removal rate of dust, mold, pollen, allergens, and other airbourne particles. Turns any regular air filter into an ultra-efficient electrostatic version!

Supercharge your Filter with PuraClean!

- ▶ Increases any standard filter's effectiveness up to **2 additional MERV ratings**
- ▶ Non-toxic, non-aromatic, non-adhesive spray
- ▶ Costs only pennies per filter
- ▶ Increases effective capture rate by 200%
- ▶ Maintains system efficiency
- ▶ **No Mess!** - Applies in seconds!



(QT2770)

QwikClean® Foaming Coil Cleaner

18oz Aerosol Can

QwikClean® cleans heating and refrigeration coils, fins, and fan blades with a heavy-duty foam that breaks down and carries away dirt, dust, grease, oil and other residue. QwikClean has been developed for use on refrigerators, window, and whole-house air conditioners, rooftop HVAC units, auto radiators, air-cooled equipment, condenser and evaporator coils, metal filters, to name a few. It leaves a pleasant lemon fragrance.

- ▶ For Heating, Refrigeration and A/C Coils
- ▶ Will not clog fins or coils
- ▶ Water-based, heavy-duty, alkaline detergent



(QT2770)

QwikSmoke®

Universal Smoke Alarm Test Gas

For use with all smoke detectors. Functionally Tests Any Type of Smoke Detector. Takes Less Than 30 Seconds for Most Detectors.

- ▶ Functionally tests **any type** of Smoke Detector.
- ▶ **Fast, Reliable and Easy to Use!**... takes less than 30 seconds!
- ▶ Non-Flammable
- ▶ No CFCs, No Silicone
- ▶ No Phthalate



(QT2730)

QwikPure TripleGuard™ Industrial-Grade UV Air Sanitizer

This advanced patent-pending Triple Protection whole house air purification system ensures air sanitization using:

- ▶ **UV-C Light**
- ▶ **Photocatalytic Oxidation**
- ▶ **Activated Carbon/ Potassium Permanganate (AC/PP) Purifier**

Twice the power of most air purifiers, means faster air purification for systems up to 7 tons or 3000 CFM. This is an Industrial-Grade Air Purification system that can be applied to residential systems. Replacement UV-C Bulbs (QT2732) and Purifier (QT2734) also available.

UV-C Light

- ▶ Lethal to many viruses and bacteria* by damaging their DNA and RNA
*Escherichia coli and Phi X174 bacteriophage
- ▶ Baffled design to increase UV exposure time, increases effectiveness
- ▶ Stimulates the Photocatalytic Oxidation

Photocatalytic Oxidation (PCO)

- ▶ Forms powerful hydroxyl radicals that break down organic substances by oxidation
- ▶ Reduces bacteria, viruses, and odors as well as volatile organic carbons (VOCs) emitted from paints, cleaners, building materials, and cooking.

Activated Carbon/Potassium Permanganate (AC/PP) Purifier

- ▶ Final Air Polishing - Activated carbon adsorbs volatile components and odors to further clean the air.
- ▶ Potassium Permanganate works as a strong oxidizing agent to provide an additional level of protection beyond the PCO and is extremely safe (on the World Health Organization Model List of Essential Medicines).

<https://list.essentialmeds.org/medicines/153>



6
YEAR LIMITED
WARRANTY

Built to Last... Industrial-Grade Design

- ▶ Multiple voltage capability, can operate on 120, 208 or 240 VAC
- ▶ Designed for continuous operation but can also be operated when only the blower is operating.
- ▶ Dual lamps provide ample UV-C with individual bulb indicators to tell you when to change the lamps, typically every year.
- ▶ UV-C bulbs are specially coated to prevent any ozone formation. (Ordinary UV-C bulbs can create harmful TOXIC ozone)
- ▶ PCO surface is cleanable, allowing the catalyst to be renewed with simple cleaning (recommend to be cleaned when UV-C bulbs are changed).
- ▶ Normally the AC/PP purifier would need to be changed frequently to treat the whole home, but the UV/PCO combination greatly reduces the load on the AC/PP purifier, allowing it to operate and clean the air for much longer. Typically, we recommend changing the AC/PP purifier annually.

Fantastic!
a lightweight, easy-to-install generator pad
that meets wind loading requirements
of 180 MPH and Higher!

QwikPad[®] for Generators

U.S. Patent #10,557,589
and other Patents Pending

5

Unfilled Weight
46 lbs
Filled Weight
330 lbs



1 Rated for winds in
excess of 180 MPH
and exceeds
Miami-Dade hurricane
requirements.

2 UV-resistant, high-
durability construction is
lightweight for shipping
and 1-man handling but
once filled, more than
50 lbs heavier than
competitor's concrete
pads.

3 Contains a unique gelling
agent that forms a solidus
gel and provides freeze
protection.

4 Includes corrosion-resistant **stainless steel**
mounting hardware specific to the mounted
generator model.

This product has received Florida Product Approval #FL25896
in accordance with the Florida Building Code - Sixth Edition (2017)

This product has been tested by a nationally recognized,
independent research and development laboratory and deemed
compliant with Section 4.1.4 and Section A.4.1.4.1.2 of the
Annex of NFPA 37 (2018), Standard for the Installation and Use of
Stationary Combustion Engines and Gas Turbines.

GROUP: Acid/Moisture Remediation and Testing	CASE QTY	Shp. Wt. lbs/Case
QT2000 - QwikCheck Acid Test Kit	25	1
QT2501 - QwikShot Refrigerant & Oil Treatment - Single Bottle	25	2

GROUP: Additive Injection Tools	CASE QTY	Shp. Wt. lbs/Case
QT2510 - QwikInjector ½ oz capacity Liquid Injector	6	2
QT2512 - QwikInjector 2 Replacement "O-Rings" for ½ oz Injector	1	1
QT2513 - QwikInjector 2 Replacement "O-Rings" for 2 & 4 oz Injectors	1	1

GROUP: Line Set Flush	CASE QTY	Shp. Wt. lbs/Case
QT1100 - Qwik System Flush 2lb Aerosol Can	12	28
QT1130 - Qwik System Flush 1lb Aerosol Can	12	16
QT1150 - Qwik System Flush Startup Kit (Contains: (2) 1 lb. Cans, Access Valve, Charging Hose, Squeeze Nozzle)	4	15
QT1105 - Qwik System Flush Can Access Valve	6	2
QT1106 - QwikNozzle Squeeze-Type Line Set Flush Tool	6	2
QT1110 - Qwik System Flush Line Set Flush Tool	6	1

GROUP: Compressor Terminal Repair	CASE QTY	Shp. Wt. lbs/Case
QT2800 - QwikLug 3 Lugs/Male Spades - No Wire	10	2
QT2810 - QwikLug 10 AWG - 2' leads w/nut	10	6
QT2812 - QwikLug 12 AWG - 2' leads w/nut	10	4
QT2910 - QwikLug 10 AWG - 4' leads w/nut	10	8
QT2912 - QwikLug 12 AWG - 4' leads w/nut	10	6

GROUP: HVAC Motor Controls	CASE QTY	Shp. Wt. lbs/Case
QT6000 - QwikSEER+ WattSaver Installation Kit - Enhances System Efficiency & Humidity Removal (Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)	5	7
QT6001 - QwikSEER+ WattSaver Accessory Humidity Sensor (Includes Sensor, Mounting Hardware & Installation Instructions)	5	2
QT6100 - QwikSwap X3 - Universal Constant Torque ECM Blower Motor Replacement (Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)	5	7
QT6101 - QwikSwap X1 - Single-Speed, Universal Constant Torque ECM Blower Motor Replacement (Includes Control Board, Built-in Mount & Installation Instructions)	5	7
QT6104 - QwikSwap V3 - Universal Variable Air Flow ECM Blower Motor Replacement - <i>Replaces: 2.0, 2.3, 2.5, 3.0, as well as Emerson, US Motors and Nidec ECMS</i> (Includes Control Board, Mounting Bracket, Additional Wiring, Mounting Hardware & Installation Instructions)	5	7
QT6110 - QwikConnect - ECM Adapter	5	2

GROUP: Plumbing and Heating Products	CASE QTY	Shp. Wt. lbs/Case
QT7710 - 1 Gallon Concentrated Descaler Solution (1 gal. makes 6 gals.)	4	34
QT7711 - QwikDescaler+® Kit (Contains: 1 qt Concentrated Descaler Solution, mixing tank, circulation pump (500gph), and all necessary hoses to clean tankless water heaters)	1	11
QT7712 - 1 Quart Concentrated Descaler Solution (1 qt. makes 6 qts.)	8	17

GROUP: Indoor Air Quality	CASE QTY	Shp. Wt. lbs/Case
QT2330 - QwikSmoke Universal Smoke Alarm Test Gas	12	6
QT2400 - QwikTreat Mold Test Kit	20	1
QT2403 - QwikTreat (100) Condensate Pan Tablets	8	20
QT2700 - PuraClean Electrostatic Filter Spray - Single Bottle	12	13
QT2730 - QwikPure TripleGuard UV-C Air Sanitizer	1	9
QT2732 - QwikPure TripleGuard UV-C Air Sanitizer Replacement UV-C bulbs (2-pack)	6	1
QT2734 - QwikPure TripleGuard UV-C Air Sanitizer Replacement AC/PP purifier	6	7

GROUP: EPA Certification	P/N	CASE QTY	Shp. Wt. lbs/Case
Qwik608 — English <i>(includes: "Field Reference Manual" and "QwikStudy™ Guide", software download code for EPA Section 608 interactive software, streamable Video, and downloadable or streamable Audio study materials)</i>	QT3009 with <i>online</i> QwikTest	5	2
	QT3000 with <i>paper</i> test	5	11
	QT3100 <i>without</i> Test	1	2
Qwik608 — Spanish <i>(includes: "Field Reference Manual" and "QwikStudy™ Guide", software download code for EPA Section 608 interactive software, streamable Video, and downloadable or streamable Audio study materials)</i>	QT3007 with <i>online</i> QwikTest	5	2
	QT3004 with <i>paper</i> test	5	12
	QT3110 <i>without</i> Test	1	2
	QT3008 <i>Online</i> QwikTest (bilingual)	5	0 VIA EMAIL
	QT3001 <i>Paper</i> Test Only	5	3
	QT3002 <i>Spanish Paper</i> Test Only	5	4

GROUP: HVAC Leak Detection and Repair	CASE QTY	Shp. Wt. lbs/Case
QT2310 - QwikGlowPro UV Leak Detection Dye, .5oz Bottle	6	1
QT2540 - QwikSeal 2-Part AC/R Leak Sealant and Drying Agent (1) 0.5oz Bottle Leak Sealant / (1) 0.5oz Bottle Drying Agent	6	1.2

GROUP: Coil Cleaners	CASE QTY	Shp. Wt. lbs/Case
QT2770 - QwikClean Foaming Coil Cleaner, 18oz Aerosol Can	12	18
QT2782 - QwikBright-MC Microchannel Coil Cleaner/Protectant (1) Gallon, Concentrate Makes 4-8 Gallons	4	34

QwikPad™ for Condensers	CASE QTY	Shp. Wt. lbs/Case
QT8036 - QwikPad (36" x 36" x 4"), w/stainless steel hrdwr	20	650
QT8040 - QwikPad (40" x 40" x 4"), w/stainless steel hrdwr	20	785
QT8110 - Optional Ground Anchor Kit (pkg of 2)	5	22
QT8111 - Optional Concrete Anchor Kit (pkg of 4)	10	10

QwikPad for Generators	Description of Generator Model to be mounted		
QT8200	Universal Pad	<i>(includes hardware for Generac/Honeywell, and Kohler)</i>	
QT8210	For Briggs and Stratton	17/20 kW Steel Enclosure Generators	<i>(hardware included)</i>
QT8220	For Briggs and Stratton	20 kW Aluminum Enclosure Generators	<i>(hardware included)</i>
QT8230	For Generac/Honeywell	9-22 kW Generators	<i>(hardware included)</i>
QT8240	For Kohler	14/20 kW Generators	<i>(hardware included)</i>
	INDIVIDUAL Ship. Wt. Lbs.	76	CASE/PALLET QTY (15) Ship. Wt. Lbs.
			720



CONTACT US

OFFICE: 200 Yellow Place
Rockledge, Florida 32955

SALES: sales@qwik.com
800.866.3550

INQUIRIES: info@qwik.com

WEBSITES: www.qwik.com
www.epatest.com