

SAMPLE CLINIC 1

SAMPLE LONG NAME CITY 1, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs^{a,b,c} Data verified by Sample A. Doctor1, MD

	Patient Age				
	<35	35-37	38-40	41-42	≥43
All patients (with or without prior ART cycles)					
Number of intended retrievals	56	31	36	7	12
Percentage of intended retrievals resulting in live births	75.0%	61.3%	27.8%	2 / 7	1 / 12
Percentage of intended retrievals resulting in singleton live births	62.5%	48.4%	25.0%	2 / 7	1 / 12
Number of retrievals	55	30	32	6	11
Percentage of retrievals resulting in live births	76.4%	63.3%	31.3%	2 / 6	1 / 11
Percentage of retrievals resulting in singleton live births	63.6%	50.0%	28.1%	2 / 6	1 / 11
Number of transfers	74	42	23	6	5
Percentage of transfers resulting in live births	56.8%	45.2%	43.5%	2 / 6	1 / 5
Percentage of transfers resulting in singleton live births	47.3%	35.7%	39.1%	2 / 6	1 / 5
Number of intended retrievals per live birth	1.3	1.6	3.6>	3.5	12.0>
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	80.9%	64.0%	33.3%	2 / 5	1 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	83.0%	68.0%	38.1%	2 / 5	1 / 2
Percentage of new patients having live births after all intended retrievals	85.1%	68.0%	38.1%	2 / 5	1 / 2
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.2	1.0
Average number of transfers per intended retrieval	1.4	1.3	0.7	1.0	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor^{a,b,c,d}

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of transfers	5	28	35	5
Percentage of transfers resulting in live births	3 / 5	39.3%	51.4%	3 / 5
Percentage of transfers resulting in singleton live births	2 / 5	39.3%	42.9%	3 / 5

Characteristics of ART Cycles^{a,b}

	Patient Age					Total
	<35	35-37	38-40	41-42	≥43	
Total number of cycles	339	201	159	57	44	800
Percentage of cycles cancelled prior to retrieval or thaw	2.1%	2.5%	7.5%	5.3%	2.3%	3.5%
Percentage of cycles stopped between retrieval and transfer or banking ^e	11.8%	9.0%	10.1%	14.0%	4.5%	10.5%
Percentage of cycles for fertility preservation	0.9%	2.0%	0.6%	0.0%	0.0%	1.0%
Percentage of transfers using a gestational carrier	1.5%	1.6%	1.1%	6.9%	6.1%	2.1%
Percentage of transfers using frozen embryos	92.2%	94.3%	94.3%	75.9%	57.6%	89.7%
Percentage of transfers of at least one embryo with ICSI	77.1%	72.4%	72.7%	51.7%	42.4%	71.1%
Percentage of transfers of at least one embryo with PGT	39.0%	49.6%	60.2%	37.9%	9.1%	43.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART^{a,f}

Male factor	35%	Diminished ovarian reserve	17%
Endometriosis	10%	Egg or embryo banking	27%
Tubal factor	11%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	10%	Other, infertility	19%
Uterine factor	6%	Other, non-infertility	2%
PGT	13%	Unexplained	13%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

^a Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

^b Fractions are used when the denominator is less than 20.

^c A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

^d Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

^e Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

^f Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SAMPLE CLINIC 2 SAMPLE CITY 2, MARYLAND

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs^{a,b,c} Data verified by Sample B. Doctor2, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of intended retrievals	1,546	983	1,054	569	291
Percentage of intended retrievals resulting in live births	56.7%	43.3%	28.1%	16.2%	6.5%
Percentage of intended retrievals resulting in singleton live births	50.6%	39.1%	25.8%	14.4%	5.8%
Number of retrievals	1,463	880	934	475	240
Percentage of retrievals resulting in live births	59.9%	48.4%	31.7%	19.4%	7.9%
Percentage of retrievals resulting in singleton live births	53.5%	43.6%	29.1%	17.3%	7.1%
Number of transfers	1,912	1,012	864	345	162
Percentage of transfers resulting in live births	45.9%	42.1%	34.3%	26.7%	11.7%
Percentage of transfers resulting in singleton live births	40.9%	37.9%	31.5%	23.8%	10.5%
Number of intended retrievals per live birth	1.8	2.3	3.6>	6.2	15.3>
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.9%	48.2%	30.8%	16.8%	11.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	68.3%	56.4%	39.7%	26.2%	12.8%
Percentage of new patients having live births after all intended retrievals	69.7%	58.0%	42.9%	29.7%	12.8%
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.6	1.4
Average number of transfers per intended retrieval	1.2	1.1	0.8	0.6	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor^{a,b,c,d}

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of transfers	327	107	803	51
Percentage of transfers resulting in live births	49.2%	46.7%	38.4%	41.2%
Percentage of transfers resulting in singleton live births	45.6%	43.0%	35.4%	39.2%

Characteristics of ART Cycles^{a,b}

	Patient Age					Total
	<35	35–37	38–40	41–42	≥43	
Total number of cycles	2,999	2,310	2,134	1,128	1,369	9,940
Percentage of cycles cancelled prior to retrieval or thaw	4.5%	7.1%	9.2%	11.4%	10.4%	7.7%
Percentage of cycles stopped between retrieval and transfer or banking ^e	8.3%	6.4%	8.0%	11.0%	10.0%	8.3%
Percentage of cycles for fertility preservation	4.3%	8.8%	6.7%	2.3%	0.7%	5.1%
Percentage of transfers using a gestational carrier	1.5%	2.4%	3.0%	2.0%	4.6%	2.5%
Percentage of transfers using frozen embryos	56.7%	62.8%	62.7%	60.2%	62.4%	60.4%
Percentage of transfers of at least one embryo with ICSI	70.7%	74.3%	78.5%	78.7%	77.5%	74.8%
Percentage of transfers of at least one embryo with PGT	20.6%	28.4%	33.2%	31.6%	19.6%	25.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART^{a,f}

Male factor	22%	Diminished ovarian reserve	26%
Endometriosis	3%	Egg or embryo banking	22%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	10%	Other, infertility	37%
Uterine factor	4%	Other, non-infertility	2%
PGT	17%	Unexplained	15%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

^a Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

^b Fractions are used when the denominator is less than 20.

^c A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

^d Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

^e Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

^f Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SAMPLE CLINIC 3 SAMPLE CITY 3, INDIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs^{a,b,c} Data verified by Sample C. Doctor3, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of intended retrievals	0	2	0	0	0
Percentage of intended retrievals resulting in live births		1 / 2			
Percentage of intended retrievals resulting in singleton live births		1 / 2			
Number of retrievals	0	2	0	0	0
Percentage of retrievals resulting in live births		1 / 2			
Percentage of retrievals resulting in singleton live births		1 / 2			
Number of transfers	0	2	0	0	0
Percentage of transfers resulting in live births		1 / 2			
Percentage of transfers resulting in singleton live births		1 / 2			
Number of intended retrievals per live birth		2.0	>		>
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval		1 / 2			
Percentage of new patients having live births after 1 or 2 intended retrievals		1 / 2			
Percentage of new patients having live births after all intended retrievals		1 / 2			
Average number of intended retrievals per new patient		1.0			
Average number of transfers per intended retrieval		1.0			

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor^{a,b,c,d}

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of transfers	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles^{a,b}

	Patient Age					Total
	<35	35–37	38–40	41–42	≥43	
Total number of cycles	16	1	7	0	1	25
Percentage of cycles cancelled prior to retrieval or thaw	1 / 16	0 / 1	1 / 7		1 / 1	12.0%
Percentage of cycles stopped between retrieval and transfer or banking ^e	1 / 16	0 / 1	1 / 7		0 / 1	8.0%
Percentage of cycles for fertility preservation	1 / 16	0 / 1	1 / 7		0 / 1	8.0%
Percentage of transfers using a gestational carrier	0 / 12	0 / 1	0 / 3			0 / 16
Percentage of transfers using frozen embryos	6 / 12	0 / 1	3 / 3			9 / 16
Percentage of transfers of at least one embryo with ICSI	7 / 12	1 / 1	1 / 3			9 / 16
Percentage of transfers of at least one embryo with PGT	0 / 12	0 / 1	3 / 3			3 / 16

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART^{a,f}

Male factor	20%	Diminished ovarian reserve	4%
Endometriosis	20%	Egg or embryo banking	24%
Tubal factor	8%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	32%	Other, infertility	28%
Uterine factor	0%	Other, non-infertility	0%
PGT	8%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

^a Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

^b Fractions are used when the denominator is less than 20.

^c A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

^d Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

^e Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

^f Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SAMPLE CLINIC 4 TESTING LONG FIRST NAME SECOND CLINIC 4 NAME SAMPLE CITY 4, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs^{a,b,c} Data verified by Sample D. Doctor4, MD

	Patient Age				
	<35	35-37	38-40	41-42	≥43
All patients (with or without prior ART cycles)					
Number of intended retrievals	494	328	328	171	307
Percentage of intended retrievals resulting in live births	41.9%	32.0%	16.8%	5.8%	0.7%
Percentage of intended retrievals resulting in singleton live births	34.0%	28.4%	14.9%	5.8%	0.7%
Number of retrievals	480	312	303	147	250
Percentage of retrievals resulting in live births	43.1%	33.7%	18.2%	6.8%	0.8%
Percentage of retrievals resulting in singleton live births	35.0%	29.8%	16.2%	6.8%	0.8%
Number of transfers	386	206	131	36	18
Percentage of transfers resulting in live births	53.6%	51.0%	42.0%	27.8%	2 / 18
Percentage of transfers resulting in singleton live births	43.5%	45.1%	37.4%	27.8%	2 / 18
Number of intended retrievals per live birth	2.4	3.1	6.0>	17.1	153.5>
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.4%	30.8%	16.9%	4.2%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	50.7%	41.3%	22.8%	5.3%	0.6%
Percentage of new patients having live births after all intended retrievals	51.0%	43.8%	24.9%	8.4%	0.6%
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.4	1.3
Average number of transfers per intended retrieval	0.8	0.6	0.4	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor^{a,b,c,d}

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of transfers	8	1	453	19
Percentage of transfers resulting in live births	6 / 8	1 / 1	44.2%	11 / 19
Percentage of transfers resulting in singleton live births	4 / 8	1 / 1	36.2%	9 / 19

Characteristics of ART Cycles^{a,b}

	Patient Age					Total
	<35	35-37	38-40	41-42	≥43	
Total number of cycles	1,110	715	660	394	948	3,827
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	6.9%	7.7%	9.1%	12.1%	7.8%
Percentage of cycles stopped between retrieval and transfer or banking ^e	4.6%	6.6%	9.2%	15.2%	13.6%	9.1%
Percentage of cycles for fertility preservation	2.3%	4.5%	3.6%	3.3%	0.7%	2.6%
Percentage of transfers using a gestational carrier	22.5%	31.3%	33.5%	43.8%	64.0%	37.4%
Percentage of transfers using frozen embryos	89.7%	87.5%	91.0%	92.9%	96.3%	91.3%
Percentage of transfers of at least one embryo with ICSI	85.1%	85.2%	85.0%	77.7%	70.5%	81.1%
Percentage of transfers of at least one embryo with PGT	30.0%	27.0%	28.3%	26.8%	21.3%	26.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART^{a,f}

Male factor	14%	Diminished ovarian reserve	44%
Endometriosis	1%	Egg or embryo banking	50%
Tubal factor	2%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	32%
Uterine factor	4%	Other, non-infertility	14%
PGT	4%	Unexplained	15%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

^a Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

^b Fractions are used when the denominator is less than 20.

^c A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

^d Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

^e Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

^f Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SAMPLE CLINIC 5 SECOND CLINIC 5 TESTING LONG SECOND NAME SAMPLE CITY 5, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs^{a,b,c} Data verified by SampleLong E. Doctor5Long, PhD

	Patient Age				
	<35	35-37	38-40	41-42	≥43
All patients (with or without prior ART cycles)					
Number of intended retrievals	57	22	18	6	1
Percentage of intended retrievals resulting in live births	45.6%	40.9%	0 / 18	1 / 6	0 / 1
Percentage of intended retrievals resulting in singleton live births	42.1%	36.4%	0 / 18	1 / 6	0 / 1
Number of retrievals	54	22	17	6	1
Percentage of retrievals resulting in live births	48.1%	40.9%	0 / 17	1 / 6	0 / 1
Percentage of retrievals resulting in singleton live births	44.4%	36.4%	0 / 17	1 / 6	0 / 1
Number of transfers	73	22	16	6	0
Percentage of transfers resulting in live births	35.6%	40.9%	0 / 16	1 / 6	
Percentage of transfers resulting in singleton live births	32.9%	36.4%	0 / 16	1 / 6	
Number of intended retrievals per live birth	2.2	2.4	>	6.0	>
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	42.9%	4 / 9	0 / 2	1 / 2	
Percentage of new patients having live births after 1 or 2 intended retrievals	48.6%	4 / 9	0 / 2	1 / 2	
Percentage of new patients having live births after all intended retrievals	48.6%	4 / 9	0 / 2	1 / 2	
Average number of intended retrievals per new patient	1.2	1.3	2.5	1.0	
Average number of transfers per intended retrieval	1.2	1.0	1.2	0.5	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor^{a,b,c,d}

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of transfers	2	0	6	0
Percentage of transfers resulting in live births	0 / 2		3 / 6	
Percentage of transfers resulting in singleton live births	0 / 2		3 / 6	

Characteristics of ART Cycles^{a,b}

	Patient Age					Total
	<35	35-37	38-40	41-42	≥43	
Total number of cycles	138	36	29	4	8	215
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0.0%	0 / 4	0 / 8	0.0%
Percentage of cycles stopped between retrieval and transfer or banking ^e	7.2%	2.8%	13.8%	2 / 4	1 / 8	8.4%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 4	0 / 8	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 2	0 / 6	0.0%
Percentage of transfers using frozen embryos	89.9%	87.5%	52.4%	2 / 2	2 / 6	81.7%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	2 / 2	6 / 6	100.0%
Percentage of transfers of at least one embryo with PGT	28.1%	8.3%	33.3%	1 / 2	1 / 6	25.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Pending
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART^{a,f}

Male factor	17%	Diminished ovarian reserve	35%
Endometriosis	2%	Egg or embryo banking	26%
Tubal factor	6%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	20%	Other, infertility	1%
Uterine factor	<1%	Other, non-infertility	1%
PGT	10%	Unexplained	22%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

^a Numbers and percentages exclude 14 cycle(s) that were evaluating new procedures.

^b Fractions are used when the denominator is less than 20.

^c A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

^d Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

^e Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

^f Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.