



Schneider Electric

Model – NW 20 H2

CAT# - WA5FFF44A9SGFFXCAA

Capacity – 2000AF


Voltage – 600V

Interrupting Rating – 85kA


Micrologic 3.0 Trip Unit – LI

Type – Drawout

Control Unit - No



1. REAR PANEL MOUNTING HOLES IF USED
2. REAR PANEL LOCATION
3. FRONT DOOR LOCATION
4. CRANK HANDLE EXTENDS LOWER THAN CRADLE MOUNTING
5. SURFACE ADD 60 MM CLEARANCE
6. DISTANCE CONNECT TO DISCONNECT POSITION 56 MM
6. DISTANCE TO REMOVED POSITION 400 MM



"THE SQUARE D COMPANY HAS PROPRIETARY RIGHTS TO THE INFORMATION CONTAINED HEREON. THIS INFORMATION REMAINS THE PROPERTY OF SQUARE D COMPANY AND MAY BE USED ONLY IN CONFORMANCE WITH INSTRUCTIONS ISSUED BY SQUARE D COMPANY. USER SHOULD VERIFY DRAWINGS ARE TO THE LATEST/CURRENT REVISION PRIOR TO INCORPORATING IN A DESIGN FILE."

SQUARE D
Schneider Electric
CEDAR RAPIDS, IOWA, U.S.A.


Catalog Number: 48096-210-01		Revision Control Number	
Description: 800A-3000A 3P DRAWOUT CIRCUIT BREAKER MASTER	Drawn By: GAC	Date: 09APR2002	Revision
Checked By:	Date:		
Drawing File: 48096-210-01			

Tolerances
Unless otherwise specified
2 place decimal ± .01


DO NOT SCALE DRAWING
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN mm

THIRD ANGLE PROJECTION


48096-210-01
DRAWING NUMBER




BACK VIEW



BOTTOM VIEW



SIDE VIEW



Catalog Number: 48096-211-01


Description: 800A-2000A 3P DRAWOUT CIRCUIT BREAKER RCTV

Drawn By: GAC Date: 10APR2002

Checked By: Date:

Drawing File: 48096-211-01

Revision Control Number



THIRD ANGLE
PROJECTION

Tolerances
Unless otherwise specified
2 place decimals $\pm .01$



SQUARE D


Schneider Electric
CEDAR RAPIDS, IOWA, U.S.A.

DRAWING NUMBER


48096-211-01

REV


"THE SQUARE D COMPANY HAS PROPRIETARY RIGHTS TO THE INFORMATION CONTAINED HEREON. THIS INFORMATION REMAINS THE PROPERTY OF SQUARE D COMPANY AND MAY BE USED ONLY IN CONFORMANCE WITH INSTRUCTIONS ISSUED BY SQUARE D COMPANY. USER SHOULD VERIFY DRAWINGS ARE TO THE LATEST/CURRENT REVISION PRIOR TO INCORPORATING IN A DESIGN FILE."




BACK VIEW



SIDE VIEW



BOTTOM VIEW



"THE SQUARE D COMPANY HAS PROPRIETARY RIGHTS TO THE INFORMATION CONTAINED HEREON. THIS INFORMATION REMAINS THE PROPERTY OF SQUARE D COMPANY AND MAY BE USED ONLY IN CONFORMANCE WITH INSTRUCTIONS ISSUED BY SQUARE D COMPANY. USER SHOULD VERIFY DRAWINGS ARE TO THE LATEST/CURRENT REVISION PRIOR TO INCORPORATING IN A DESIGN FILE."

Catalog Number: 48096-212-01


Description: 800A-2000A 3P DRAWOUT CIRCUIT BREAKER RCTH

Drawn By: GAC Date: 10APR2002

Checked By: Date:

Drawing File: 48096-212-01

Revision Control Number



Tolerances
Unless otherwise specified
2 place decimals ± .01




SQUARE D
Schneider Electric
CEDAR RAPIDS, IOWA, U.S.A.

DRAWING NUMBER


48096-212-01

REV


BACK VIEW



SIDE VIEW



BOTTOM VIEW



"THE SQUARE D COMPANY HAS PROPRIETARY RIGHTS TO THE INFORMATION CONTAINED HEREON. THIS INFORMATION REMAINS THE PROPERTY OF SQUARE D COMPANY AND MAY BE USED ONLY IN CONFORMANCE WITH INSTRUCTIONS ISSUED BY SQUARE D COMPANY. USER SHOULD VERIFY DRAWINGS ARE TO THE LATEST/CURRENT REVISION PRIOR TO INCORPORATING IN A DESIGN FILE."

Catalog Number: 48096-215-01


Description: 800A-2000A 3P DRAWOUT CIRCUIT BREAKER FCF

Drawn By: GAC Date: 12APR2002

Checked By: Date:

Drawing File: 48096-215-01

Revision Control Number



THIRD ANGLE
PROJECTION

Tolerances
Unless otherwise specified
2 place decimals ± .01



SQUARE D

Schneider Electric
CEDAR RAPIDS, IOWA, U.S.A.

DRAWING NUMBER

48096-215-01

REV