VNTLO010-54

By VONN Lighting



PROJECT: TYPE: CATALOG#: DATE:







VNTLO020-54

DESCRIPTION

VEGA Wall Washer 2" 10W ETL Certified Monopoint Wall-Mounted Track Lighting with Asymmetrical 25/75 Beam Angle and Adjustable Head. It delivers smooth, even wall washing without shadows. The adjustable head allows precise positioning with 360°+ horizontal rotation and 90° vertical tilt, ensuring the light is directed exactly where it is needed. The integrated driver provides a clean, uncluttered appearance, preventing ceilings from becoming crowded with external drivers pointing in different directions.

DIMENSIONS





FEATURES

- · Stylish, compact design with integrated driver
- Excellent modular concept: integrated driver combined with different fixture bases, allowing DIY customization for various lighting solutions and easy maintenance.
- Asymmetrical light distribution for highly uniform wall washing (25°-75°).
- Patented joints securely hold the track head in any position without malfunction.
- 360°+ rotation without dead angles and 90° vertical adjustment
- Use the VEGA family to create a unified aesthetic within one environment.

SPECIFICATION

	VNTLO010-54	VNTLO020-54			
WATTAGE	10W	20W			
LUMEN OUTPUT	762lm	1522lm			
BEAM ANGLE	(Oval) 25° x75°				
ССТ	□ 2700K, □ 3000K, □ 3500K, □ 4000K				
CRI	□ 80+, □ 90+, □ 95+ (optional)				
INPUT WATTAGE	10W	20W			
INPUT VOLTAGE	120VAC Dimming, 50Hz/60Hz				
DIMMING TYPE	Optional leading (Triac) and trailing edge (ELV) for 120V only				
MOUNTING	Track-Mounted: 1. Single-circuit: Halo, Juno, Lightolier Wall-Mounted				
	2 2-circuit: TEK, HTEK				
	3 3-circuit: Global				
FINISH	White, Black, Silver				
WEIGHT	1.32lbs(0.60kg)	1.79lbs(0.81kg)			
LISTINGS	cETLus Listed to UL and CSA Standards; Suitable for Dry Locations only				
WARRANTY	5 year limited warranty				
SYSTEM RATING	80% of initial lumens at 50000 hours (L80)				

Approximate lumen output based on 3000K performance, see photometric test results for additional information.

Theoretical Lumens: XXX LM (subject to change)

Theoretical Wattage: XXX W (subject to change)







^{***}Please note lumens and wattage are subject to change and will be determined post production of the first articles.

^{*}Any custom modifications are subject to minimum order quantity. (M.O.Q.)

VNTLO010-54

By VONN Lighting



PROJECT: TYPE: CATALOG#: DATE:

LUMEN MULTIPLIERS

CCT	MULTIPLIER		
2700K	0.94		
3000K	1.00		
3500K	1.00		
4000K	1.04		

CRI	MULTIPLIER			
80+	1.20			
90+	1.00			

Applying Lumen Multipliers to Calculate Delivered Lumens

Base Fixture Delivered Lumens (from PHOTOMETRIC DATA)	Χ	CCT Multiplier	Χ	CRI Multiplier	=	Delivered Lumens for Desired Fixture
Example: VN-TLO020-51 3500K	80+					
1522 lm	Х	1.00	Х	1.20	=	1826.4 lm


PHOTOMETRIC DATA

CCT (K)	CRI	LOAD (W)	BEAM OPTIC	LUMENS (Im)	EFFICACY (Im/w)	MAX CANDELA (cd)
3000K 90	10W	25° x 75°	762	80	574	
	90	20W	25° x 75°	1522	76	1093

WALL WASHER-10W

Above test data is based on 3000K 90CRI LED

WALL WASHER-20W



Theoretical Lumens: XXX LM (subject to change)

Theoretical Wattage: XXX W (subject to change)







^{***}Please note lumens and wattage are subject to change and will be determined post production of the first articles.

^{*}Any custom modifications are subject to minimum order quantity. (M.O.Q.)


VNTLO010-54


By VONN Lightin




PROJECT: TYPE: CATALOG#: DATE:

WALL WASHING SUGGESTED SPAC ING AND WALL DISTANCE







Theoretical Lumens: XXX LM (subject to change)

Theoretical Wattage: XXX W (subject to change)

***Please note lumens and wattage are subject to change and will be determined post production of the first articles.

*Any custom modifications are subject to minimum order quantity. (M.O.Q.)








VNTLO010-54

By VONN Lighting



PROJECT: TYPE: CATALOG#: DATE:

EXCELLENT MODULAR COMBINATION CONCEPT





Theoretical Lumens: XXX LM (subject to change)

Theoretical Wattage: XXX W (subject to change)

***Please note lumens and wattage are subject to change and will be determined post production of the first articles.

*Any custom modifications are subject to minimum order quantity. (M.O.Q.)

. NTERTAL.





