
STANDARD CYLINDER HEAD By VONN Lighting VTSH50BL

PROJECT: TYPE: CATALOG#: DATE:



DIMENSIONS




DESCRIPTION


Standard series cylinder head offering three different beam angles, achieved through refractive or hybrid units. The junction arm is seamlessly integrated into the spotlight's body to ensure the barrel remains centered on the track, preventing imbalance, even in suspended track versions. This junction allows for 360° rotation, providing full flexibility. The fixture also features an external dimming interface compatible with Triac, 0/1-10V, and Dali systems for versatile lighting control.

PHOTOMETRICS


18°



h(m)	E(IX)	Ф(m) Ф0.32 Ф0.65 Ф0.98		
1	4902			
2	1226			
3	544			
4	306	Ф1.31		
5	196	Ф1.63		



E(lx)	Ф(m)		
2077	Ф0.64		
519	Ф1.29		
230	Ф1.94		
129	Ф2.58		
83	Ф3.23		
	2077 519 230 129		



E(lx)	Ф(m)		
4186	Ф0.39		
1047	Ф0.79		
465	Ф1.19		
261	Ф1.58		
167	Ф1.98		
	4186 1047 465 261		

SPECIFICATION

MODEL	SIZE	WATTAGE	CCT	LUMENS	CRI	BEAM ANGLE
VTSH50BL	50mm x 50m x 140mm (1.97" x 1.97" x 5.51")	10W	2700K/3000K/4000K	685Lm	>90	18/24/36D

Theoretical Lumens: XXX LM (subject to change)

Theoretical Wattage: XXX W (subject to change)

***Please note lumens and wattage are subject to change and will be determined post production of the first articles.

*Any custom modifications are subject to minimum order quantity. (M.O.Q.)

© VONN Lighting, 2024





