# STANDARD SPOT CYLINDER HEAD

By VONN Lighting




PROJECT: TYPE: CATALOG#: DATE:



# **DIMENSIONS**


VTSH65RBL




#### DESCRIPTION

Standard series spot cylinder head with three different beam angles, achieved through refractive or hybrid optical units. The junction arm is integrated into the spotlight's body, ensuring the barrel stays aligned with the track and preventing any imbalance in suspended track versions. The junction also allows for 360° rotation, providing maximum flexibility. Additionally, the fixture includes an external dimming interface compatible with Triac, 0/1-10V, and Dali systems for versatile lighting control.


## **PHOTOMETRICS**



h(m)	E(lx)	Ф(m) Ф0.20 Ф0.40 Ф0.61		
1	4109			
2	1027			
3	456			
4	256	Ф0.81		
5	164	Ф1.02		



h(m)	E(lx)	Ф(m)		
1	645	Ф0.58		
2	161	Ф1.16		
3	71	Ф1.74		
4	40	Ф2.32		
5	25	Ф2.91		



E(lx)	Ф(m)		
2805	Ф0.27 Ф0.55 Ф0.82		
701			
311			
175	Ф1.10		
112	Ф1.37		
	2805 701 311 175		

## **SPECIFICATION**

MODE	L	SIZE	WATTAGE	CCT	LUMENS	CRI	BEAM ANGLE
VTSH	l65RBL	65mm x 65m x 65mm (2.56" x 2.56" x 2.56")	8W	2700K/3000K/4000K	255Lm	>90	10/20/30D

Theoretical Lumens: XXX LM (subject to change)

Theoretical Wattage: XXX W (subject to change)

\*\*\*Please note lumens and wattage are subject to change and will be determined post production of the first articles.

\*Any custom modifications are subject to minimum order quantity. (M.O.Q.)



© VONN Lighting, 2024

