

LYRA / ORION TUBE (SINGLE CONNECTOR)

VUTH20CD900

By VONN Lighting

VONN

PROJECT:

TYPE:

CATALOG#:

DATE:


DESCRIPTION

- Tube
- Black
- 900mm
- 18W
- 2700K/3000K/4000K
- Ra90

FEATURES

- Material: AL6063-T5, spraying surface
- Coating: Black (RAL9005)
- Size: 600mm, 900mm, 1200mm optional
- IP grade: IP20
- CCT: 2700, 3000, 4000K optional
- CRI: 90
- SDCM: <3 Step (ANSI)
- Light efficiency: 100 LM/W
- Input voltage: DC48V
- Lighting direction: Downward
- Dimming method: Non-dimming, DALI-2, Tuya Bluetooth, CASAMBI
- Application: Indoor
- Certification: CE, UKCA, ROHS, Reach
- Warranty: 5 years

DIMENSIONS



Theoretical Lumens: XXX LM (subject to change)

Theoretical Wattage: XXX W (subject to change)

***Please note lumens and wattage are subject to change and will be determined post production of the first articles.

*Any custom modifications are subject to minimum order quantity. (M.O.Q.)


© VONN Lighting, 2024

VONN, LLC.

3323 NE 163rd St, PH-706
North Miami Beach, FL 33160

WWW.VONN.COM 888.604.8666

VONN, LLC. reserves the right to make any design changes for continuous improvement which will not affect the overall appearance or performance.



LYRA / ORION TUBE (SINGLE CONNECTOR)

VUTH20CD900

By VONN Lighting



PROJECT:

TYPE:

CATALOG#:


DATE:

SPECIFICATION

MODEL	LENGTH	VOLTAGE	WATTAGE	CRI	BEAM ANGLE	CCT	LUMENS
VUTH20CD900	600mm [1.97ft]	48VDC / 24-48VDC	12W	>90	200° x 110°	2700K	1095 [555LM/ft]
						3000K	1115 [565LM/ft]
						4000K	1200 [610LM/ft]
	900mm [2.95ft]	48VDC / 24-48VDC	18W		200° x 110°	2700K	1645 [560LM/ft]
						3000K	1675 [570LM/ft]
						4000K	1800 [610LM/ft]
	1200mm [3.94ft]	48VDC	24W		200° x 110°	2700K	2195 [555LM/ft]
						3000K	2235 [565LM/ft]
						4000K	2400 [610LM/ft]

- Note:
- 1. The output data is based on the testing result of Ra90, 4000k luminaires;
 - 2. The tolerance of output data can be vary up to 10%;
 - 3. The output data is typical value.

PHOTOMETRICS



Theoretical Lumens: XXX LM (subject to change)
Theoretical Wattage: XXX W (subject to change)
***Please note lumens and wattage are subject to change and will be determined post production of the first articles.
*Any custom modifications are subject to minimum order quantity. (M.O.Q.)

© VONN Lighting, 2024

