


PROJECT:

TYPE:

CATALOG#:

DATE:






DESCRIPTION

- Grating Adjustable
- 30°/40°
- Black
- Length: 220mm
- 12W
- 2700K/3000K/4000K
- Ra90

FEATURES

- Material: AL6063-T5, spraying surface
- Coating: Black (RAL9005)
- Size: 110mm, 220mm optional
- IP grade: IP20
- CCT: 2700K, 3000K, 4000K optional
- CRI: 90
- SDCM: <3 Step (ANSI)
- Beam angle: 30°, 40°
- Light efficiency: 70 LM/W, 65 LM/W
- Input voltage: DC24V-48V, DC48V
- Lighting direction: Downward
- Dimming method: Non-dimming, DALI-2, Tuya Bluetooth, CASAMBI
- Application: Indoor
- Certification: CE, UKCA, ROHS, Reach
- Warranty: 5 years

DIMENSIONS



Theoretical Lumens: XXX LM (subject to change)

Theoretical Wattage: XXX W (subject to change)

***Please note lumens and wattage are subject to change and will be determined post production of the first articles.

*Any custom modifications are subject to minimum order quantity. (M.O.Q.)

© VONN Lighting, 2024

LYRA / ORION GRATING DIRECTION ADJUSTABLE



VUTH20GA12

By VONN Lighting





PROJECT:	TYPE:	CATALOG#:	DATE:
----------	-------	-----------	-------

SPECIFICATION

MODEL	LENGTH	VOLTAGE	WATTAGE	CRI	BEAM ANGLE	CCT	LUMENS
VUTH20GA12	110mm [0.36ft]	48VDC / 24-48VDC	6W	>90	30°	2700K	385 [1070LM/ft]
						3000K	390 [1085LM/ft]
						4000K	420 [1165LM/ft]
	110mm [0.36ft]	48VDC / 24-48VDC	6W		40°	2700K	350 [970LM/ft]
						3000K	360 [1000LM/ft]
						4000K	390 [1080LM/ft]
	220mm [0.72ft]	48VDC / 24-48VDC	12W		30°	2700K	770 [1070LM/ft]
						3000K	780 [1085LM/ft]
						4000K	840 [1165LM/ft]
	220mm [0.72ft]	48VDC / 24-48VDC	12W		40°	2700K	700 [970LM/ft]
						3000K	720 [1000LM/ft]
						4000K	780 [1080LM/ft]

- Note:
1. The output data is based on the testing result of Ra90, 4000k luminaires;
 2. The tolerance of output data can be vary up to 10%;
 3. The output data is typical value.

PHOTOMETRICS



Theoretical Lumens: XXX LM (subject to change)
 Theoretical Wattage: XXX W (subject to change)
 ***Please note lumens and wattage are subject to change and will be determined post production of the first articles.
 *Any custom modifications are subject to minimum order quantity. (M.O.Q.)

© VONN Lighting, 2024

