

Pasir Ris Secondary School

Name	Class	Register Number
SECONDARY 4 EXPRESS MID-YEAR EXAMINATION 2018		
SCIENCE (CHEMISTRY)	5076	
	May 2018	
	1 hour	

READ THESE INSTRUCTIONS FIRST

Write your name, class and register number on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, glue or correction fluid.

Section A

There are **ten** questions in this section. Answer **all** questions.

For each question there are four possible answers, A, B, C and D.

Choose the one you consider correct and record your choice in the boxes provided on page 4.

Section B & C

Answer all questions in the spaces provided.

The number of marks is given in brackets [] at the end of each question or part question. A copy of the Periodic Table is printed on page 8.

Section	Marks
Α	/10
В	/20
С	/10
Total	/40

This document consists of 9 printed pages (inclusive of this page).

Setter: Mr Mohd Riffaii [Turn over

Section A: Multiple Choice Questions [20 marks]

21 A mixture contains an organic liquid **J**, and a dilute solution of potassium chloride. Liquid **J** boils at 21 °C and is immiscible in water.

Which two methods of separation should be used in sequence to obtain samples of liquid J first before solid potassium chloride?


	method 1	method 2
Α	use a separating funnel	evaporation
В	evaporation	sublimation
С	distillation	filtration
D	filtration	evaporation

22 Which diagram represents a mixture of diatomic elements?












C




D




23 The diagrams represent four different compounds.










In which row are the compounds correctly named?

	1	2	3	4
Α	ammonia	sodium chloride	methane	water
В	methane	ammonia	sodium chloride	water
С	water	ammonia	methane	sodium chloride
D	water	methane	ammonia	sodium chloride

24 Study the following reaction scheme.




What is the identity of metal carbonate **W**?

Α copper(II) carbonate В iron(II) carbonate

C iron(III) carbonate D zinc carbonate

25 The diagrams show a series of experiments carried out using chlorine water and bromine water.



Which test tube, A, B, C or D shows no change in colour?

26 Which of the following processes is an endothermic reaction?

Α combustion В freezing

C photosynthesis D respiration 27 Sulfur undergoes changes when it reacts with air and water.

The substances that sulfur form are represented in the following stages.


Stage 1	Stage 2	Stage 3	Stage 4
S	SO_2	SO_3	H_2SO_4

Which of the following shows the correct change in oxidation states of sulfur in each stage of the process?

	S	SO ₂	SO₃	H ₂ SO ₄
Α	0	+2	+6	+8
В	0	+4	+6	+6
С	+2	0	+6	+6
D	+6	+6	+2	0

- 28 Which statements about the pollutant carbon monoxide are correct?
 - 1 It is a colourless and odourless gas.
 - 2 It is formed by the complete combustion of natural gas.
 - 3 It reacts with the haemoglobin in the blood and reduce the transport of oxygen.
 - 1 and 2 only Α
 - В 2 and 3 only
 - C 1 and 3 only
 - D 1, 2 and 3
- 29 The diagram shows a complete circuit.


Which solid, when placed between **P** and **Q**, would cause the light bulb **L** to light up?



- Α copper
- В hydrogen fluoride
- C sodium chloride
- D sulphur

- 30 In the preparation of salts, which of the following would require the use of a burette and pipette?
 - A calcium sulfate B sodium sulfate
 - C silver sulfate D zinc sulfate
- 31 The diagram shows an upward delivery method for gas X.


What is the nature of the gas?



- **A** The gas is soluble in water and denser than air.
- **B** The gas is soluble in water and less dense than air.
- **C** The gas is insoluble in water and denser than air.
- **D** The gas is insoluble in water and less dense than air.
- Which ionic equation represents the neutralisation of dilute sulfuric acid with aqueous sodium hydroxide?

 - **B** NaOH + $H^+ \rightarrow Na^+ + H_2O$
 - **C** $H_2SO_4 + 2OH^- \rightarrow SO_4^{2-} + 2H_2O$
 - $\textbf{D} \quad \mathsf{SO_4^{2-}} \; + \mathsf{2Na^+} \, \rightarrow \, \mathsf{Na_2SO_4}$

33 The diagram shows a cooling curve of steam.



Which of the following options correctly describes the changes that occur between points **C** to **D**?

	separation of particles	energy of particles	attractive forces between particles
Α	decreases	increases	decreases
В	decreases	decreases	increases
С	increases	increases	decreases
D	increases	decreases	increases

34 An element has an atomic number of 4.

Which statement about this element is correct?


- **A** It forms ions by losing electrons.
- **B** It has four occupied electron shells in each of its atoms.
- **C** It is an unreactive gas at room temperature and pressure.
- **D** It is found in Group IV of the Periodic Table.
- 35 An element X forms an ion of X^{2+} .

Which group of the Periodic Table is this element found in?

- **A** Group I
- **B** Group II
- **C** Group V
- **D** Group VI

36 Some zinc carbonate was reacted with excess dilute nitric acid.

The graph shows the volume of carbon dioxide gas evolved at 20 second intervals until the reaction has finished. Graph 1 shows the results obtained from this reaction.



Which of the following could have been changed to produce graph 2?

- Α The concentration of acid was doubled.
- В The concentration of acid was halved.
- C The mass of zinc carbonate was halved.
- D The particle size of the zinc carbonate was doubled.

37 The reaction between hydrochloric acid and calcium carbonate is shown.

$$2HCl + CaCO_3 \rightarrow CaCl_2 + H_2O + CO_2$$

What volume of 1.0 mol/dm³ hydrochloric acid is needed to react completely with 1.0 g of calcium carbonate ($M_r = 100$)?

10 cm³ Α

20 cm³ В

C 100 cm³ D 200 cm³

38 Which of the following substances is **not** present in the reaction during the extraction of iron?

Α calcium oxide

В calcium carbonate

C calcium hydroxide D calcium metasilicate 39 Which oxide will neither react with acids nor alkalis?

A carbon dioxide B carbon monoxide

C magnesium oxide D zinc oxide

40 The results of three metal displacement experiments are tabulated as shown.

experiment	metal		metal nitrate solution	[*
охропшон	motai	JNO ₃	K NO ₃	LNO ₃
1	J	-	no reaction	L displaced
2	K	J displaced	-	L displaced
3	L	no reaction	no reaction	-

What is the order of reactivity of these metals?

	most reactive		least reactive
Α	J	K	L
В	K	L	J
С	K	J	L
D	L	J	K

End of Paper

The Periodic Table of Elements

	0	2	Æ	helium 4	- 0	Se 9	neon	20	18	Ā	argon 40	36	ž	krypton	84	24	×e	xenon 131	98	쮼	radon	1				
					c	ьш	fluorine	19	17	ũ	chlorine 35.5	35	ģ	bromine	200	23	-	lodine 127	82	¥	astatine	1				
	>				o	0	oxygen	16	16	တ	sulfur 32	34	Se	selenium	8	25	Te	tellurium 128	84	Po	polonium	1	116	۲	ivermorium	1
	>				7	·z	nitrogen	14	15	۵	shosphorus 31	33	As	arsenic	(2)	5	Sp	antimony 122	83	ä	pismuth	509			_	
	2				8	0	carbon	12	14	Ö	silloon 28	32	Ge	germanium	13	20	S	∄£ 118	82	P _D	lead	207	114	F	flerovium	E
	=				Y	о Ш	poron	11	13	Ρſ	aluminium 27	31	Ga	gallium	2	49	드	indium 115	81	11	thallium	504				
												30	Z	zinc	60	48	8	cadmium 112	80	윤	mercury	201	112	5	copernicium	1
												59	ខ	copper	64	47	Ag	silver 108	79	Αn	plog	197	111	Rg	roentgenium	1
2												28	ž	nickel	SC.	46	В	palladium 106	78	ď	platinum	195	110	S	darmstadtium	1
900												27	ပိ	cobalt	60	45	몺	rhodium 103	11	Į.	indium	192	109	¥	meitnerium	1
		-	I	hydrogen 1								26	Fe	iron	90	44	R	ruthenium 101	9/	so	osminm	190	108	£	hassium	1
					-							25	M	manganese	66	43	2	technetium	75	Re	rhenium	186	107	В		
					imbor	00		nass				24	ပ်	chromium	70	42	Mo	m molybdenum tec 96	74	>	tungsten	184		Sg	seaborgium	ı
				Kev	proton (atomic) number	atomic symbol	name	relative atomic mass				23	>	vanadium	10	41	g	niobium 93	73	Ta	tantalum				dubnium	ı
					proton	ato		relativ				22	F	titanium	48	40	Zr	zirconium 91	72	Ï	hafnium	178	104	ጁ	Rutherfordium	1
					-							21	Sc	scandium	42	39	>	yttrium 89	57-71	lanthanoids			89 - 103	actinoids	-	
-	=				4	Be	penyllium	o	12	Mg	magnesium 24	20	Ca	calcium	40	38	ഗ്	strontium 88	99	Ba	parium				radium	1
					2	· ''	lithium	7							_			mpidinm 85	55	S	aesium	133	87	占	ancinm	1

22	28	29	09	61	62	63	64	65	99	- 29	89	69	20	71
e,	ő	Ā	P	Pm	Sm	ш	g	2	á	운	ங்	٩	χ	3
thanum	cerium	praseodymium	neodymium	promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium	erbinm	thulium	ytterbium	Intetium
139	140	141	144	1	150	152	157	159	163	165	167	169	173	175
89	90	91	92	93	94	92	96	26	86	66	100	101	102	103
Ac	돈	Pa	כ	d	P	Am	S	益	ర	ЕS	F	Md	9 N	ב
ctinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
1	232	231	238	1	1	1	1	1	1	1	1	1	1	1

e volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

www.KiasuExamPaper.com



Pasir Ris Secondary School

Name	Class	Register Number

SECONDARY 4 EXPRESS / 5 NORMAL ACADEMIC **MID YEAR EXAMINATION 2018**

SCIENCE (PHYSICS, CHEMISTRY)

5076/03

Paper 3 Chemistry Monday 0800 - 0915

07 May 2018 1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your name, class and register number on all the work you hand in.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Write in dark blue or black pen.

Do not use staples, paper clips, glue or correction fluid.

The use of an approved scientific calculator is expected, where appropriate.

You may use lose marks if you do not show your working or if you do not use appropriate units.

Section A

Answer all questions.

Write your answers in the spaces provided on the question paper.

Section B

Answer any **two** questions.

Write your answers in the spaces provided on the question paper.

A copy of the Data Sheet is printed on page 15.

A copy of the Periodic Table is printed on page 16.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of **16** printed pages, including the cover page.

Setter: Mr Mohd Riffaii [Turn over

For Examiner's Use

Section A

Answer all the questions in the spaces provided.

Use **three** words from the box below to describe each substance in Table 1.1. 1 The words can be used once, more than once, or not at all.

For Examiner's Use

solid	liquid	gas	atom	molecule
	element	compound	mixture	ions

Table 1.1

substance	diagram	description words
A	+ - + - + - + - + - + - + - + - + - +	1 2 3
В		1
С		1 2 3

(i)	Explain why substance A will conduct electricity when dissolved in water.

[1]

(ii) Suggest another way of making substance **A** conduct electricity.

[1]

(b)

[3]

2 Spots of different coloured dyes were placed along a pencil line on a sheet of chromatography paper. The paper was then placed in a solvent.

For Examiner's Use

Fig. 2.1 shows the chromatogram obtained.




Fig. 2.1

(a)	Which physical property allows chromatography to separate components of the dyes?	
		[1]
(b)	Based on Fig. 2.1, what can be deduced about the components of the black dye?	
		[1]
(c)	Suggest why the start line was drawn in pencil line and not in ink for this experiment?	

3	Hydr	drogen bromide has a melting point of –87 °C and a boiling point of –67 °C.							
	(a)		a 'dot and cross' diagram to show the arrangement of electrons in a molecule of gen bromide. Show only the outer shell electrons.						
				[2]					
	(b)	Hydro	gen bromide dissolves in water to form an acidic solution which is colourless.						
		(i)	Give the formula of the ion which causes the acidity.						
				[1]					
		(ii)	Describe what is seen when chlorine gas is bubbled through the solution.						
				[1]					
		(iii)	Construct an ionic equation, including state symbols, for the reaction you have described in (ii).						
				[2]					

4			de is an ore that contains mainly zinc sulfide (ZnS). The extraction of zinc from its ore in the blast furnace.	For Exar Use			
			of zinc blende is roasted in air (oxygen) to form zinc oxide which is then reduced with onoxide in the blast furnace, similar to the extraction of iron from haematite.				
	The	extra	ction of zinc can be represented by the equation as shown.				
			$ZnO + CO \rightarrow Zn + CO_2$				
	(a)	Stat	te which substance is reduced and give a reason for your answer.				
		sub	stance reduced				
		reas	son	[2]			
	(b)		c produced by the blast furnace is often alloyed to increase its hardness and strength. ss is an alloy of zinc and copper.				
		(i)	Draw the structure of brass in the box provided in Fig. 4.1.				
			Fig. 4.1	[1]			
		(ii)	(ii) With reference to your drawing in Fig. 4.1, explain why brass is harder and stronger compared to pure zinc.				
				[2]			

5 The reaction between copper(II) oxide and hydrogen can be represented by the equation as shown.

For Examiner's Use

$$CuO(s) + H_2(g) \rightarrow H_2O(g) + Cu(s)$$

In this reaction, 0.40 g of solid copper(II) oxide was used.

(a) (i) Calculate the number of moles of copper(II) oxide used in the reaction.

[1]

(ii) Hence, determine the number of moles of hydrogen gas is required for all the copper(II) oxide to be used up in the reaction.

[1]

- (b) It is also known that 165 cm³ of hydrogen gas was used in the reaction.
 - (i) Using your answer from (a), determine the limiting reagent. Explain your answer clearly by showing all relevant calculations.

[3]

(ii) Hence or otherwise, calculate the mass of water vapour produced at the end of the reaction.

[2]

1													_
V	,								Х				
									Υ				
W	,										Z		
		<u> </u>	1	1		Fig. 6.	1	<u> </u>	l		<u> </u>	l	_
	each of the fo		statem	ents, d	decide	wheth	er the	statem	nent is	true o	r false	and s	tate a
reaso	on for your d	ecision.											
(a)	W is more r	netallic t	than 7										
(ω)	VV IO IIIOIO I	notanio i											
		•••••											
(b)	V is less rea	active th											
(b)	V is less rea	active th											
(b)	V is less rea	active th											
(b)	V is less rea	active th											
(b)	V is less rea	active th											
(b)	V is less rea	active th											
			an W .										
(b)	V is less rea		an W .										
			an W .										
			an W .										
			an W .	t than	 W.								
			an W .	t than	 W.								
		er meltii	an W .	t than	w .								

7 Study the flowchart in Fig. 7.1 and answer the following questions.




Fig. 7.1

1	(a)	ldei	ntify er	ubstance	cΔ	to	F
۱	a	, iuei	ILIIY SI	มมอเสมเบษ	SA	ιO	Г.

Λ				
$\overline{}$	 	 	 	

Write a balanced chemical equation for any one of the reactions described in Fig. 7.1. (b)

	[2]
--	-----

[6]

8 A chemical company makes salts for use in industries. Table 8.1 shows some names and (a) formulae of salts with the names of the acids and other compounds used to make them.

Examiner's Use

[3]

Complete the table by writing the missing information.

Table 8.1

name of salt	formula of salt	name of acid used to make salt	name of the other compound used to make salt
sodium sulfate	Na ₂ SO ₄		
potassium phosphate	K ₃ PO ₄	phosphoric acid	
silver chloride	AgC <i>l</i>		
calcium phosphate		phosphoric acid	calcium hydroxide

(b) Fig. 8.2 shows a rusted car. However, not all the parts have rusted. The areas that have not rusted are either painted or have plastic coatings.



Fig. 8.2

	Explain how the paint and plastic coating can slow down rusting.	
		[2]
		[-]
(c)	Harmful gases released into the atmosphere can form acid rain which speeds up rusting.	
	Name one such gas which causes acid rain and state its source.	
		[2]

Section B

Examiner's Use

Answer any **two** questions in this section.

Write your answers in the spaces provided.

9 Read the information about chlorine.

> Chlorine ranks among the top ten chemicals produced today. Chlorine is produced by passing an electric current through a concentrated solution of sodium chloride or through molten sodium chloride. This process is one of the most important commercial processes in industry. Chlorine, in one form or another, is added to most swimming pools, spas, and public water supplies because it kills bacteria that cause disease. Many people also use chlorine to bleach their clothes. Large paper and pulp mills use chlorine to bleach their products.

> Two naturally occurring isotopes of chlorine exist, chlorine-35 and chlorine-37. Chlorine exists commonly both in the Earth's crust and in seawater as sodium chloride. Smaller amounts of potassium chloride and magnesium chloride also occur in seawater.

> Chlorine is very reactive. The reaction between chlorine and other elements can often be vigorous. For example, chlorine reacts explosively with hydrogen to form hydrogen chloride.

(a)	The information contains examples of a mixture.
	Identify two mixtures in the information.

[1]

(b) The chemical symbols of the two chlorine isotopes are shown below.

$$^{37}_{17}Cl$$
 $^{35}_{17}Cl$

Compare and contrast the structures of the nuclei in chlorine isotopes.

[2]

Magnesium burns in chlorine gas to produce magnesium chloride. (c)

Examiner's Use

(i) Complete Table 9.1 which gives information about the two ions in magnesium chloride.

Table 9.1

name of ion	number of protons	number of neutrons	number of electrons	electronic structure
magnesium ion	12			2,8
chloride ion	17	18		

[2]

(ii) Draw a 'dot' and cross diagram to show the arrangement of electrons in magnesium chloride. Show only outer shell electrons.

[2]

Chlorine can react with hydrogen to form hydrogen chloride. Hydrogen chloride is a gas at (d) room temperature.

In terms of electrons, describe the bonding in hydrogen chloride.

	[

1]

(ii) At room temperature, magnesium chloride is a solid while hydrogen chloride is a

Use your knowledge of the bonding in magnesium chloride and hydrogen chloride to explain the difference in physical state.

[2]

(i)

10	(a)	Hydro	ochloric acid is used for rust removal while sodium hydroxide is used in detergents.	For Examiner's Use
		(i)	State the colour of Universal Indicator in dilute hydrochloric acid and in aqueous sodium hydroxide.	
				[2]
		(ii)	Explain briefly, in terms of ions in solution, the reason for the difference in acidity and alkalinity of hydrochloric acid and sodium hydroxide solutions.	
				[2]
		(iii)	The reaction between hydrochloric acid and magnesium metal produces a soluble salt, magnesium chloride. Describe the steps to obtain a pure sample of magnesium chloride from the reaction.	
				[4]
	(b)	of hy	experiment, 20.0 cm³ of 1.50 mol/dm³ sodium hydroxide exactly neutralised 25.0 cm³ drochloric acid. Using the chemical equation provided for the reaction, calculate the entration of the hydrochloric acid used.	
			NaOH + HC $l \rightarrow$ NaC l + H $_2$ O	


[2]

11	(a)	Fig. 11.1 shows the speed of reaction between calcium carbonate and hydrochloric acid
		in two different experiments.

Examiner's Us

Experiment 1 was performed using 10 g of powdered calcium carbonate. Experiment 2 was performed using 10 g calcium carbonate in lumps.

volume of carbon dioxide released / cm³



(i)	Dogad on the graphs	compare the speed of reaction for the two e	vnorimonto
(1)	Dased on the diablis.	compare the speed of reaction for the two e	XDEHHIEHIS

[1]

(ii) Use your knowledge of reacting particles to explain why the particle size of calcium carbonate affects the speed of reaction.

Write a balanced chemical equation, including state symbols, for the reaction (iii) between calcium carbonate and hydrochloric acid.

[2]

[2]

(b)		h on Fig. 11.1 the speed of reaction for 5 g of powdered calcium carbonate . this 'Experiment 3'.	[1]
(c)	The to	emperature of the mixtures increased during the reaction in both experiments 1 and	
	(i)	Suggest whether the reactions are exothermic or endothermic.	[1]
	(ii)	Explain in terms of bond breaking and bond forming for your answer in c (i).	נין
			[2]
	(iii)	Suggest a method that can be used to accurately determine that all the acid has been used up during the reaction.	
			[1]

End of Paper

DATA SHEET

Colours of Some Common Metal Hydroxides

calcium hydroxide	white
copper(II) hydroxide	light blue
iron(II) hydroxide	green
iron(III) hydroxide	red-brown
lead(II) hydroxide	white
zinc hydroxide	white

The Periodic Table of Elements

59	
C	
copper	
64	الر
47	
Ag	
sliver 108	
79	
Αn	
plog	
197	J
111	
Rg	
oentgenium	5
Ì	

anthanoids	22	28	29	09	61	62	63	64	65	99	- 29	89	69	20	71
	La	å	Ā	PN	Pm	Sm	ш	g	2	ò	운	ш	Tm	Υb	ב
	lanthanum	cerium	praseodymium	neodymium	promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium	erbinm	thulium	ytterbium	Intetium
	139	140	141	144	1	150	152	157	159	163	165	167	169	173	175
actinoids	88	90	91	92	93	94	92	96	6	86	66	100	101	102	103
	Ac	돈	Pa	_	ď	Pu	Am	S C	益	ర	Es	Fm	Md	9N	ב
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
	1	232	231	238	1	1	1	1	1	1	1	1	1	1	1

)
						1	
Answers	for Pape	er 1			11		
21	Α	26	С	31	D	36	С
22	Α	27	В <	32	A	37	- B
23	D	28	C	33	В	38	C
24	Α	29	(A	\34\	Α	39	В
25	С	30	B	35	В	40	С



Pasir Ris Secondary School

SECONDARY 4 EXPRESS MID-YEAR EXAMINATION 2018

SCIENCE (CHEMISTRY)

5076

Paper 1: Friday 0800 - 0900 Paper 3: Monday 0800 - 0915 04 May 2018

07 May 2018

20 + 65 marks

MARKING

This document consists of 14 printed pages (inclusive of this page).

[Turn over Setter: Mr Mohd Riffaii

Section A: Structured Questions [45 marks]

	(-)			I			[0]
1	(a)		description words				[3]
		1 33.14			ts incorrectly state		
		2 ion	s npound		e due to the different		
		-	•	charge	ts incorrectly state solid		
		1 liqu	มเต ment		the connecting atoms or		
		3 ato		molecu	_		
		,		Studen	ts incorrectly state		
		1 gas	s npound	mixtur	e due to the different		
			ilecule		ed shapes failing to		
					iate the line or as		
		Δ		atoms.			
		Any	order				
				I	mark for every 3 correct	ot	
					answers		
	(b)	(i)	Presence of mobile ions to	act as	Missing key terms of mo		[1]
			charge carriers to enable		charge carriers. Student		
		/::\	conduction of electricity	in	electrons which is rese		[4]
		(ii)	Heating A till it melts / A is molten state.	in	Students state e electroplating it as a met	lectrolysis and	[1]
			[Total: 5	marksl	electropiating it as a met	House	
			[Total: 0	markoj			
2	(a)	Differe	ent solubilities of compon	ents in	Many students wrote so	olubility as a one-	[1]
		solver	nt		word response. Failing to	o state solubility of	
				/ ,	the dyes.	0	
	(1-)	0			No de de la contra dela contra de la contra dela contra de la contra del la contra del la contra del la contra de la contra de la contra del la contra del la contra de la contra del la contra de	- J. 4 - 5 - J 4 - 1-1	[4]
	(b)	Conta	ins blue, purple and orange	1/	Most who got wrong fail		[1]
				1)	as well as they felt it was	in t periectly in line.	
	(c)	Graph	nite/Carbon in the pencil is in	soluble	Students failed to answe	er guestion of why	[1]
	(-)		solvent and would not af	/ /			' '
		results		0	not used. Some used 'I	•	
				س () ۲	explain about the carbon	from pencil.	
	$\langle \rangle$		[Fotal: 3	Marks]			
3	(a)	V	XXX				
					Most could not recall		
			Br 1		bromine electrons prope	•	
			× ×		Legend stated only as hy	/drogen/bromine	[2]
			1				
	1						

					,
	(b)				
		(i)	H ⁺	Students wrote equations of HBr or H ⁻ .	[1]
		(ii)	Colourless solutions starts to turn reddish - brown	Students described the displacement reaction itself rather than colour observations. Some stated yellow instead of reddish brown.	[1]
		(iii)	$Cl_2(g) + 2Br^-(aq) \rightarrow$ $2Cl^-(aq) + Br_2(aq)$ [1] – correct chemical formula/ions [1] – correct state symbols (2 nd mark is only awarded if the 1 st mark is given)	Very poorly done. 98% could not do this question and could not balance equation. Need to revisit this topic. [Total: 6 marks]	[2]
4	(a)	Substa	ance reduced: ZnO has been	substance reduced: most incorrectly state	
		form Z	ed [1] on: ZnO has lost an oxygen atom to on / oxidation number of Zn has ased from +2 in ZnO to 0 in Zn. [1]	as just Zn. Reason: students are able to explain the loss of oxygen to identify the substance reduced. However, their phrasing is wrong using oxygen has been reduced from zinc oxide.	[2]
	(b)	(i)		most students who made mistakes drew orderly arranged atoms or did not differentiate the size of the atoms enough. the size of the atoms enough. Labelling might help.	[1]
		(ii)	The different sized atoms disrupts the orderly arrangement [1] of pure metal. This makes it harder for the layers to slide over one another [1] thereby making it harder.	Most fail to get the full marks by either omitting different size disrupts orderly arrangement.	[2]
				[Total: 5 marks]	
F	(0)	/i) n	Ar of CuO = 64 + 46 = 20		
5	(a)	 -	of CuO = 64 + 16 = 80 No. of moles of CuO $= \frac{0.40}{80} = 0.0050 \text{ moles}$		[1]

					I
		(ii)	Mole ratio, CuO: H_2 is 1:1, hence 0.0050 moles of H_2 is required	Students fail to state why the value is same as a(i).	[1]
	(b)	(i)	No. of moles of hydrogen gas used $= \frac{165}{24000}$ $= 0.006875 \text{moles} \qquad [1]$ Mole ratio, CuO:H ₂ is 1:1 $0.005 \text{mole of CuO requires only}$ $0.005 \text{ moles of H}_2. \text{ However,}$ $0.006875 \text{moles of H}_2 \text{ is used.}$ Hence H ₂ is in excess. [1]	Quite a large number of students had not done this part as they forgot to change cm3 to dm3. They also had forgotten the formula. Lastly, they incorrectly associate CuO and H2 mole directly by looking which is more rather than by looking at amount of H2 available vs needed.	[3]
		(ii)	CuO is the limiting reagent. [1] Mr of water vapour = 2 + 16 = 18 Mole ratio of CuO:H ₂ O is 1:1. Hence 0.005mols of water vapour is	Quite a fair number of students erroneously used the amount of hydrogen used in a(i). to calculate the number of moles. 1m was given for method mark.	
			formed. [1] Mass of water vapour = 0.005 x 18 = 0.09g [1]		[2]
				[Total: 7 marks]	
6	(a)	cha fron	e; In the same Period, <u>metallic</u> racter of elements decreases n left to right of PD so W is more tallic than Z.	Most students were able to do this question. However the explanation needs improvement as they only say the Z is a halogen rather than showing less character of a metal.	[1]
	(b)	eler	e; On moving down Group I ments, the reactivity increases so less reactive than W.	Most students could do this well.	[1]
	(c)	Fal ele ele	lse; On moving down Group I ments, the melting point of the ment decreases so V should have igher melting point than W.	Quite a fair number of students had forgotten trends of Grp 1	[1]
	(d)	the ator	se, On moving down any group, number of electron shells in the ms of the element increases so X ould have less electron shells than	Almost all students were able to answer this question well.	[1]

		(No mark for reason incorrect.)	f 'true/false'	is			
		micorrect.)				[Total: 4 marks]	
7	(a)	A: barium chloride			A students	s could not identify the acid.	
	(b)	B: hydrochloric acid C: barium sulfate D: hydrogen gas E: zinc chloride F: silver chloride 2AgNO ₃ (aq) + ZnC/ ₂ (Zn(NO ₃) ₂ (aq) BaC/ ₂ (ag)+ H ₂ SO ₄ (ag)			HCI. Most poption. C most lef D all stude E some student was not a F as above Most student could not write	s could not identify the acid as placed Barium sulfate in this this blank ents could identify this adents were able to identify this able to work backwards. The who could not do the above the abalanced equation. Some nonsensical response as the	[6]
8	(a)	BaC l_2 (aq)+ H ₂ SO ₄ (ac) 2HC l (aq) 2HC l (aq) + Zn (s) \rightarrow Z				Total: 8 marks	
	(a)	name of salt	formula of salt	to m	e of acid used ake salt	name of the other compound used to make salt	
		sodium sulfate	Na ₂ SQ ₄	Sum	uric acid	sodium oxide/hydroxide/carbona te	
		potassium phosphate	>~	phos	sphoric acid	potassium oxide/ hydroxide/carbonate	
		silver chloride	AgC <i>l</i>	hydi acid	rochloric	silver nitrate	
		calcium phosphate	Ca ₃ (PO ₄) Few recalled the charge for phosphori c acid	phos	sphoric acid	calcium hydroxide	[3]
	(b)	The paint and plastic co barrier [1] to	ating acts as	k r	be used to pre number did n	could identify why the paint can event rusting but quite a large tot state how it acts as a driver from the reactants.	[2]

			ent / minimize oxyg coming into contac tly [1]				
	(c)	Sulfu	gen dioxide – moto r dioxide – fac nic eruptions			tly stated the gases SO2 but CO incorrect response.	[2]
			•			[Total: 7 marks]	
	Sect mark		- Free Response C	uestions [20			For Examiner's Use
9	(a)	Solut	ion of sodium chlor ater	ride and		swimming pool, tap but the nly inferred not mentioned.	[1]
	(b)	They neutr	have same numbe have different ons, <u>C/-35 has 18</u> has 20 neutrons.	number o	of number in position of difference in	nts correctly stated the the same roton but did not elaborate on the n the number of neutron through to show how they knew the different.	[1] [1]
	(c)	(i)			Table 8.1		
			name of ion	number of protons	number of neutrons	number of electronic electrons structure	
			magnesium ion		12	lons mean that there is a difference between proton and electron. Mg loses 2 electrons	[2]
			chloride ion			Chlorine 2,8,8 gains one electron	
	<	(ii)				2+	
			charges [1], elec	otrons [1]			[2]
			Most failed to drag		narges and wro	ngly indicated the outermost shell	

	(d)	(i)	Hydrogen and chlorine share a pair of electrons between them.	Most wrongly stated by just stating it has covalent bonds without describing further.	[1]
		(ii)	Magnesium chloride is a solid at room temperature as <u>a large</u> <u>amount of energy</u> is required to overcome the <u>strong electrostatic</u> forces of attraction <u>between oppositely charged ions</u> .	Most students failed to state everything to get full marks. Many confused between structure and bonding. Structure describes how the particles are packed and its movement and arrangement.	[1]
			Hydrogen chloride is a gas at room temperature as only a small amount of energy is required to overcome the weak intermolecular forces of attraction between molecules.	Thatak 40 markal	[1]
10	(a)	(i)	Universal indicator in hydrochloric acid is red while it is purple in sodium hydroxide. Reject orange/yellow for hydrochloric acid and blue for sodium hydroxide	[Total: 10 marks] Orange and blue are synonymous for weak acid and alkalis	[2]
		(ii)	There are more H ⁺ ions than OH- ions in acid [1] There are more OH- than H ⁺ ions in alkaline solutions. [1]	Acids have both types of ions only that there are more of one type than the other. The converse is true.	[2]
			Add magnesium/carbonate/oxide in excess to acid [1] Filter the mixture to obtain magnesium as residue and keep the filtrate [1] Heat the filtrate to saturate the solution and allow it to cool to allow crystals to form [1] Dry the crystals between sheets of filter paper [1]	By drawing out the reaction, students can visualise better and not omit the steps.	[4]
	(b)	[1]	of moles of NaOH = 0.02x1.5 = 0.03 entration of HCl = 0.03 / 0.0250 [1] = 1.20 mol/dm ³		[2]
				[Total: 10 marks]	
11	(a)	(i)	Experiment 1 has a faster rate of reaction than experiment 2. / Experiment 1 took a faster time to complete than experiment 2.	Steeper gradient indicates a faster rate of reaction.	[1]
		(ii)	Powdered calcium carbonate has a larger surface area to volume	Most omitted to state which particle was the smaller one and assumed the reader to	[2]

		ratio / larger total surface area exposed to collisions. [1] Results in higher frequency of effective collisions [1], thus greater speed of reaction.	know. Many used higher probability instead of frequency.	
	(iii)	$CaCO_3(s) + 2HCl(aq) \rightarrow$ $CaCl_2(aq) + CO_2(g) + H_2O(l)$	Most could not recall reactions between acid and carbonates and the product obtained.	[2]
(b)	Volume of carbon dioxide relassed (cm³) ω 7 0 0	Experiment 3 2 4 5 8 Time (sec)	Sizeable number of students failed to label the correct term. Students failed to appreciate the half volume compared to first graph. Students did not follow the reaction speed of the first graph.	[1]
(c)	(i)	Exothermic reactions.	Heat increase is exothermic reaction	[1]
	(ii)	Greater energy is given off when bonds of products are formed [1] then energy taken in from surrounding in breaking bonds [1] of reactants. Hence there is a net increase in temperature.	Students failed to appreciate how bonds of existing compunds need to be broken in order to form new bonds. Breaking of bonds require energy which is taken in (endo) from surroundings. Forming of bonds require the energy to be given out to surroundings (exo). Since final is exo it means that more energy is given off than taken in.	[2]
	(iii)	Using a pH meter.	accurately = use instrument to measure	[1]
			[Total: 10 marks]	

End of Paper