INFUSE CARE
PREMIER MEDICAL INFUSIONS

PHYSICIAN ORDER FORM
Fax 1-732-960-3449 · Phone 732-444-8808

Pemgarda *pemivibart*

PATIENT INFORMATION

Patient name _____ DOB _____

Mobile number _____ Patient weight _____ kg

Allergies _____

☐ Patient has known difficult venous access. Comments: _____

☐ New start therapy ☐ Continuation of therapy — date of last dose (if applicable): _____

DIAGNOSIS

Provider must specify

☐ Pre-exposure prophylaxis of coronavirus disease 2019 (COVID-19) in adults and adolescents (12 years of age) who have moderate-to-severe immune compromise, ICD 10: _____

☐ Other: _____

PROVIDER INFORMATION

Provider name (print) _____ Provider NPI _____

Signature _____ Date _____

Contact name _____ Phone _____ Fax _____

Email address _____

PREREQUISITES TO TREATMENT

Ensure the following is complete and attached with the referral

☐ Demographics ☐ Labs and tests supporting diagnosis ☐ Office/progress notes

PRE-MEDICATION

Not typically indicated

☐ Acetaminophen (Tylenol) 500 mg PO ☐ Famotidine 20 mg IV ☐ Methylprednisolone (Solu-Medrol) 125 mg IVP

☐ Diphenhydramine (Benadryl) 25 mg PO ☐ Cetirizine (Zyrtec) 10 mg PO

☐ Other _____ Dose _____ Route _____

MEDICATION ORDER

MEDICATION	DOSE	ROUTE	FREQUENCY
Pemgarda	☐ Initial Dose: 4500 mg administered as a single intravenous infusion. ☐ Repeat Dose: 4500 mg administered as a single intravenous infusion approximately every 3 months.	IV	q 3 months

LABS / SPECIAL INSTRUCTIONS

Order valid for 1 year from date of signature unless otherwise specified here: _____