
ORANJEBERG BV
TECHNICAL TRADING COMPANY



Pipe dia. R acc. to DIN		FLEXMASTER, complete with NBR seal		FLEXMASTER, complete with FPM seal		Dimensions in mm									Weight approx. [kg]
									E		g				
2391 2448	2441 2442	Part No.	DB Code	Part No.	DB Code	b	C	e	min.	max.	min.		h	L	
12		GM10001-012	F-12P/51	GM10201-012	F-12V/51	70	39	37	2	5	18		14,4	51	
14		GM10001-014	F-14P/51	GM10201-014	F-14V/51	70	39	37	2	5	18		14,4	51	
15		GM10001-015	F-15P/51	GM10201-015	F-15V/51	70	39	37	2	5	18		14,4	51	
16		GM10001-016	F-16P/51	GM10201-016	F-16V/51	70	39	37	2	5	18		14,4	51	
17,2	3/8"	GM10001-6	F-3/8P/51	GM10201-6	F-3/8V/51	70	39	37	2	5	18		14,4	51	0.210
18		GM10002-018	F-18P/57	GM10202-018	F-18V/57	74	43	43	2	5	20		14,4	57	
20		GM10002-020	F-20P/57	GM10202-020	F-20V/57	74	43	43	2	5	20		14,4	57	
21,3	1/2"	GM10002-8	F-1/2P/57	GM10202-8	F-1/2V/57	74	43	43	2	5	20		14,4	57	
22		GM10002-022	F-22P/57	GM10202-022	F-22V/57	74	43	43	2	5	20		14,4	57	0.230
(24)		GM10003-024	F-24P/64	GM10203-024	F-24V/64	81	49	46	2	5	20		14,4	64	
25		GM10003-025	F-25P/64	GM10203-025	F-25V/64	81	49	46	2	5	20		14,4	64	
(26)		GM10003-026	F-26P/64	GM10203-026	F-26V/64	81	49	46	2	5	20		14,4	64	
26,9	3/4"	GM10003-12	F-3/4P/64	GM10203-12	F-3/4V/64	81	49	46	2	5	20		14,4	64	0.280
28		GM10004-028	F-28P/73	GM10204-028	F-28V/73	101	62	57	4	8	25		17,7	73	
30		GM10004-030	F-30P/73	GM10204-030	F-30V/73	101	62	57	4	8	25		17,7	73	
32		GM10004-032	F-32P/73	GM10204-032	F-32V/73	101	62	57	4	8	25		17,7	73	
33,7	1"	GM10004-16	F-1P/73	GM10204-16	F-1V/73	101	62	57	4	8	25		17,7	73	0.470
35		GM10005-035	F-35P/76	GM10205-035	F-35V/76	106	67	60	4	8	25		17,7	76	0.560
(37)		GM10006-037	F-37P/83	GM10206-037	F-37V/83	112	71	63	4	8	25		17,7	83	
38		GM10006-038	F-38P/83	GM10206-038	F-38V/83	112	71	63	4	8	25		17,7	83	
40		GM10006-040	F-40P/83	GM10206-040	F-40V/83	112	71	63	4	8	25		17,7	83	
42		GM10006-042	F-42P/83	GM10206-042	F-42V/83	112	71	63	4	8	25		17,7	83	
42,4	1 1/4"	GM10006-20	F-1 1/4P/83	GM10206-20	F-1 1/4V/83	112	71	63	4	8	25		17,7	83	0.800
45		GM10007-045	F-45P/89	GM10207-045	F-45V/89	118	77	65	4	8	25		17,7	89	
48,2	1 1/2"	GM10007-24	F-1 1/2P/89	GM10207-24	F-1 1/2V/89	118	77	65	4	8	25		17,7	89	0.640
50		GM10008-050	F-50P/89	GM10208-050	F-50V/89	120	80	67	4	8	25		17,7	89	
51		GM10008-32	F-T2P/89	GM10208-32	F-T2V/89	120	80	67	4	8	25		17,7	89	0.670

( ) Nicht für Neukonstruktionen
( ) Not for new installations


FLEXMASTER Individual Components
FLEXMASTER Einzelteile



1 Sleeve		2 Seal NBR		2 Seal FPM		3 Seal retainer		4 Clamp complete with bolts	
Part No.	DB Code	Part No.	DB Code	Part No.	DB Code	Part No.	DB Code	Part No.	DB Code
GM90001-6	H12-16/51=3/8	GM90210-012	P12	GM90208-012	V12	GM90206-6	D12-16=3/8	GM90203-6	S12-16=3/8
GM90001-6	H12-16/51=3/8	GM90210-014	P14	GM90208-014	V14	GM90206-6	D12-16=3/8	GM90203-6	S12-16=3/8
GM90001-6	H12-16/51=3/8	GM90210-015	P15	GM90208-015	V15	GM90206-6	D12-16=3/8	GM90203-6	S12-16=3/8
GM90001-6	H12-16/51=3/8	GM90210-016	P16	GM90208-016	V16	GM90206-6	D12-16=3/8	GM90203-6	S12-16=3/8
GM90001-6	H12-16/51=3/8	GM901210-6	P3/8	GM90208-6	V3/8	GM90208-6	D12-16=3/8	GM90203-6	S12-16=3/8
GM90002-8	H18-22/57=1/2	GM90210-018	P18	GM90208-018	V18	GM90206-8	D18-22=1/2	GM90203-8	S18-22=1/2
GM90002-8	H18-22/57=1/2	GM90210-020	P20	GM90208-020	V20	GM90206-8	D18-22=1/2	GM90203-8	S18-22=1/2
GM90002-8	H18-22/57=1/2	GM90210-8	P1/2	GM90208-8	V1/2	GM90206-8	D18-22=1/2	GM90203-8	S18-22=1/2
GM90002-8	H18-22/57=1/2	GM90210-022	P22	GM90208-022	V22	GM90206-8	D18-22=1/2	GM90203-8	S18-22=1/2
GM90003-12	H24-26/64=3/4	GM90210-024	P24	GM90208-024	V24	GM90206-12	D24-26=3/4	GM90203-12	S24-26=3/4
GM90003-12	H24-26/64=3/4	GM90210-025	P25	GM90208-025	V25	GM90206-12	D24-26=3/4	GM90203-12	S24-26=3/4
GM90003-12	H24-26/64=3/4	GM90210-026	P26	GM90208-026	V26	GM90206-12	D24-26=3/4	GM90203-12	S24-26=3/4
GM90003-12	H24-26/64=3/4	GM90210-12	P3/4	GM90208-12	V3/4	GM90206-12	D24-26=3/4	GM90203-12	S24-26=3/4
GM90004-16	H28-32/73=1	GM90210-028	P28	GM90208-028	V28	GM90206-16	D28-32=1	GM90203-16	S28-32=1
GM90004-16	H28-32/73=1	GM90210-030	P30	GM90208-030	V30	GM90206-16	D28-32=1	GM90203-16	S28-32=1
GM90004-16	H28-32/73=1	GM90210-032	P32	GM90208-032	V32	GM90206-16	D28-32=1	GM90203-16	S28-32=1
GM90004-16	H28-32/73=1	GM90210-16	P1	GM90208-16	V1	GM90206-16	D28-32=1	GM90203-16	S28-32=1
GM90005-22	H35/76=T1 3/8	GM90211-22	P35=T1 3/8	GM90209-22	V35=T1 3/8	GM90207-22	D35=T1 3/8	GM90204-22	S35=T1 3/8
GM90006-20	H37-42/83=1 1/4	GM90210-037	P37	GM90208-037	V37	GM90206-20	D37-42=1 1/4	GM90203-20	S37-42=1 1/4
GM90006-20	H37-42/83=1 1/4	GM90210-038	P38	GM90208-038	V38	GM90206-20	D37-42=1 1/4	GM90203-20	S37-42=1 1/4
GM90006-20	H37-42/83=1 1/4	GM90210-040	P40	GM90208-040	V40	GM90206-20	D37-42=1 1/4	GM90203-20	S37-42=1 1/4
GM90006-20	H37-42/83=1 1/4	GM90210-20	P42=1 1/4	GM90208-20	V42=1 1/4	GM90206-20	D37-42=1 1/4	GM90203-20	S37-42=1 1/4
GM90006-20	H37-42/83=1 1/4	GM90210-20	P42=1 1/4	GM90208-20	V42=1 1/4	GM90206-20	D37-42=1 1/4	GM90203-20	S37-42=1 1/4
GM90007-24	H45/89=1 1/2	GM90210-045	P45	GM90208-045	V45	GM90206-24	D45=1 1/2	GM90203-24	S45=1 1/2
GM90007-24	H45/89=1 1/2	GM90210-24	P1 1/2	GM90208-24	V1 1/2	GM90206-24	D45=1 1/2	GM90203-24	S45=1 1/2
GM90008-32	H50/89=T2	GM90211-050	P50	GM90209-050	V50	GM90207-32	D50=T2	GM90204-32	S50=T2
GM90008-32	H50/89=T2	GM90211-32	PT2	GM90209-32	VT2	GM90207-32	D50=T2	GM90204-32	S50=T2

www.oranjeberg.nl +31 181 251035 mail@oranjeberg.nl
Oranjeberg B.V. Seggelant-West 5 3237MJ Vierpolders The Netherlands

ORANJEBERG BV
TECHNICAL TRADING COMPANY



Pipe dia. R acc. to DIN		FLEXMASTER, complete with NBR seal		FLEXMASTER, complete with FPM seal		Dimensions in mm									Weight approx. [kg]
									E		g				
2391 2448	2441 2442	Part No.	DB Code	Part No.	DB Code	b	C	e	min.	max.	min.	max.	h	L	
55		GM10009-055	F-55P/102	GM10209-055	F-55V/102	135	89	75	4	8	25	37	17,7	102	
57		GM10009-057	F-57P/102	GM10209-057	F-57V/102	135	89	75	4	8	25	37	17,7	102	
(58)		GM10009-058	F-58P/102	GM10209-058	F-58V/102	135	89	75	4	8	25	37	17,7	102	
60		GM10009-060	F-60P/102	GM10209-060	F-60V/102	135	89	75	4	8	25	37	17,7	102	
60,3	2"	GM10009-32	F-2P/102	GM10209-32	F-2V/102	135	89	75	4	8	25	37	17,7	102	0.720
63,5		GM10010-40	F-T2½P/102	GM10210-40	F-T2½V/102	137	96	70	8	12	25	37	17,7	102	
(65)		GM10010-065	F-65P/102	GM10210-065	F-65V/102	137	96	70	8	12	25	37	17,7	102	0.780
70		GM10011-070	F-70P/165	GM10211-070	F-70V/165	175	122	95	8	12	40	51	30	165	
73	2½"	GM10011-40	F-2½P/165	GM10211-40	F-2½V/165	175	122	95	8	12	40	51	30	165	2.4
75		GM10012-075	F-75P/127	GM10212-075	F-75V/127	178	125	95	8	12	40	51	30	127	
76,1		GM10012-48	F-T3P/127	GM10212-48	F-T3V/127	178	125	95	8	12	40	51	30	127	
80/1		GM10012-080	F-80P/127	GM10212-080	F-80V/127	178	125	95	8	12	40	51	30	127	2.8
88,9	3"	GM10011-48	F-3P/165	GM10211-48	F-3V/165	191	133	102	8	12	40	51	30	165	
90		GM10011-090	F-90P/165	GM10211-090	F-90V/165	191	133	102	8	12	40	51	30	165	3.1
100		GM10011-100	F-100P/165	GM10211-100	F-100V/165	203	151	110	8	12	40	51	30	165	
101,6	3½"	GM10011-56	F-3½P/165	GM10211-56	F-3½V/165	203	151	110	8	12	40	51	30	165	3.4
108		GM10011-108	F-108P/165	GM10211-108	F-108V/165	218	165	115	8	12	40	51	30	165	
110		GM10011-110	F-110P/165	GM10211-110	F-110V/165	218	165	115	8	12	40	51	30	165	
114,3	4"	GM10011-64	F-4P/165	GM10211-64	F-4V/165	218	165	115	8	12	40	51	30	165	3.7
120		GM10013-120	F-120P/165	GM10213-120	F-120V/165	230	174	120	8	12	40	51	30	165	
127		GM10013-80	F-T5P/165	GM10213-80	F-T5V/165	230	174	120	8	12	40	51	30	165	4.1

( ) Nicht für Neukonstruktionen
( ) Not for new installations


FLEXMASTER Individual Components
FLEXMASTER Einzelteile



1 Sleeve		2 Seal NBR		2 Seal FPM		3 Seal retainer		4 Clamp complete with bolts	
Part No.	DB Code	Part No.	DB Code	Part No.	DB Code	Part No.	DB Code	Part No.	DB Code
GM90009-32	H55-60/102=2	GM90210-055	P55	GM90208-055	V55	GM90206-32	D55-60=2	GM90203-32	S55-60=2
GM90009-32	H55-60/102=2	GM90210-057	P57	GM90208-057	V57	GM90206-32	D55-60=2	GM90203-32	S55-60=2
GM90009-32	H55-60/102=2	GM90210-058	P58	GM90208-058	V58	GM90206-32	D55-60=2	GM90203-32	S55-60=2
GM90009-32	H55-60/102=2	GM90210-32	P60=2	GM90208-32	V60=2	GM90206-32	D55-60=2	GM90203-32	S55-60=2
GM90009-32	H55-60/102=2	GM90210-32	P60=2	GM90208-32	V60=2	GM90206-32	D55-60=2	GM90203-32	S55-60=2
GM90010-40	H65/102=T2½	GM90211-40	PT2½	GM90209-40	VT2½	GM90207-40	D65=T2½	GM90204-40	S65=T2½
GM90010-40	H65/102=T2½	GM90211-065	P65	GM90209-065	V65	GM90207-40	D65=T2½	GM90204-40	S65=T2½
GM90011-40	H70/165=2½	GM90210-070	P70	GM90208-070	V70	GM90206-40	D70=2½	GM90203-40	S70=2½
GM90011-40	H70/165=2½	GM90210-40	P2½	GM90208-40	V2½	GM90206-40	D70= 2½	GM90203-40	S70=2½
GM90012-48	H75-80/127=T3	GM90211-075	P75	GM90209-075	V75	GM90207-48	D75-80=T3	GM90204-48	S75-80=T3
GM90012-48	H75-80/127=T3	GM90211-48	PT3	GM90209-48	VT3	GM90207-48	D75-80=T3	GM90204-48	S75-80=T3
GM90012-48	H75-80/127=T3	GM90211-080	P80	GM90209-080	V80	GM90207-080	D75-80=T3	GM90204-48	S75-80=T3
GM90011-48	H89-90/165=3	GM90210-48	P89=3	GM90208-48	V89=3	GM90206-48	D89-90=3	GM90203-48	S89-90=3
GM90011-48	H89-90/165=3	GM90210-090	P90	GM90208-090	V90	GM90206-48	D89-90=3	GM90203-48	S89-90=3
GM90011-56	H100/165=3½	GM90210-100	P100	GM90208-100	V100	GM90206-56	D100=3½	GM90203-56	S100=3½
GM90011-56	H100/165=3½	GM90210-56	P3½	GM90208-56	V3½	GM90206-56	D100=3½	GM90203-56	S100=3½
GM90011-64	H108-110/165=4	GM90210-108	P108	GM90208-108	V108	GM90206-64	D108-110=4	GM90203-64	S108-110=4
GM90011-64	H108-110/165=4	GM90210-110	P110	GM90208-110	V110	GM90206-64	D108-110=4	GM90203-64	S108-110=4
GM90011-64	H108-110/165=4	GM90210-64	P4	GM90208-64	V4	GM90206-64	D108-110=4	GM90203-64	5108-110=4
GM90013-80	H120-127/165=T5	GM90211-120	P120	GM90209-120	V120	GM90207-80	D120-127=T5	GM90204-80	S120-127=T5
GM90013-80	H120-127/165=T5	GM90211-80	PT5	GM90209-80	VT5	GM90207-80	D120-127=T5	GM90204-80	S120-127=T5

www.oranjeberg.nl +31 181 251035 mail@oranjeberg.nl
Oranjeberg B.V. Seggelant-West 5 3237MJ Vierpolders The Netherlands

ORANJEBERG BV
TECHNICAL TRADING COMPANY



Individual components
Einzelteile

FLEXMASTER, elbows
FLEXMASTER, Krümmer

Pipe dia. R acc. to DIN		FLEXMASTER 45°, complete with NBR seal		with FPM seal		FLEXMASTER 90°, complete with NBR seal		with FPM seal	
2391 2448	2441 2442	Part No.	DB Code	Part No.	DB Code	Part No.	DB Code	Part No.	DB Code
12		GM10046-012	45F-12P	GM10246-012	45F-12V	GM10061-012	90F-12P	GM10261-012	90F-12V
14		GM10046-014	45F-14P	GM10246-014	45F-14V	GM10061-014	90F-14P	GM10261-014	90F-14V
15		GM10046-015	45F-15P	GM10246-015	45F-15V	GM10061-015	90F-15P	GM10261-015	90F-15V
16		GM10046-016	45F-16P	GM10246-016	45F-16V	GM10061-016	90F-16P	GM10261-016	90F-16V
17,2	3/8"	GM10046-6	45F 3/8P	GM10246-6	45F-3/8V	GM10061-6	90F-3/8P	GM10261-6	90F-3/8V
18		GM10047-018	45F-18P	GM10247-018	45F-18V	GM10062-018	90F-18P	GM10262-018	90F-18V
20		GM10047-020	45F-20P	GM10247-020	45F-20V	GM10062-020	90F-20P	GM10262-020	90F-20V
21,3	1/2"	GM10047-8	45F-1/2P	GM10247-8	45F-1/2V	GM10062-8	90F-1/2P	GM10262-8	90F-1/2V
22		GM10047-022	45F-22P	GM10247-022	45F-22V	GM10062-022	90F-22P	GM10262-022	90F-22V
(24)		GM10048-024	45F-24P	GM10248-024	45F-24V	GM10063-024	90F-24P	GM10263-024	90F-24V
25		GM10048-025	45F-25P	GM10248-025	45F-25V	GM10063-025	90F-25P	GM10263-025	90F-25V
(26)		GM10048-026	45F-26P	GM10248-026	45F-26V	GM10063-026	90F-26P	GM10263-026	90F-26V
26,9	3/4"	GM10048-12	45F-3/4P	GM10248-12	45F-3/4V	GM10063-12	90F-3/4P	GM10263-12	90F-3/4V
28		GM10049-028	45F-28P	GM10249-028	45F-28V	GM10064-028	90F-28P	GM10264-028	90F-28V
30		GM10049-030	45F-30P	GM10249-030	45F-30V	GM10064-030	90F-30P	GM10264-030	90F-30V
32		GM10049-032	45F-32P	GM10249-032	45F-32V	GM10064-032	90F-32P	GM10264-032	90F-32V
33,7	1"	GM10049-16	45F-1P	GM10249-16	45F-1V	GM10064-16	90F-1P	GM10264-16	90F-1V
35		GM10050-035	45F-35P	GM10250-035	45F-35V	GM10065-035	90F-35P	GM10265-035	90F-35V
(37)		GM10051-037	45F-37P	GM10251-037	45F-37V	GM10066-037	90F-37P	GM10266-037	90F-37V
38		GM10051-038	45F-38P	GM10251-038	45F-38V	GM10066-038	90F-38P	GM10266-038	90F-38V
40		GM10051-040	45F-40P	GM10251-040	45F-40V	GM10066-040	90F-40P	GM10266-040	90F-40V
42		GM10051-042	45F-42P	GM10251-042	45F-42V	GM10066-042	90F-42P	GM10266-042	90F-42V
42,4	1 1/4"	GM10051-20	45F-1 1/4P	GM10251-20	45F-1 1/4V	GM10066-20	90F-1 1/4P	GM10266-20	90F-1 1/4V
45	1 1/2"	GM10052-045 GM10052-24	45F-45P 45F-1 1/2P	GM10252-045 GM10252-24	45F-45V 45F-1 1/2V	GM10067-045 GM10067-24	90F-45P 90F-1 1/2P	GM10267-045 GM10267-24	90F-45V 90F-1 1/2V
50		GM10053-050	45F-50P	GM10253-050	45F-50V	GM10068-050	90F-50P	GM10268-050	90F-50V
51		GM10053-32	45F-T2P	GM10253-32	45F-T2V	GM10068-32	90F-T2P	GM10268-32	90F-T2V
55		GM10054-055	45F-55P	GM10254-055	45F-55V	GM10069-055	90F-55P	GM10269-055	90F-55V
57		GM10054-057	45F-57P	GM10254-057	45F-57V	GM10069-057	90F-57P	GM10269-057	90F-57V
58		GM10054-058	45F-58P	GM10254-058	45F-58V	GM10069-058	90F-58P	GM10269-058	90F-58V
60		GM10054-060	45F-60P	GM10254-060	45F-60V	GM10069-060	90F-60P	GM10269-060	90F-60V
60,3	2"	GM10054-32	45F-2P	GM10254-32	45F-2V	GM10069-32	90F-2P	GM10269-32	90F-2V
63,5		GM10055-40	45F-T2 1/2P	GM10255-40	45F-T2 1/2V	GM10070-40	90F-T2 1/2P	GM10270-40	90F-T2 1/2V
65		GM10055-065	45F-65P	GM10255-065	45F-65V	GM10070-065	90F-65P	GM10270-065	90F-65V
70		GM10056-070	45F-70P	GM10256-070	45F-70V	GM10071-070	90F-70P	GM10271-070	90F-70V
73	2 1/2"	GM10056-40	45F-2 1/2P	GM10256-40	45F-2 1/2V	GM10071-40	90F-2 1/2P	GM10271-40	90F-2 1/2V
75		GM10057-075	45F-75P	GM10257-075	45F-75V	GM10072-075	90F-75P	GM10272-075	90F-75V
76,1		GM10057-48	45F-T3P	GM10257-48	45F-T3V	GM10072-48	90F-T3P	GM10272-48	90F-T3V
80		GM10057-080	45F-80P	GM10257-080	45F-80V	GM10072-080	90F-80P	GM10272-080	90F-80V
88,9	3"	GM10058-48	45F-3P	GM10258-48	45F-3V	GM10073-48	90F-3P	GM10273-48	90F-3V
90		GM10058-090	45F-90P	GM10258-090	45F-90V	GM10073-090	90F-90P	GM10273-090	90F-90V
100		GM10059-100	45F-100P	GM10259-100	45F-100V	GM10074-100	90F-100P	GM10274-100	90F-100V
101,6	3 1/2"	GM10059-56	45F-3 1/2P	GM10259-56	45F-3 1/2V	GM10074-56	90F-3 1/2P	GM10274-56	90F-3 1/2V
108		GM10060-108	45F-108P	GM10260-108	45F-108V	GM10075-108	90F-108P	GM10275-108	90F-108V
110		GM10060-110	45F-110P	GM10260-110	45F-110V	GM10075-110	90F-110P	GM10275-110	90F-110V
114,3	4"	GM10060-64	45F-4P	GM10260-64	45F-4V	GM10075-64	90F-4P	GM10275-64	90F-4V

( ) Nicht für Neukonstruktionen
( ) Not for new installations

[1] Kleinster Biegehalbmesser; auf Grund verschiedener Fertigungsverfahren in Abhängigkeit von der Stückzahl kann der Biegehalbmesser größer sein.
[1] Minimum bending radius; due to the various manufacturing processes used depending on the quantity required, the bending radius may be larger.

Dimensions in mm			Weight approx. [kg]	Sleeve 45°		Sleeve 90°	
k	m	r[1]	45°/ 90°	Part No.	DB Code	Part No.	DB Code
62	62	23	0.5 / 0.5	GM90046-6	45B12-16 = 3/8	GM90061-6	90B12-16 = 3/8
62	62	23	0.5 / 0.5	GM90046-6	45B12-16 = 3/8	GM90061-6	90B12-16 = 3/8
62	62	23	0.5 / 0.5	GM90046-6	45B12-16 = 3/8	GM90061-6	90B12-16 = 3/8
62	62	23	0.5 / 0.5	GM90046-6	45B12-16 = 3/8	GM90061-6	90B12-16 = 3/8
62	62	23	0.5 / 0.5	GM90046-6	45B12-16 = 3/8	GM90061-6	90B12-16 = 3/8
65	65	26	0.5 / 0.5	GM90047-8	45B18-22 = 1/2	GM90062-8	90B18-22 = 1/2
65	65	26	0.5 / 0.5	GM90047-8	45B18-22 = 1/2	GM90062-8	90B18-22 = 1/2
65	65	26	0.5 / 0.5	GM90047-8	45B18-22 = 1/2	GM90062-8	90B18-22 = 1/2
65	65	26	0.5 / 0.5	GM90047-8	45B18-22 = 1/2	GM90062-8	90B18-22 = 1/2
79	99	30	0.6 / 0.8	GM90048-12	45B24-26 = 3/4	GM90063-12	90B24-26 = 3/4
79	99	30	0.6 / 0.8	GM90048-12	45B24-26 = 3/4	GM90063-12	90824-26 = 3/4
79	99	30	0.6 / 0.8	GM90048-12	45B24-26 = 3/4	GM90063-12	90B24-26 = 3/4
79	99	30	0.6 / 0.8	GM90048-12	45B24-26 = 3/4	GM90063-12	90B24-26 = 3/4
79	99	30	0.6 / 0.8	GM90048-12	45B24-26 = 3/4	GM90063-12	90B24-26 = 3/4
86	108	38	1.0 / 1.2	GM90049-16	45B28-32 = 1	GM90064-16	90B28-32 = 1
86	108	38	1.0 / 1.2	GM90049-16	45B28-32 = 1	GM90064-16	90B28-32 = 1
86	108	38	1.0 / 1.2	GM90049-16	45B28-32 = 1	GM90064-16	90B28-32 = 1
86	108	38	1.0 / 1.2	GM90049-16	45B28-32 = 1	GM90064-16	90B28-32 = 1
87	114,5	42	1.1 / 1.3	GM90050-22	45B35 = T1 3/8	GM90065-22	90B35 = T1 3/8
89	114	45	2.0 / 2.5	GM90051-20	45B37-42 = 1 1/4	GM90066-20	90B37-42 = 1 1/4
89	114	45	2.0 / 2.5	GM90051-20	45B37-42 = 1 1/4	GM90066-20	90B37-42 = 1 1/4
89	114	45	2.0 / 2.5	GM90051-20	45B37-42 = 1 1/4	GM90066-20	90B37-42 = 1 1/4
89	114	45	2.0 / 2.5	GM90051-20	45B37-42 = 1 1/4	GM90066-20	90B37-42 = 1 1/4
89	114	45	2.0 / 2.5	GM90051-20	45B37-42 = 1 1/4	GM90066-20	90B37-42 = 1 1/4
92	124	54	1.3 / 1.6	GM90052-24	45B45 = 1 1/2	GM90067-24	90B45 = 1 1/2
92	124	54	1.3 / 1.6	GM90052-24	45B45 = 1 1/2	GM90067-24	90B45 = 1 1/2
94	127	57	1.3 / 1.6	GM90053-32	45B50 = T2	GM90068-32	90B50 = T2
94	127	57	1.3 / 1.6	GM90053-32	45B50 = T2	GM90068-32	90B50 = T2
95	137	67	1.3 / 1.6	GM90054-32	45B55-60 = 2	GM90069-32	90B55-60 = 2
95	137	67	1.3 / 1.6	GM90054-32	45B55-60 = 2	GM90069-32	90B55-60 = 2
95	137	67	1.3 / 1.6	GM90054-32	45B55-60 = 2	GM90069-32	90B55-60 = 2
95	137	67	1.3 / 1.6	GM90054-32	45B55-60 = 2	GM90069-32	90B55-60 = 2
95	137	67	1.3 / 1.6	GM90054-32	45B55-60 = 2	GM90069-32	90B55-60 = 2
99	143	70	1.6 / 2.1	GM90055-40	45B65 = T2 1/2	GM90070-40	90B65 = T2 1/2
99	143	70	1.6 / 2.1	GM90055-40	45B65 = T2 1/2	GM90070-40	90B65 = T2 1/2
108	156	83	3.0 / 3.3	GM90056-40	45B70 = 2 1/2	GM90071-40	90B70 = 2 1/2
108	156	83	3.0 / 3.3	GM90056-40	45B70 = 2 1/2	GM90071-40	90B70 = 2 1/2
115	164	86	2.8 / 3.0	GM90057-48	45B75-80 = T3	GM90072-48	90B75-80 = T3
115	164	86	2.8 / 3.0	GM90057-48	45B75-80 = T3	GM90072-48	90B75-80 = T3
115	164	86	2.8 / 3.0	GM90057-48	45B75-80 = T3	GM90072-48	90B75-80 = T3
137	205	127	3.8 / 4.5	GM90058-48	45B89-90 = 3	GM90073-48	90B89-90 = 3
137	205	127	3.8 / 4.5	GM90058-48	45B89-90 = 3	GM90073-48	90B89-90 = 3
137	230	153	3.9 / 5.6	GM90059-56	45B 100 = 3 1/2	GM90074-56	90B 100 = 3 1/2
137	230	153	3.9 / 5.6	GM90059-56	45B 100 = 3 1/2	GM90074-56	90B 100 = 3 1/2
146	256	178	4.8 / 6.4	GM90060-64	45B108-110 = 4	GM90075-64	90B108-110 = 4
146	256	178	4.8 / 6.4	GM90060-64	45B108-110 = 4	GM90075-64	90B108-110 = 4
146	256	178	4.8 / 6.4	GM90060-64	45B108-110 = 4	GM90075-64	90B108-110 = 4

www.oranjeberg.nl +31 181 251035 mail@oranjeberg.nl
Oranjeberg B.V. Seggelant-West 5 3237MJ Vierpolders The Netherlands