






Trackstar Mounting Channels

Installation is simple with standard 120" C channels in galvanized steel, 304 stainless steel, or anodized aluminum (C3 only). Either tack weld or bolt into place with optional mounting holes.




	Part Numbers	Material	Mounting Holes	Centers
C3 Mounting Channel	MC 0500*	Anodized Aluminum	None	—
	MC 1000	Galvanized Steel	None	—
	MC 1001	Galvanized Steel	.20 Diameter	12 inch
	MC 1500	#304 Stainless Steel	None	—
	MC 1501	#304 Stainless Steel	.20 Diameter	12 inch
C5 Mounting Channel	MC 2000	Galvanized Steel	None	—
	MC 2001	Galvanized Steel	.20 Diameter	12 inch
	MC 2500	#304 Stainless Steel	None	—
	MC 2501	#304 Stainless Steel	.20 Diameter	12 inch
C9 Mounting Channel	MC 3000	Galvanized Steel	None	—
	MC 3500	#304 Stainless Steel	None	—
C10 Mounting Channel	MC 4500	#304 Stainless Steel	None	—
C11 Mounting Channel	MC 5000	Galvanized Steel	None	—
	MC 5500*	#304 Stainless Steel	None	—

Trackstar Channels are stocked in North America and supplied in 120" standard lengths. Subject to a minimum order quantity. Dimensions are in inches and are for reference only.

* Call for quote and lead time

Trackstar Guide Rails

The "C" channel design features a two-piece construction for quick and easy replacement of UHMW inserts. "C" channel guide rails are available in Black or White (FDA/USDA approved material.)




	Profile/Color	Part Numbers			
		Galvanized Channel	Stainless Steel Channel	Aluminum Channel	UHMW Only
C3 Guide Rail	Crowned/Black	GR1000-3G120.00	GR1000-3S120.00	GR1000-3A120.00*	GR1000
	Crowned/White	GR1001-3G120.00	GR1001-3S120.00	GR1001-3A120.00*	GR1001
	Flat/Black	GR1100-3G120.00*	GR1100-3S120.00*	GR1100-3A120.00*	GR1100
	Flat/White	GR1101-3G120.00	GR1101-3S120.00	GR1101-3A120.00*	GR1101

Trackstar Guides are stocked in North America and supplied in 120" standard lengths. Subject to a minimum order quantity. Dimensions are in inches and are for reference only.

* Call for quote and lead time

Trackstar V Belt Guides


	Belt Cross Section	Part Numbers			Minimum Order Quantity	Channel Type	A	B	D	H
		Galvanized Channel	Stainless Steel Channel	UHMW Only						
V Belt Guide with Mounting Channel	6x4, 8x5, 10x4 mm, Z/10, 3L	GB2000-3G*	GB2000-3S*	GB2000*	56	C3	0.59	0.79	0.8	0.16
	A	GB2001-3G	GB2001-3S	GB2001	-	C3	0.59	0.79	0.8	0.2
	A Twin	GB2006-5G	GB2006-5S	GB2006	-	C5	0.59	1.42	0.84	0.2
	B	GB2002-5G	GB2002-5S	GB2002	-	C5	0.59	1.1	0.84	0.29
	C	GB2003-5G	GB2003-5S	GB2003	-	C5	0.71	1.1	0.96	0.4



* Call for lead time

Trackstar Round Belt Guides


	Belt Cross Section	Part Numbers			Minimum Order Quantity	Channel Type	A	B	D	H
		Galvanized Channel	Stainless Steel Channel	UHMW Only						
Belt Guide w/ Mounting Channel	4mm, 5mm, 3/16"	GB1006-3G*	GB1006-3S*	GB1006*	56	C3	0.59	0.79	0.8	0.13
	6mm, 1/4"	GB1000-3G*	GB1000-3S*	GB1000*	56	C3	0.59	0.79	0.8	0.16
	7mm, 8mm, 5/16"	GB1001-3G*	GB1001-3S*	GB1001*	56	C3	0.59	0.79	0.8	0.19
	9mm, 9.5mm, 3/8"	GB1002-5G	GB1002-5S	GB1002	-	C5	0.59	1.1	0.84	0.22
	10mm, 12mm, 12.7mm, 1/2"	GB1003-5G	GB1003-5S	GB1003	-	C5	0.59	1.1	0.84	0.28
	13mm, 14mm, 9/16"	GB1004-5G	GB1004-5S	GB1004	-	C5	0.59	1.1	0.84	0.32
	15mm, 16mm, 5/8"	GB1005-5G	GB1005-5S	GB1005	-	C5	0.71	1.1	0.94	0.35
	18mm, 19mm, 20mm, 3/4"	GB1007-5G*	GB1007-5S*	GB1007*	18	C5	1.02	1.1	1.26	0.41



* Call for lead time

Trackstar Flat Belt Guides

	Part Numbers			Minimum Order Quantity	Channel Type	A	B	D
	Galvanized Channel	Stainless Steel Channel	UHMW Only					
Flat Guide with Mounting Channel	GR2001-3G*	GR2001-3S*	GR2001*	40	C3	0.39	0.79	0.60
	GR2002-5G	GR2002-5S	GR2002	-	C5	0.39	1.10	0.64
	GR2003-9G	GR2003-9S	GR2003	-	C9	0.59	1.50	0.96




* Call for lead time

Trackstar Guides are stocked in North America and supplied in 120" standard lengths. Subject to a minimum order quantity.

Dimensions are in inches and are for reference only.




Trackstar Single Chain Guide with Mounting Channel



ANSI Chain	Part Number			Minimum Order Quantity	Channel Type	A	B	C	D	E
	Galvanized	Stainless Steel	UHMW Only							
25-1	GC1025-3G*	GC1025-3S*	GC1025*	56	C3	0.59	0.79	0.86	0.80	0.79
35-1	GC1035-3G*	GC1035-3S*	GC1035*	56	C3	0.59	0.79	0.90	0.80	0.79
40-1	GC1040-3G	GC1040-3S	GC1040	-	C3	0.59	0.79	0.95	0.80	0.79
50-1	GC1050-3G	GC1050-3S	GC1050	-	C3	0.59	0.79	1.00	0.80	0.79
60-1	GC1060-5G	GC1060-5S	GC1060	-	C5	0.59	1.10	1.06	0.83	1.10
80-1	GC1080-5G	GC1080-5S	GC1080	-	C5	0.71	1.10	1.26	0.95	1.34
81X	GC1081-5G*	GC1081-5S*	GC1081*	23	C5	1.25	1.10	1.95	1.50	1.75
100-1	GC1100-9G*	GC1100-9S*	GC1100*	45	C9	0.79	1.50	1.54	1.16	1.75
120-1	GC1120-9G*	GC1120-9S*	GC1120*	45	C9	0.79	1.50	1.60	1.16	2.12

* Call for lead time


Trackstar Single Chain Guide



ANSI Chain	Part Number	A	B	C	Minimum Order Quantity
25-1	NC1025*	0.59	0.79	0.66	56
35-1	NC1035*	0.59	0.79	0.69	56
40-1	NC1040	0.59	0.79	0.75	-
50-1	NC1050	0.59	0.79	0.79	-
60-1	NC1060	0.59	1.10	0.82	-
80-1	NC1080	0.71	1.34	1.02	-
81X	NC1081*	1.00	1.75	1.45	23
100-1	NC1100*	1.00	1.61	1.38	45
120-1	NC1120*	1.25	2.01	1.69	45

* Call for lead time


Trackstar Double Chain Guide with Mounting Channel



ANSI Chain	Part Number			Channel Type	A	B	C	D	E
	Galvanized	Stainless Steel	UHMW Only						
25-2	GC2025-3G*	GC2025-3S*	GC2025*	C3	0.44	0.79	0.72	0.65	0.79
35-2	GC2035-3G*	GC2035-3S*	GC2035*	C3	0.59	0.79	0.89	0.80	0.57
40-2	GC2040-3G	GC2040-3S	GC2040	C3	0.59	0.79	0.95	0.80	0.85
50-2	GC2050-5G	GC2050-5S	GC2050	C5	0.59	1.10	1.03	0.84	1.06
60-2	GC2060-5G	GC2060-5S	GC2060	C5	0.59	1.10	1.06	0.84	1.34
80-2	GC2080-9G	GC2080-9S	GC2080	C9	0.79	1.50	1.47	1.16	1.75
100-2	GC2100-9G*	GC2100-9S*	GC2100*	C9	0.79	1.50	1.54	1.16	2.12

* Call for quote and lead time

Trackstar Double Chain Guide




ANSI Chain	Part Number	A	B	C
25-2	NC2025*	0.59	0.78	0.66
35-2	NC2035*	0.59	0.78	0.69
40-2	NC2040*	0.85	0.85	1.00
50-2	NC2050*	1.07	1.07	1.27
60-2	NC2060*	1.34	1.34	1.57
80-2	NC2080*	1.75	1.75	2.06

* Call for quote and lead time

Trackstar Guides are stocked in North America and supplied in 120" standard lengths. Subject to a minimum order quantity. Dimensions are in inches and are for reference only.


Trackstar Single Chain Guide with Mounting Channel



ANSI Chain	Part Number			Channel Type	A	B	C	D
	Galvanized	Stainless Steel	UHMW Only					
25-1	GS1025-9G*	GS1025-9S*	GS1025*	C9	0.11	1.50	0.15	0.71
35-1	GS1035-0G*	GS1035-0S*	GS1035*	C10	0.17	1.19	0.22	0.94
40-1	GS1040-0G	GS1040-0S	GS1040	C10	0.29	1.19	0.33	0.94
50-1	GS1050-0G	GS1050-0S	GS1050	C10	0.35	1.19	0.42	0.94
60-1	GS1060-0G	GS1060-0S	GS1060	C10	0.47	1.19	0.49	1.05
80-1	GS1080-1G	GS1080-1S	GS1080	C11	0.60	1.77	0.65	1.58
100-1	GS1100-1G*	GS1100-1S*	GS1100*	C11	0.73	1.77	0.78	1.58

* Call for quote and lead time

Trackstar Single Chain Guide with Mounting Channel




ANSI Chain	Part Number			Channel Type	A	B	D
	Galvanized	Stainless Steel	UHMW Only				
25-1	GC3525-3G*	GC3525-3S*	GC3525*	C3	0.59	0.79	0.80
35-1	GC3535-3G*	GC3535-3S*	GC3535*	C3	0.59	0.79	0.80
40-1	GC3540-3G*	GC3540-3S*	GC3540*	C3	0.59	0.79	0.80
50-1	GC3550-5G*	GC3550-5S*	GC3550*	C5	0.71	1.10	0.96
60-1	GC3560-5G*	GC3560-5S*	GC3560*	C5	0.71	1.10	0.96
80-1	GC3580-9G*	GC3580-9S*	GC3580*	C9	0.79	1.50	1.16

* Call for quote and lead time




Trackstar Single Chain Guide with Mounting Channel



ANSI Chain	Part Number			Channel Type	A	B	C	D	L
	Galvanized	Stainless Steel	UHMW Only						
25-1	GC3625-3G*	GC3625-3S*	GC3625*	C3	0.80	0.79	0.15	1.01	0.11
35-1	GC3635-3G*	GC3635-3S*	GC3635*	C3	0.80	0.79	0.22	1.01	0.17
40-1	GC3640-5G*	GC3640-5S*	GC3640*	C5	1.01	1.10	0.33	1.25	0.29
50-1	GC3650-9G*	GC3650-9S*	GC3650*	C9	1.24	1.50	0.42	1.61	0.35
60-1	GC3660-9G*	GC3660-9S*	GC3660*	C9	1.66	1.50	0.50	2.03	0.47
80-1	GC3680-9G*	GC3680-9S*	GC3680*	C9	2.26	1.50	0.65	2.63	0.60


* Call for quote and lead time

Trackstar Single Chain Guide with Mounting Channel




ANSI Chain	Part Number			Channel Type	A	B	C	D	E
	Galvanized	Stainless Steel	UHMW Only						
35-1	GT1035-3G*	GT1035-3S*	GT1035*	C3	0.67	0.79	0.71	1.24	0.57
40-1	GT1040-3G*	GT1040-3S*	GT1040*	C3	0.59	0.79	0.65	1.16	0.57
50-1	GT1050-3G*	GT1050-3S*	GT1050*	C3	0.77	0.79	0.62	1.46	0.69
60-1	GT1060-5G*	GT1060-5S*	GT1060*	C5	0.89	1.11	0.87	1.60	0.70

* Call for quote and lead time




Trackstar Guides are stocked in North America and supplied in 120" standard lengths. Subject to a minimum order quantity. Dimensions are in inches and are for reference only.


Double Pitch Chain Guides




Style A




Style B



Style C



Style D



Style E

Part Number	Chain Number	Dimensions (inches)						Minimum Order Quantity
		A	B	C	D	E	F	
STYLE A								
DPA2040*	2040	0.31	1.25	0.19	-	0.88	-	-
DPA2050*	2050	0.38	1.25	0.22	-	1.00	-	-
DPA2060*	2060	0.38	1.50	0.19	-	1.25	-	-
DPA2080*	2080	0.50	2.00	0.25	-	1.56	-	-
DPA2100*	2100	0.63	2.25	0.31	-	1.88	-	-
DPA2120*	2120	0.63	2.75	0.25	-	2.25	-	-
DPA2081*	81X	1.00	3.00	0.38	-	2.50	-	14
STYLE B								
DPB2040*	2040	0.31	1.25	0.19	-	0.88	-	-
DPB2050*	2050	0.38	1.25	0.22	-	1.00	-	-
DPB2060*	2060	0.38	1.50	0.19	-	1.25	-	-
DPB2080*	2080	0.50	2.00	0.25	-	1.56	-	-
DPB2100*	2100	0.63	2.25	0.31	-	1.88	-	63
DPB2120*	2120	0.63	2.75	0.25	-	2.25	-	63
STYLE C								
DPC2040*	2040	0.31	1.00	0.14	0.08	0.69	0.25	-
DPC2050*	2050	0.38	1.25	0.19	0.10	0.81	0.31	-
DPC2060*	2060	0.50	1.50	0.21	0.12	1.13	0.44	-
DPC2080*	2080	0.50	2.00	0.25	0.13	1.44	0.56	-
STYLE D								
DPD2040*	2040	0.31	1.00	0.08	-	-	0.25	-
DPD2050*	2050	0.31	1.25	0.10	-	-	0.31	-
DPD2060*	2060	0.31	1.25	0.12	-	-	0.44	-
DPD2080*	2080	0.38	1.50	0.13	-	-	0.56	-
DPD2100*	2100	0.50	2.00	0.21	-	-	0.69	-
DPD2120*	2120	0.50	2.25	0.26	-	-	0.94	-
STYLE E								
DPE2040*	2040	0.31	1.00	0.08	-	-	0.25	-
DPE2050*	2050	0.31	1.25	0.10	-	-	0.31	-
DPE2060*	2060	0.31	1.25	0.12	-	-	0.44	-
DPE2080*	2080	0.38	1.50	0.13	-	-	0.56	-
DPE2100*	2100	0.50	2.00	0.21	-	-	0.69	-
DPE2120*	2120	0.50	2.25	0.26	-	-	0.94	-

* Call for lead time

Chain Breakers



Part Number	Description
5810100	#1 Chain Breaker 25-60 Chain
5810200	#2 Chain Breaker 60-100 Chain
5810300	#3 Chain Breaker 100-160 Chain

Chain Pullers



Part Number	Description
5800350	#35 Chain Puller 35 - 60 Chain
5800500	#50 Chain Puller 40 - 80 Chain
5800800	#80 Chain Puller 80 - 240 Chain

Trackstar Guides are stocked in North America and supplied in 120" standard lengths. Subject to a minimum order quantity. Dimensions are in inches and are for reference only.