



Bonvue Ambient Bakery Display Cabinet - BDC-510

Quick Overview

- Gross Volume: 510L
- Net Volume: 445L
- Max Ambient Temperature: 30°C, 55%RH
- Temperature Range: +15 to +25°C;
- Energy-efficient top + dual-side LED lighting
- Precision Temperature Control: Digital thermostat with bright LCD display
- Fits up to 8 bakery trays 600x400
- Commercial-grade chrome-plated shelves, 100mm height spacing
- Mobility & Stability: 4x swivel castors (2 lockable)+ 2 height-adjustable feet
- Hinged tempered glass rear door with handle
- Full-view double-glazed panels
- Advanced Fan-forced Cooling System: Multi-directional ventilation (front/rear vents+ base airflow channels)
- Auto-defrost function
- Easy-Clean Construction & removable drip tray and tool-free vent covers

Description

Bonvue Ambient Bakery Display Cabinet - BDC-510

Perfect for showcasing artisan sourdough, croissants and delicate pastries across Australian cafés and patisseries, this premium upright ambient display features energy-efficient top and side LED lighting with precise digital thermostat control via a bright LCD

display. With 8 chrome-plated shelves, lockable swivel castors, height-adjustable feet, and advanced fan-forced cooling with multi-directional ventilation, it ' s engineered for stability, hygiene, and effortless cleaning.

Key Features

- Gross Volume: 510L
- Net Volume: 445L
- Max Ambient Temperature: 30 °C, 55%RH
- Temperature Range: +15 to +25
- Energy-efficient top + dual-side LED lighting
- Precision Temperature Control: Digital thermostat with bright LCD display
- Fits up to 8 bakery trays 600x400
- Commercial-grade chrome-plated shelves, 100mm height spacing
- Mobility & Stability: 4x swivel castors (2 lockable)+ 2 height-adjustable feet
- Hinged tempered glass rear door with handle
- Full-view double-glazed panels
- Advanced Fan-forced Cooling System: Multi-directional ventilation (front/rear vents+ base airflow channels)
- Auto-defrost function
- Easy-Clean Construction – removable drip tray and tool-free vent covers

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days of Invoice

Your Shipping Specifications

Product Condition	New
Gross Volume	510L
Net Volume	445L
Max Ambient Temperature	30 , 55%RH
Temperature Range	+15 to +25
Net Weight (Kg)	149
Width (mm)	680
Depth (mm)	813
Height (mm)	1600
Packing Width (mm)	857
Packing Depth (mm)	750
Packing Height (mm)	1735
Power	240V, 450W/10A
Warranty	2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days of Invoice