

# BONVUE Noir Prime 1500mm 3 Shelves Square Cake Display Cabinet - CVS150-3B

## Quick Overview

- **Contemporary black aluminium frame** â€“ Black aluminium framing with square glass styling presents cakes, tarts and desserts cleanly in a modern front-of-house.
- **Double-glazed heated front glass** â€“ Heated double glazing helps keep the display clear of condensation so product stays visible during service.
- **LED illuminated display** â€“ Internal LED lighting lifts product colour and improves merchandising appeal.
- **Digital temperature controller** â€“ Electronic control holds the cabinet at +2 to +8Â ° C, with fan-forced cooling and natural defrost.
- **Three adjustable glass shelves** â€“ Shelf heights adjust to suit cakes, slices, tarts and plated desserts.
- **Sliding rear doors** â€“ Rear sliding doors give staff easy access for loading and rotating stock without disturbing the customer-facing display.
- **Heavy-duty castors** â€“ Four 50 mm swivel castors make the cabinet easy to position and to move for cleaning.
- **Energy-efficient R290 refrigerant** â€“ Natural hydrocarbon refrigerant with low global warming potential and efficient running.
- **Quiet in service** â€“ Rated at â‰¤55 dBA, suitable for a customer-facing counter.
- **Excellent value for everyday commercial use** â€“ Built as a value solution for cafÃ©s, bakeries and dessert bars that need dependable refrigerated display.
- **Display shelves** - 3 adjustable glass shelves
- **Climate class** - 3/N

## Description

**BONVUE Noir Prime 1500mm 3 Shelves Square Cake Display Cabinet - CVS150-3B**

The Bonvue Noir Prime Series offers increased display capacity while maintaining the same contemporary black styling and excellent value. It suits growing cafés, bakeries and patisseries across Australia that need additional merchandising space without a larger footprint.

The CVS150-3B is the 1500 mm model, with 715 L gross capacity and three adjustable glass shelves, and runs on a standard 240V 10 A plug.

**Key Features**

- **Contemporary black aluminium frame** – Black aluminium framing with square glass styling presents cakes, tarts and desserts cleanly in a modern front-of-house.
- **Double-glazed heated front glass** – Heated double glazing helps keep the display clear of condensation so product stays visible during service.
- **LED illuminated display** – Internal LED lighting lifts product colour and improves merchandising appeal.
- **Digital temperature controller** – Electronic control holds the cabinet at +2 to +8 ° C, with fan-forced cooling and natural defrost.
- **Three adjustable glass shelves** – Shelf heights adjust to suit cakes, slices, tarts and plated desserts.
- **Sliding rear doors** – Rear sliding doors give staff easy access for loading and rotating stock without disturbing the customer-facing display.
- **Heavy-duty castors** – Four 50 mm swivel castors make the cabinet easy to position and to move for cleaning.
- **Energy-efficient R290 refrigerant** – Natural hydrocarbon refrigerant with low global warming potential and efficient running.
- **Quiet in service** – Rated at ≤55 dBA, suitable for a customer-facing counter.
- **Excellent value for everyday commercial use** – Built as a value solution for cafés, bakeries and dessert bars that need dependable refrigerated display.
- **Display shelves** - 3 adjustable glass shelves
- **Climate class** - 3/N

***Choosing your model:** the Noir Prime is available in four widths — CVS90-3B (900 mm), CVS120-3B (1200 mm), CVS150-3B (1500 mm) and CVS180-3B (1800 mm) — all 730 mm deep, 1300 mm high and on a standard 240V 10 A plug. The shorter two-shelf Noir Tot (CVS-2B) and the taller four-shelf Noir Grand (CVS-4B) share the same styling.

**1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Are Registered Within 14Days Of Invoice**

## Your Shipping Specifications

| | |
|---|---|
| **Product Condition** | New |
| **Door Type** | Sliding Doors |
| **Body** | Colorbond |
| **Form Factor** | Display |
| **Gross Volume** | 715L |
| **Max Ambient Temperature** | 30°C, 60%RH |
| **Net Volume** | 285L |
| **Temperature Range** | +2 to +8 ° C |
| **Width (mm)** | 1500 |
| **Depth (mm)** | 730 |
| **Height (mm)** | 1300 |
| **Packing Width (mm)** | 1580 |
| **Packing Depth (mm)** | 840 |
| **Packing Height (mm)** | 1400 |
| **Power** | 240V, 530W/10A |
| **Warranty** | 1 Year Parts & Labour Plus 1 Year Parts Only Warranty When Products Are Registered Within 14Days Of Invoice |