Bonvue Chilled Food Display - SG120FA-2XB

Quick Overview

- Gross Volume: 470L
- Temperature Range: 2 to 8Â ° C
- 1200 mm Wide
- 3 Display Levels
- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation
- Secop Compressors
- German Ã‹bm-Pabst Fans
- Illuminated Front Panel
- Lighting Over Each Level
- Self-Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

Description

Bonvue Chilled Food Display - SG120FA-2XB

This Bonvue modern chilled cake display is a staple product within Federal Hospitality Equipment ' s lineup. Bonvue is one of the premium catering equipment brands in the business, and FED stocks several of their renowned products, including several display units. This cake display aims to provide an eye-catching space to present your culinary work, straight from the kitchen.

This impressive cake display has two levels of shelving, strong secop compressors for functionality, LED lighting to see inside the interior, self-evaporating drainage to remove moisture, digital temperature control, sliding glass rear doors, triple glazed front with heated filaments – all encased within a stainless-steel framework.

Key Features

- Gross Volume: 470L
- Temperature Range: 2 to 8 ° C
- 1200 mm Wide
- 3 Display Levels
- Black Trim & Shelving
- Triple Glazed Front With Heated Wire Filaments To Stop Condensation

- Secop Compressors
- German EBM-Pabst fans
- Illuminated Front Panel
- Lighting Over Each Level
- Self-Evaporating Drainage
- Digital Temp. Control & Read-Out
- Sliding Rear Glass Doors
- Very High Humidity
- Easy To Clean
- 2 Levels Of Wired Shelving Plus Floor

* Also Subject To The Terms In The Warranty Section Of Our Terms & Conditions

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Product Condition	New
Doors	2
Door Type	Sliding Doors
Body	Stainless Steel
Gross Volume	470L
Temperature Range	2 to 8 ° C
Total Energy Consumption	11.2 kWh/24h
Net Weight (Kg)	195
Width (mm)	1200
Depth (mm)	700
Height (mm)	1250
Packing Width (mm)	770
Packing Depth (mm)	1250
Packing Height (mm)	1370
Power	240V; 716W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice