



## Fed-X Stainless Steel Upright Static Freezer XF400SS

### Quick Overview

- Litre 340
- 60mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Rear castors
- Triple glazed Low-E doors for freezers with heated filament for clear viewing
- Rounded internal corners for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Front adjustable legs
- Regular manual defrosting is necessary
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range (-22 to -18)
- Ambient/RH% - 30/50

### Description

Fed-X Stainless Steel Upright Static Freezer XF400SS

Key Features:

- Litre 340
- 60mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Rear castors
- Triple glazed Low-E doors for freezers with heated filament for clear viewing
- Rounded internal corners for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Front adjustable legs
- Regular manual defrosting is necessary
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range (-22 to -18)
- Ambient/RH% - 30/50

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

---

Net Weight (Kg)	69
Width (mm)	600
Depth (mm)	585
Height (mm)	1850
Packing Width (mm)	646
Packing Depth (mm)	642
Packing Height (mm)	1990
Power	240V, 384W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration