



FED-X Three Door Standard Saladette On Castors - XPZ3600TN

Quick Overview

- Net Capacity: 580L
- Cooling System: Fan-forced cooling
- Temperature range: +2½ ~ +8 ° C
- Compressor: Cubigel
- Controller: Dixell
- Ambient Temperature: 43 Å ° C
- RH: 60%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Self-closing doors with heavy-duty magnetic door seals
- Tropicalised for Australian conditions
- User-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Dimensions (Internal): 1459mm W x 680mm D x 564mm H

Description

FED-X Three Door Standard Saladette On Castors - XPZ3600TN

Key Features

- Net Capacity: 580L
- Cooling System: Fan-forced cooling
- Temperature range: +2 ~ +8 ° C
- Compressor: Cubigel
- Controller: Dixell
- Ambient Temperature: 43 ° C
- RH: 60%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Self-closing doors with heavy-duty magnetic door seals

- Tropicalised for Australian conditions
- User-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Dimensions (Internal): 1459mm W x 680mm D x 564mm H

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

Net Weight (Kg)	332
Width (mm)	2020
Depth (mm)	800
Height (mm)	990
Packing Width (mm)	2050
Packing Depth (mm)	830
Packing Height (mm)	1050
Power	240V; 320W; 10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice