



## FED-X S/S Four Drawer Sandwich Counter - XSS7C13S2V-4D

### Quick Overview

- Cooling System: Fan forced cooling
- Temperature range: +2~+8 ° C
- Compressor: Cubigel
- Controller: Dixell
- Ambient Temperature: 43 ° C
- RH: 40%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Compatible for 7X1/3 GN Pan up to 150mm deep
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User friendly Digital controls
- Rapid recovery rate
- Heavy duty 4 drawers
- Ebm-papst evaporator and condenser fans
- Heavy duty castors with front wheel brakes
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Display top can hold temperature for up to 4 hours from pre-chilled environment

### Description

FED-X S/S Four Drawer Sandwich Counter - XSS7C13S2V-4D

### Key Features

- Cooling System: Fan forced cooling
- Temperature range: +2~+8 ° C
- Compressor: Cubigel
- Controller: Dixell
- Ambient Temperature: 43 ° C
- RH: 40%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Compatible for 7X1/3 GN Pan up to 150mm deep
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User friendly Digital controls
- Rapid recovery rate

- Heavy duty 4 drawers
- Ebm-papst evaporator and condenser fans
- Heavy duty castors with front wheel brakes
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Display top can hold temperature for up to 4 hours from pre-chilled environment

/2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

## Your Shipping Specifications

---

Net Weight (Kg)	104
Width (mm)	1360
Depth (mm)	700
Height (mm)	1406
Packing Width (mm)	1390
Packing Depth (mm)	730
Packing Height (mm)	1160
Power	240V; 50V; 10A; 320W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice