



## FED-X S/S Two Door Sandwich Counter - XSS8C15S2V

### Quick Overview

- Stainless steel interior and exterior with rounded corners for easy cleaning
- Compatible for 1/3 GN Pan up to 150mm deep
- 1 shelf per door, GN1/1 pan compatible
- Self-closing doors with heavy duty magnetic door seals
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy duty castors with front wheel brakes
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Dimensiona (Internal): 949mm W x 680mm D x 564mm H
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Dimensions (Internal): 949mm W x 680mm D x 564mm H
- Display top can hold temperature for up to 4 hours from pre-chilled environment

### Description

#### FED-X S/S Two Door Sandwich Counter - XSS8C15S2V

- Net Capacity: 390L
- Cooling System: Fan forced cooling
- Temperature range: +2--+8 ° C
- Compressor: Cubigel
- Controller: Dixell
- Ambient Temperature: 43 ° C
- RH: 40%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- Compatible for 1/3 GN Pan up to 150mm deep
- 1 shelf per door, GN1/1 pan compatible
- Self-closing doors with heavy duty magnetic door seals
- 60mm HFCs and CFCs free foam body insulation
- Tropicalised for Australian conditions
- User friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy duty castors with front wheel brakes
- Weight loading per shelf: 40kg
- Refrigerant: R290

- Dimensiona (Internal): 949mm W x 680mm D x 564mm H
- Weight loading per shelf: 40kg
- Refrigerant: R290
- Dimensions (Internal): 949mm W x 680mm D x 564mm H
- Display top can hold temperature for up to 4 hours from pre-chilled environment

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

## Your Shipping Specifications

---

Net Weight (Kg)	120
Width (mm)	1510
Depth (mm)	800
Height (mm)	1406
Packing Width (mm)	1540
Packing Depth (mm)	830
Packing Height (mm)	1160
Power	240V; 50V; 10A; 320W
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice