



FED-X Two Glass Door Bench Fridge Stainless Steel - XUB6C13G2V

Quick Overview

- Net Capacity: 228L
- Cooling System: Fan-forced cooling
- Temperature range: -2~+8°C
- Compressor: Embraco/Secop
- Controller: Dixell
- Ambient Temperature: 43°C
- RH: 60%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- 1 shelf per door
- Self-closing doors with heavy-duty magnetic door seals
- 60mm HFCs and CFCs free foam body insulation
- User-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- The unit can be placed against the wall
- LED Lighting Inside

Description

FED-X Two Glass Door Bench Fridge Stainless Steel - XUB6C13G2V

Key Features

- Net Capacity: 228L
- Cooling System: Fan-forced cooling
- Temperature range: -2~+8°C
- Compressor: Embraco/Secop
- Controller: Dixell
- Ambient Temperature: 43°C
- RH: 60%
- Stainless steel interior and exterior with rounded corners for easy cleaning
- 1 shelf per door
- Self-closing doors with heavy-duty magnetic door seals

- 60mm HFCs and CFCs free foam body insulation
- User-friendly Digital controls
- Rapid recovery rate
- Ebm-papst evaporator and condenser fans
- Heavy-duty castors with front-wheel brakes
- The unit can be placed against the wall
- LED Lighting Inside

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration within 14 Days of Invoice

Your Shipping Specifications

| | |
|---------------------|---|
| Net Weight (Kg) | 83 |
| Width (mm) | 1360 |
| Depth (mm) | 600 |
| Height (mm) | 850 |
| Packing Width (mm) | 1390 |
| Packing Depth (mm) | 630 |
| Packing Height (mm) | 910 |
| Power | 240V; 50V; 10A; 215W |
| Warranty | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |