



## Fed-X Stainless Steel Upright Static Display Fridge XR200SG

### Quick Overview

- Litre 130
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning
- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling for fridge, Static Cooling with fan for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range -2 to +8
- Ambient/RH% 25/60

### Description

Fed-X Stainless Steel Upright Static Display Fridge XR200SG

### Key Features

- Litre 130
- 50mm high-density insulation, CFC & HCFC free
- Stainless Steel exterior
- Digital temp. control & read-out
- Locking doors
- Castors on rear adjustable legs in front
- Internal corners are rounded for hygiene & easy cleaning

- Refrigerated into fixed shelves for even cooling
- Regular defrosting is necessary
- Static Cooling for fridge, Static Cooling with fan for freezer
- Recessed Door Handle
- Natural and eco-friendly refrigerant
- Temperature Range -2 to +8
- Ambient/RH% 25/60

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

---

Net Weight (Kg)	47
Width (mm)	600
Depth (mm)	585
Height (mm)	850
Packing Width (mm)	646
Packing Depth (mm)	642
Packing Height (mm)	990
Power	240V, 205W/10A
Warranty	Warranty: 2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration