



Fagor Pre-Rinsing Sink Bench w/ Introductor of Baskets MCFD-1000D

Quick Overview

- Prewashing table with introductor of baskets in corner to be placed at the left
- Suitable for FAGOR CCO RACK CONVEYER DISHWASHERS
- Practical choice.Â Hereâ€™s a wide range of entry/exit and prewashing tables, to provide you solutions for every need and space!
- Reliable and efficient. This particular Pre-Rinsing Sink Bench has as a quick installation and easy connection to the dishwasher
- Great value for money. Get the longevity you need for the price you want with this unitâ€™s deep anti-drip profiles completely folded with lower edge for safe and easy cleaning.
- Hygienic & easy to clean.Â Our products meet the appropriate Health Department requirements, and are easy to clean, with simple assembly and remarkable service.

Description

Fagor Pre-Rinsing Sink Bench w/ Introductor of Baskets MCFD-1000ID

Robust, reliable and of great value, our multipurpose kitchen equipment provides a superior solution for every need and space! Designed for 500mm x 500mm dishwashing baskets, this Pre-Rinsing Sink Bench offers quick installation and easy connection to the dishwasher.

This is a fast selling purchase for any prospective restaurant or café owner who operates a medium to large establishment.

Key Features:

- Prewashing table with introductor of baskets in corner to be placed at the left
- Suitable for FAGOR CCO RACK CONVEYER DISHWASHERS
- Wide range of entry/exit and prewashing tables, to provide solutions for every need and space
- Designed for 500mm x 500mm dishwashing baskets
- Quick installation and easy connection to the dishwasher
- No holes on the surface

- Constructed in AISI-304 stainless steel (18/10)
- 40mm x 40mm square tubular legs in AISI-304 stainless, adjustable in height
- Deep anti-drip profiles completely folded with lower edge for safe and easy cleaning
- To be placed on the right
- Angle table prepared to connect the basket loader to the dishwasher
- Element to introduce the baskets with the movement of the advancement system of the conveyor
- Flexible shower tap

Additional information:

- Orientation: To be placed at the LEFT
- Rear Guard: 200mm
- Sink 450mm x 450mm
- Sink Area: 1,400mm L x 700 mm W
- Loader Area: 950mm L x 800mm W
- Water inlet diameter: 3/4
- Drain 1 diameter: 30X25

Warranty: 2 Years Parts and Labour

Your Shipping Specifications

Net Weight (Kg)	80
Width (mm)	1450
Depth (mm)	1000
Height (mm)	900
Packing Width (mm)	1510
Packing Depth (mm)	800
Packing Height (mm)	1230
Warranty	2 Years Parts and Labour