



Gasmax Two burner NG Griddle Top - GG-24

Quick Overview

- Stainless Steel Construction
- Natural Gas
- Two Heavy Duty Burners
- Steel u-shape burner, each 30mj/hr for better heat distribution
- Flame failure system for safety
- Adjustable heavy-duty legs
- Grease through the channel at the front
- Stainless steel oil collector at the bottom
- Durable brass control valve
- Easy gas conversion in the field
- 3/4-inch rear gas connection
- Stainless Steel Splashback
- Stainless steel splash guard at 3 sides
- 22mm heavy-duty mild steel plate
- LPG Model Or Option Kit Not Available In New Zealand

Description

Gasmax Two burner NG Griddle Top - GG-24

Key Features

- Stainless Steel Construction
- Natural Gas
- Two Heavy Duty Burners
- Steel u-shape burner, each 30mj/hr for better heat distribution
- Flame failure system for safety
- Adjustable heavy-duty legs
- Grease through the channel at the front
- Stainless steel oil collector at the bottom
- Durable brass control valve
- Easy gas conversion in the field
- 3/4-inch rear gas connection
- Stainless Steel Splashback

- Stainless steel splash guard at 3 sides
- 22mm heavy-duty mild steel plate
- LPG Model Or Option Kit Not Available In New Zealand

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

| | |
|---------------------|---|
| Net Weight (Kg) | 80 |
| Width (mm) | 610 |
| Depth (mm) | 824 |
| Height (mm) | 546 |
| Packing Width (mm) | 890 |
| Packing Depth (mm) | 890 |
| Packing Height (mm) | 520 |
| Power | 60MJ/h |
| Warranty | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |