



Gasmax Gas Griddle and Gas Toaster with Cabinet GGS-24

Quick Overview

- Stainless steel front, galvanized sides
- Cast iron open burner, each 14.8MJ/hr
- Flame failure control on each burner
- Welded frame structure for best stability
- 8.25-inches high broiler opening with a built-in rack that can slide
- Adjustable heavy duty legs
- Large grease collector
- A pull-out crumb tray with angled handle in the front
- Cabinet with double doors
- Piezo igniter for easy starting of pilot
- Continuous pilot
- Bakelite handle
- 3/4-inch NPT rear gas connection
- Natural gas or LP gas, easy conversion in field
- 19mm heavy duty mild steel plate

Description

Gasmax: Gas Griddle and Gas Toaster with Cabinet GGS-24

Key Features

- Burner Qty: 3
- Stainless steel front, galvanized sides
- Cast iron open burner, each 14.8MJ/hr
- Flame failure control on each burner
- Welded frame structure for best stability
- 8.25-inches high broiler opening with a built-in rack that can slide
- Adjustable heavy-duty legs
- Large grease collector
- A pull-out crumb tray with an angled handle in the front
- Cabinet with double doors
- Piezo igniter for easy starting of pilot
- Continuous pilot
- Bakelite handle
- 3/4-inch NPT rear gas connection
- Natural gas or LP gas, easy conversion in the field
- 19mm heavy-duty mild steel plate

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	126
Width (mm)	610
Depth (mm)	815
Height (mm)	970
Packing Width (mm)	610
Packing Depth (mm)	815
Packing Height (mm)	965
Power	45MJ/h
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice