



## Gasmax Two burner griddle RGT-24E

### Quick Overview

- Stainless Steel Construction
- Natural Gas
- Two Heavy Duty 29.52mj Burners
- Quick Heating/Recovery
- Steel Grilling Surface
- Auto Ignition & Flame Failure Shut-Off
- S/S Drip Tray
- Sturdy Adjustable Feet, Adjustable Height 45mm
- 60.4 mj/h Total; 3/4-inch Gas Inlet
- Matching stand: QR-24-S
- Consumption: 56 MJ/h
- 20mm heavy duty mild steel plate

### Description

#### Two Burner Heavy Duty Griddle Top With Removable Plate - RGT-24E

### Key Features

- Stainless Steel Construction
- Natural Gas
- Two Heavy Duty 29.52mj Burners
- Quick Heating/Recovery
- Steel Grilling Surface
- Auto Ignition & Flame Failure Shut-Off
- S/S Drip Tray
- Sturdy Adjustable Feet, Adjustable Height 45mm
- 60.4 mj/h Total; 3/4-inch Gas Inlet
- Matching stand: QR-24-S
- Consumption: 56 MJ/h
- 20mm heavy-duty mild steel plate

## **Additional Information**

- If used on a bench has to install the legs for trays
- If on a stand then has to order the stand separately

\* LPG Model Or Option Kit Not Available In New Zealand

**2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration**

Your Shipping Specifications

|                     |                                                                                                 |
|---------------------|-------------------------------------------------------------------------------------------------|
| Net Weight (Kg)     | 90                                                                                              |
| Width (mm)          | 610                                                                                             |
| Depth (mm)          | 850                                                                                             |
| Height (mm)         | 420                                                                                             |
| Packing Width (mm)  | 710                                                                                             |
| Packing Depth (mm)  | 940                                                                                             |
| Packing Height (mm) | 540                                                                                             |
| Power               | 56 MJ/h                                                                                         |
| Warranty            | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |