



Gasmax Stainless Steel Waterless LPG Double Wok Chimney Burner - WW-2LC

Quick Overview

- Gas Approval Number: GMK10371
- Size: 1200mmW x 890D x 790H+470 back
- Unique air-gap design cooling system keeps the top clean, free from buckling & cool at all times without running water.
- One piece pressed all stainless steel Wok top will never crack or leak
- All high-quality Stainless Steel construction
- Comes standard with chimney burners (optional duck bill-burners are available*)
- Has Front Gutter
- An extremely efficient filter system guarantees no solids will enter drains
- Light & smooth knee operatable Wok valves
- Master gas shut-off valve on the front panel
- Only the highest quality cast iron Wok rings are used
- The legs, back and shelf are detachable, allowing easy access through any doorway
- No crevice construction is hygienic & very easy to clean
- Watermark-certified product sticker
- LPG model or option kit not available in New Zealand

Description

Gasmax Stainless Steel Waterless LPG Double Wok Chimney Burner - WW-2LC

Key Features

- Gas Approval Number: GMK10371
- Size: 1200mmW x 890D x 790H+470 back

- Unique air-gap design cooling system keeps top clean, free from buckling & cool at all times without running water.
- One piece pressed all stainless steel Wok top will never crack or leak
- All high-quality Stainless Steel construction
- Comes standard with chimney burners (optional duck bill-burners are available*)
- Has Front Gutter
- Extremely efficient filter system guarantees no solids will enter drains
- Light & smooth knee operatable Wok valves
- Master gas shut-off valve on the front panel
- Only the highest quality cast iron Wok rings are used
- The legs, back and shelf are detachable, allowing easy access through any doorway
- No crevice construction is hygienic & very easy to clean
- Water mark certified product sticker
- LPG model or option kit not available in New Zealand

Certified Product

1 Year Parts and Labour Warranty

Your Shipping Specifications

Product Condition	New
Net Weight (Kg)	120
Width (mm)	1200
Depth (mm)	850
Height (mm)	1300
Packing Width (mm)	920
Packing Depth (mm)	1260
Packing Height (mm)	550
Power	230MJ/H