



**Goldstein**

# 800 SERIES RANGES 1005mm GAS STATIC OVEN

PF840-X, PF12G640-X, PF24G440-X,  
PF36G240-X, PF48G40-X,  
PF12Q640-X, PF24Q440-X, PF36Q240-X,  
PF48Q40-X



## Standard features and benefits

- Heavy duty welded stainless steel body for rigidity and durability
- Fully welded surrounds for griddle and chargrill option
- The flexible modular cooktop design allows for various combinations of burners, griddle plates, and chargrill options (305, 610, 914, 1219mm)
- Gas or electric static oven, fan forced oven and convection oven options are available, all in gastronorm compatible sizes
- Constant pilot flame, maximises operating and energy efficiency
- Pilot flame failure on open burners, flame failure to oven burner
- Stainless steel fascia and sides, spill zone and drip trays for ease of cleaning
- Large, heat resistant reinforced control knob with easy to view settings and high to low flame control
- Ergonomic door handle and angled corners create a sleek look
- Griddle and BBQ section are on left hand side
- Adjustable legs 140-170mm
- Easy to service

### Burners

- Removable, high performance, even heat 33 MJ cooktop burners for peak productivity
- 40% of the flame ports are in the centre cross of the burner
- Cast iron star trivets

### Griddle plate

- 20mm thick mild steel griddle plate
- 20 MJ griddle burners per every 305mm section
- Piezo ignition

### Chargrill

- Heavy duty cast iron reversible grates provide greater control when cooking, energy efficiency, and offer two char pattern options
- 2 levelling options - flat or gradient
- 2x 20 MJ inline cast iron burners per every 305mm section
- Ceramic rocks option available to increase heat retention and flavour

### Oven

- 100°C - 280°C thermostatic control
- Piezo ignition
- Oven and door are fully insulated with vitreous enamel for even heat distribution and easy cleaning
- GN 1/1 capacity with 3 position racking
- Heavy duty chrome wire rack supports designed for easy removal

### Oven Options

- Gas static and fan forced oven
- Electric static, fan forced and convection oven



**INDUSTRY  
KITCHENS**

[www.industrykitchens.com.au](http://www.industrykitchens.com.au) 1800 611 058



Cert. No.  
AGA 7732

**MIDDLEBY GOLDSTEIN**

1800 013 123 | +61 2 9604 7333  
[sales@middleby.com.au](mailto:sales@middleby.com.au)  
[middleby.com.au](http://middleby.com.au)

**VIC - TAS** - 47 Stubbs Street, Kensington VIC 3031  
**QLD** - U12, 210 Queensport Rd Nth, Murarrie QLD 4172  
**WA** - U2, 9 Meares Way, Canning Vale WA 6155


**HEAD OFFICE  
AND MANUFACTURING PLANT**  
211-217 Woodpark Road, Smithfield NSW 2164

v1\_2024




PF840-X, PF12G640-X, PF24G440-X, PF36G240-X, PF48G40-X,  
PF12Q640-X, PF24Q440-X, PF36Q240-X, PF48Q40-X


## 800 SERIES RANGES 1005mm GAS STATIC OVEN




PF840-X




PF12G640-X




PF24G440-X




PF36G240-X




PF48G40-X




PF12Q640-X



PF24Q440-X



PF36Q240-X



PF48Q40-X

### SPECIFICATIONS

<b>Dimensions (WxDxH)</b>	1219 x 800 x 1120 mm
<b>Working height</b>	914 mm
<b>Oven size (WxDxH)</b>	1005 x 560 x 355 mm
<b>Oven Rack Positions</b>	3
<b>Griddle size</b>	<b>PF12G640-X</b> 305 x 520 x 20 mm
	<b>PF12G440-X</b> 610 x 520 x 20 mm
	<b>PF24G240-X</b> 914 x 520 x 20 mm
	<b>PF36G40-X</b> 1219 x 520 x 20 mm
<b>Grill size</b>	<b>PF12Q640-X</b> 305 x 510 mm
	<b>PF12Q440-X</b> 610 x 510 mm
	<b>PF24Q240-X</b> 914 x 510 mm
	<b>PF36Q40-X</b> 1219 x 510 mm

<b>Gas connection</b>	3/4" BSPM
<b>PF840-X</b>	299/300 MJ
<b>PF12G640-X</b>	253/254 MJ
<b>PF12G440-X</b>	207/208 MJ
<b>PF24G240-X</b>	161/162 MJ
<b>PF36G40-X</b>	115/116 MJ
<b>PF12Q640-X</b>	273/272 MJ
<b>PF12Q440-X</b>	247/244 MJ
<b>PF24Q240-X</b>	221/216 MJ
<b>PF36Q40-X</b>	195/188 MJ
<b>Packed dimensions</b>	1280 x 900 x 1200

Available in Natural and LP gas

### INSTALLATION CLEARANCES (minimum)

<b>Combustible Material</b>	<b>Sides</b>	250* mm	<b>Non-combustible Material</b>	<b>Sides</b>	0 mm
	<b>Back</b>	50 mm		<b>Back</b>	0 mm

Note: \* If adjacent surface is of combustible material and is 100mm below the cooking surface, then only 50mm clearance is required.

Please note, due to ongoing product development and improvement, we reserve the right to change product design and specification at any time without notice.



1800 013 123 | +61 2 9604 7333  
sales@middleby.com.au  
middleby.com.au

**VIC - TAS** - 47 Stubbs Street, Kensington VIC 3031  
**QLD** - U12, 210 Queensport Rd Nth, Murarrie QLD 4172  
**WA** - U2, 9 Meares Way, Canning Vale WA 6155

**HEAD OFFICE AND MANUFACTURING PLANT**  
211-217 Woodpark Road, Smithfield NSW 2164


v1\_2024



# 800 SERIES RANGES 1005mm OVEN OPTIONS


Model Number	Dimensions (mm) WxDxH	Oven size (mm) WxDxH	Rating (MJ) NG/LPG	Rating (kW)
--------------	--------------------------	-------------------------	-----------------------	----------------

8 burners




<b>PF840FF-X</b> Gas Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 355	299/300	
<b>PF840EFF-X</b> Electric Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 305	264/264	8.8
<b>PFC840E-X</b> Electric Convection Oven	1219 x 900 x 1120	990 x 410 x 320	299/300	10
<b>PF840E-X</b> Electric Static Oven	1219 x 800 x 1120	1005 x 560 x 305	264/264	8.8

6 burners, 305mm griddle plate




<b>PF12G640FF-X</b> Gas Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 355	253/254	
<b>PF12G640EFF-X</b> Electric Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 305	218/218	8.8
<b>PFC12G640E-X</b> Electric Convection Oven	1219 x 900 x 1120	990 x 410 x 320	253/254	10
<b>PF12G640E-X</b> Electric Static Oven	1219 x 800 x 1120	1005 x 560 x 305	218/218	8.8

4 burners, 610mm griddle plate




<b>PF24G440FF-X</b> Gas Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 355	207/208	
<b>PF24G440EFF-X</b> Electric Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 305	172/172	8.8
<b>PFC24G440E-X</b> Electric Convection Oven	1219 x 900 x 1120	990 x 410 x 320	207/208	10
<b>PF24G440E-X</b> Electric Static Oven	1219 x 800 x 1120	1005 x 560 x 305	172/172	8.8

2 burners, 914mm griddle plate



<b>PF36G240FF-X</b> Gas Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 355	161/162	
<b>PF36G240EFF-X</b> Electric Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 305	126/126	8.8
<b>PFC36G240E-X</b> Electric Convection Oven	1219 x 900 x 1120	990 x 410 x 320	161/162	10
<b>PF36G240E-X</b> Electric Static Oven	1219 x 800 x 1120	1005 x 560 x 305	126/126	8.8

1219mm griddle plate



<b>PF48G40FF-X</b> Gas Fan Forced Oven	1220 x 850 x 1120	1005 x 525 x 355	115/116	
<b>PF48G40EFF-X</b> Electric Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 305	80/80	8.8
<b>PFC48G40E-X</b> Electric Convection Oven	1219 x 900 x 1120	990 x 410 x 320	118/119	10
<b>PF48G40E-X</b> Electric Static Oven	1219 x 800 x 1120	1005 x 560 x 305	80/80	8.8

Please note, due to ongoing product development and improvement, we reserve the right to change product design and specification at any time without notice.

**MIDDLEBY GOLDSTEIN**

1800 013 123 | +61 2 9604 7333  
sales@middleby.com.au  
middleby.com.au

**VIC - TAS** - 47 Stubbs Street, Kensington VIC 3031  
**QLD** - U12, 210 Queensport Rd Nth, Murarrie QLD 4172  
**WA** - U2, 9 Meares Way, Canning Vale WA 6155

**HEAD OFFICE  
AND MANUFACTURING PLANT**  
211-217 Woodpark Road, Smithfield NSW 2164


v1\_2024



# 800 SERIES RANGES 1005mm OVEN OPTIONS


Model Number	Dimensions (mm) WxDxH	Oven size (mm) WxDxH	Rating (MJ) NG/LPG	Rating (kW)
--------------	--------------------------	-------------------------	-----------------------	----------------

6 burners, 305mm chargrill




<b>PF12Q640FF-X</b> Gas Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 355	273/272	
<b>PF12Q640EFF-X</b> Electric Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 305	238/236	8.8
<b>PFC12Q640E-X</b> Electric Convection Oven	1219 x 900 x 1120	990 x 410 x 320	273/272	10
<b>PF12Q640E-X</b> Electric Static Oven	1219 x 800 x 1120	1005 x 560 x 305	238/236	8.8

4 burners, 610mm chargrill




<b>PF24Q440FF-X</b> Gas Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 355	247/244	
<b>PF24Q440EFF-X</b> Electric Fan Forced Oven	1220 x 850 x 1120	1005 x 525 x 305	212/208	8.8
<b>PFC24Q440E-X</b> Electric Convection Oven	1220 x 900 x 1120	990 x 410 x 320	247/244	10
<b>PF24Q440E-X</b> Electric Static Oven	1220 x 800 x 1120	1005 x 560 x 305	212/208	8.8

2 burners, 914mm chargrill



<b>PF36Q240FF-X</b> Gas Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 355	221/216	
<b>PF36Q240EFF-X</b> Electric Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 305	186/180	8.8
<b>PFC36Q240E-X</b> Electric Convection Oven	1219 x 900 x 1120	990 x 410 x 320	221/216	10
<b>PF36Q240E-X</b> Electric Static Oven	1219 x 800 x 1120	1005 x 560 x 305	186/180	8.8

1219mm chargrill



<b>PF48Q40FF-X</b> Gas Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 355	195/188	
<b>PF48Q40EFF-X</b> Electric Fan Forced Oven	1219 x 850 x 1120	1005 x 525 x 305	160/152	8.8
<b>PFC48Q40E-X</b> Electric Convection Oven	1219 x 900 x 1120	990 x 410 x 320	195/188	10
<b>PF48Q40E-X</b> Electric Static Oven	1219 x 800 x 1120	1005 x 560 x 305	160/152	8.8

Please note, due to ongoing product development and improvement, we reserve the right to change product design and specification at any time without notice.

MIDDLEBY GOLDSTEIN

1800 013 123 | +61 2 9604 7333  
sales@middleby.com.au  
middleby.com.au

VIC - TAS - 47 Stubbs Street, Kensington VIC 3031  
QLD - U12, 210 Queensport Rd Nth, Murarrie QLD 4172  
WA - U2, 9 Meares Way, Canning Vale WA 6155

HEAD OFFICE  
AND MANUFACTURING PLANT  
211-217 Woodpark Road, Smithfield NSW 2164

v1\_2024