



Goldstein

800 SERIES RANGES 1005mm GAS STATIC OVEN

PF840-X, PF12G640-X, PF24G440-X,
PF36G240-X, PF48G40-X,
PF12Q640-X, PF24Q440-X, PF36Q240-X,
PF48Q40-X

**INDUSTRY
KITCHENS**
www.industrykitchens.com.au 1800 611 058



Standard features and benefits

- Heavy duty welded stainless steel body for rigidity and durability
- Fully welded surrounds for griddle and chargrill option
- The flexible modular cooktop design allows for various combinations of burners, griddle plates, and chargrill options (305, 610, 914, 1219mm)
- Gas or electric static oven, fan forced oven and convection oven options are available, all in gastronorm compatible sizes
- Constant pilot flame, maximises operating and energy efficiency
- Pilot flame failure on open burners, flame failure to oven burner
- Stainless steel fascia and sides, spill zone and drip trays for ease of cleaning
- Large, heat resistant reinforced control knob with easy to view settings and high to low flame control
- Ergonomic door handle and angled corners create a sleek look
- Griddle and BBQ section are on left hand side
- Adjustable legs 140-170mm
- Easy to service

Burners

- Removable, high performance, even heat 33 MJ cooktop burners for peak productivity
- 40% of the flame ports are in the centre cross of the burner
- Cast iron star trivets

Griddle plate

- 20mm thick mild steel griddle plate
- 20 MJ griddle burners per every 305mm section
- Piezo ignition

Chargrill

- Heavy duty cast iron reversible grates provide greater control when cooking, energy efficiency, and offer two char pattern options
- 2 levelling options - flat or gradient
- 2x 20 MJ inline cast iron burners per every 305mm section
- Ceramic rocks option available to increase heat retention and flavour

Oven

- 100°C - 280°C thermostatic control
- Piezo ignition
- Oven and door are fully insulated with vitreous enamel for even heat distribution and easy cleaning
- GN 1/1 capacity with 3 position racking
- Heavy duty chrome wire rack supports designed for easy removal

Oven Options

- Gas static and fan forced oven
- Electric static, fan forced and convection oven



Cert. No.
AGA 7732

MIDDLEBY GOLDSTEIN

1800 013 123 | +61 2 9604 7333
sales@middleby.com.au
middleby.com.au

VIC - TAS - 47 Stubbs Street, Kensington VIC 3031
QLD - U12, 210 Queensport Rd Nth, Murarrie QLD 4172
WA - U2, 9 Meares Way, Canning Vale WA 6155


**HEAD OFFICE
AND MANUFACTURING PLANT**
211-217 Woodpark Road, Smithfield NSW 2164

v1_2024




PF840-X, PF12G640-X, PF24G440-X, PF36G240-X, PF48G40-X,
PF12Q640-X, PF24Q440-X, PF36Q240-X, PF48Q40-X


800 SERIES RANGES 1005mm GAS STATIC OVEN




PF840-X




PF12G640-X




PF24G440-X




PF36G240-X




PF48G40-X




PF12Q640-X



PF24Q440-X



PF36Q240-X



PF48Q40-X

SPECIFICATIONS

| | |
|----------------------------|-------------------------------------|
| Dimensions (WxDxH) | 1219 x 800 x 1120 mm |
| Working height | 914 mm |
| Oven size (WxDxH) | 1005 x 560 x 355 mm |
| Oven Rack Positions | 3 |
| Griddle size | PF12G640-X 305 x 520 x 20 mm |
| | PF12G440-X 610 x 520 x 20 mm |
| | PF24G240-X 914 x 520 x 20 mm |
| | PF36G40-X 1219 x 520 x 20 mm |
| Grill size | PF12Q640-X 305 x 510 mm |
| | PF12Q440-X 610 x 510 mm |
| | PF24Q240-X 914 x 510 mm |
| | PF36Q40-X 1219 x 510 mm |

| | |
|--------------------------|-------------------|
| Gas connection | 3/4" BSPM |
| PF840-X | 299/300 MJ |
| PF12G640-X | 253/254 MJ |
| PF12G440-X | 207/208 MJ |
| PF24G240-X | 161/162 MJ |
| PF36G40-X | 115/116 MJ |
| PF12Q640-X | 273/272 MJ |
| PF12Q440-X | 247/244 MJ |
| PF24Q240-X | 221/216 MJ |
| PF36Q40-X | 195/188 MJ |
| Packed dimensions | 1280 x 900 x 1200 |

Available in Natural and LP gas

INSTALLATION CLEARANCES (minimum)

| | | | | | |
|-----------------------------|--------------|---------|---------------------------------|--------------|------|
| Combustible Material | Sides | 250* mm | Non-combustible Material | Sides | 0 mm |
| | Back | 50 mm | | Back | 0 mm |

Note: * If adjacent surface is of combustible material and is 100mm below the cooking surface, then only 50mm clearance is required.

Please note, due to ongoing product development and improvement, we reserve the right to change product design and specification at any time without notice.



1800 013 123 | +61 2 9604 7333
sales@middleby.com.au
middleby.com.au

VIC - TAS - 47 Stubbs Street, Kensington VIC 3031
QLD - U12, 210 Queensport Rd Nth, Murarrie QLD 4172
WA - U2, 9 Meares Way, Canning Vale WA 6155

HEAD OFFICE AND MANUFACTURING PLANT
211-217 Woodpark Road, Smithfield NSW 2164


v1_2024



800 SERIES RANGES 1005mm OVEN OPTIONS


| Model Number | Dimensions (mm) WxDxH | Oven size (mm) WxDxH | Rating (MJ) NG/LPG | Rating (kW) |
|--------------|--------------------------|-------------------------|-----------------------|----------------|
|--------------|--------------------------|-------------------------|-----------------------|----------------|

8 burners




| | | | | |
|---|-------------------|------------------|---------|-----|
| PF840FF-X Gas Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 355 | 299/300 | |
| PF840EFF-X Electric Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 305 | 264/264 | 8.8 |
| PFC840E-X Electric Convection Oven | 1219 x 900 x 1120 | 990 x 410 x 320 | 299/300 | 10 |
| PF840E-X Electric Static Oven | 1219 x 800 x 1120 | 1005 x 560 x 305 | 264/264 | 8.8 |

6 burners, 305mm griddle plate




| | | | | |
|--|-------------------|------------------|---------|-----|
| PF12G640FF-X Gas Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 355 | 253/254 | |
| PF12G640EFF-X Electric Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 305 | 218/218 | 8.8 |
| PFC12G640E-X Electric Convection Oven | 1219 x 900 x 1120 | 990 x 410 x 320 | 253/254 | 10 |
| PF12G640E-X Electric Static Oven | 1219 x 800 x 1120 | 1005 x 560 x 305 | 218/218 | 8.8 |

4 burners, 610mm griddle plate




| | | | | |
|--|-------------------|------------------|---------|-----|
| PF24G440FF-X Gas Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 355 | 207/208 | |
| PF24G440EFF-X Electric Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 305 | 172/172 | 8.8 |
| PFC24G440E-X Electric Convection Oven | 1219 x 900 x 1120 | 990 x 410 x 320 | 207/208 | 10 |
| PF24G440E-X Electric Static Oven | 1219 x 800 x 1120 | 1005 x 560 x 305 | 172/172 | 8.8 |

2 burners, 914mm griddle plate



| | | | | |
|--|-------------------|------------------|---------|-----|
| PF36G240FF-X Gas Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 355 | 161/162 | |
| PF36G240EFF-X Electric Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 305 | 126/126 | 8.8 |
| PFC36G240E-X Electric Convection Oven | 1219 x 900 x 1120 | 990 x 410 x 320 | 161/162 | 10 |
| PF36G240E-X Electric Static Oven | 1219 x 800 x 1120 | 1005 x 560 x 305 | 126/126 | 8.8 |

1219mm griddle plate



| | | | | |
|---|-------------------|------------------|---------|-----|
| PF48G40FF-X Gas Fan Forced Oven | 1220 x 850 x 1120 | 1005 x 525 x 355 | 115/116 | |
| PF48G40EFF-X Electric Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 305 | 80/80 | 8.8 |
| PFC48G40E-X Electric Convection Oven | 1219 x 900 x 1120 | 990 x 410 x 320 | 118/119 | 10 |
| PF48G40E-X Electric Static Oven | 1219 x 800 x 1120 | 1005 x 560 x 305 | 80/80 | 8.8 |

Please note, due to ongoing product development and improvement, we reserve the right to change product design and specification at any time without notice.



1800 013 123 | +61 2 9604 7333
sales@middleby.com.au
middleby.com.au

VIC - TAS - 47 Stubbs Street, Kensington VIC 3031
QLD - U12, 210 Queensport Rd Nth, Murarrie QLD 4172
WA - U2, 9 Meares Way, Canning Vale WA 6155

HEAD OFFICE
AND MANUFACTURING PLANT
211-217 Woodpark Road, Smithfield NSW 2164


v1_2024



800 SERIES RANGES 1005mm OVEN OPTIONS


| Model Number | Dimensions (mm) WxDxH | Oven size (mm) WxDxH | Rating (MJ) NG/LPG | Rating (kW) |
|--------------|--------------------------|-------------------------|-----------------------|----------------|
|--------------|--------------------------|-------------------------|-----------------------|----------------|

6 burners, 305mm chargrill




| | | | | |
|--|-------------------|------------------|---------|-----|
| PF12Q640FF-X Gas Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 355 | 273/272 | |
| PF12Q640EFF-X Electric Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 305 | 238/236 | 8.8 |
| PFC12Q640E-X Electric Convection Oven | 1219 x 900 x 1120 | 990 x 410 x 320 | 273/272 | 10 |
| PF12Q640E-X Electric Static Oven | 1219 x 800 x 1120 | 1005 x 560 x 305 | 238/236 | 8.8 |

4 burners, 610mm chargrill




| | | | | |
|--|-------------------|------------------|---------|-----|
| PF24Q440FF-X Gas Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 355 | 247/244 | |
| PF24Q440EFF-X Electric Fan Forced Oven | 1220 x 850 x 1120 | 1005 x 525 x 305 | 212/208 | 8.8 |
| PFC24Q440E-X Electric Convection Oven | 1220 x 900 x 1120 | 990 x 410 x 320 | 247/244 | 10 |
| PF24Q440E-X Electric Static Oven | 1220 x 800 x 1120 | 1005 x 560 x 305 | 212/208 | 8.8 |

2 burners, 914mm chargrill



| | | | | |
|--|-------------------|------------------|---------|-----|
| PF36Q240FF-X Gas Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 355 | 221/216 | |
| PF36Q240EFF-X Electric Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 305 | 186/180 | 8.8 |
| PFC36Q240E-X Electric Convection Oven | 1219 x 900 x 1120 | 990 x 410 x 320 | 221/216 | 10 |
| PF36Q240E-X Electric Static Oven | 1219 x 800 x 1120 | 1005 x 560 x 305 | 186/180 | 8.8 |

1219mm chargrill



| | | | | |
|---|-------------------|------------------|---------|-----|
| PF48Q40FF-X Gas Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 355 | 195/188 | |
| PF48Q40EFF-X Electric Fan Forced Oven | 1219 x 850 x 1120 | 1005 x 525 x 305 | 160/152 | 8.8 |
| PFC48Q40E-X Electric Convection Oven | 1219 x 900 x 1120 | 990 x 410 x 320 | 195/188 | 10 |
| PF48Q40E-X Electric Static Oven | 1219 x 800 x 1120 | 1005 x 560 x 305 | 160/152 | 8.8 |

Please note, due to ongoing product development and improvement, we reserve the right to change product design and specification at any time without notice.



1800 013 123 | +61 2 9604 7333
sales@middleby.com.au
middleby.com.au

VIC - TAS - 47 Stubbs Street, Kensington VIC 3031
QLD - U12, 210 Queensport Rd Nth, Murarrie QLD 4172
WA - U2, 9 Meares Way, Canning Vale WA 6155

HEAD OFFICE
AND MANUFACTURING PLANT
211-217 Woodpark Road, Smithfield NSW 2164

v1_2024