



Joni Mixing & Non-mixing Jacketed Kettles

Proudly brought to you by



Price List & Product Guide

November 2024

COMCATER ARE PROUD TO INTRODUCE THE JONI PRODUCT RANGE



As world leaders in manufacturing and design advancement for jacketed kettles, Joni strive to make kitchens more productive while improving operator safety.



EasyMobile Range

Simple to operate with electric tilt and simple controls plus the flexibility to be moved to various locations



EasyStand Range

Simple to operate with electric tilt and simple controls plus the flexibility to install in any location with ease



Multi Range

Offers advanced cooking control with digital display, food temperature control and electric water flow meter



MultiMix Range

Utilising all the features of the Multi Range with the addition of an integrated stirrer, the MultiMix is the workhorse of any kitchen



Opti Range

Offers all the operational features of the Multi Range with additional tilting height clearance, perfect in production kitchens



OptiMix Range

Offers all the operational features of the MultiMix Range with additional tilting height clearance, perfect in production kitchens



Maxi Range

Offers all the advanced cooking features of the Multi Range with added cooking volume and is the perfect choice for large scale production kitchens



MaxiMix Range

Offers all the advanced cooking features of the MultiMix Range with added cooking volume and is the perfect choice for large scale production kitchens

"We know what's cooking"

Behind every great menu

We bring you Joni Mixing & Non-mixing Jacketed Kettles

As one of Australia's leading suppliers of commercial kitchen equipment, Comcater is proud to bring you the JONI range of premium mixing and non mixing jacketed kettles.

JONI A/s

Manufactured in Denmark, Joni products are designed with a special focus on easy

and ergonomic use, hygiene, reliability, durability and inbuilt flexibility, which enables tailor made solutions to meet the specific needs of individual customers.

For over 46 years the Joni range has helped businesses produce high quality meals efficiently while creating a better, safer workplace.

Key operational benefits to Joni Mixing Kettles:

- Increase production volumes without increasing labour costs
- Minimise manual handling and repetitious injury concerns plus remove heavy lifting
- Greater flexibility when allocating tasks to kitchen staff as many of the physical aspects of operation are removed
- Improve food production consistencies while reducing cooking times
- Reduce possibility of product spoilage as foods will not stick or burn
- Create a work environment that is safer for users resulting in better staff retentionAs the national importer and distributor of Fast Food Solutions such as Antunes and Merco brands, Comcater is dedicated to servicing and supplying all certified spare parts.

The most tangible benefit when using a Joni Mixing Kettle is the reduction in staff labour time at the equipment during cooking as the integrated mixer completes the ongoing stirring. Whether cooking 40L of product or 500L of product the labour cost increase is minimal as the kettle is doing the work.

During any cooking cycle, production staff are free to get on with other tasks as the kettle will manage the cooking process until additional ingredients may need to be added, or the finished product is ready to be removed.

As the national importer and distributor of Joni, Comcater is dedicated to servicing and supplying all certified spare parts

Comcater offers a first time fix where possible and a 24 hour, 7 day a week Service Support Hotline **1800 810 161**. A knowledgeable product support team is on hand to answer questions and offer solutions regarding the operation and performance of the Joni range.



SAFER, FASTER & MORE
PRODUCTIVE

"We know what's cooking"



HIGH QUALITY MIXING & TILTING KETTLES

for commercial kitchens

- Reduce manual handling
- Remove repetitive movements
- Increase productivity without increasing labour
- Improve product consistency



JONI KETTLE HIGHLIGHTS



Control box

The control box is placed at a good working height and can be read easily. The control box can be orientated so that it faces in towards the kettle. This ensures that the user is in no doubt as to which control box belongs to which kettle, and also minimises any reflections. This makes operating the kettle easy and fast, and enables the user to quickly gain an overview of the condition of each of the kettles, even at a distance. The on and off buttons for the kettle are easy to reach so the kettle can be switched off after use. By switching off the standby consumption is reduced.




Integrated stirrer

The stirrer in the kettle saves both time and effort, partly because stirring can be performed automatically, but also because more stirring eases the preparation of many dishes. The integrated stirrer makes it possible to keep the lid closed and keep the heat and steam inside. This reduces energy consumption and steam in the kitchen. The mixer tool is always accessible and by opening the lid the contents of the kettle can be checked or ingredients added. The scrapers reduce the risk of the food burning and sticking to the kettle sides and eases the cleaning.



Inspection hatch

All kettles with a stirrer are fitted with a practical inspection hatch and associated lid as standard. This is used when adding ingredients while the stirrer is operating, e.g. when thickening. Non mixing kettles are supplied with a solid stainless steel lid.



Litre markings

The kettle bowl has litre markings etched into the surface of the kettle to assist the operator in easily identifying the amount of product being cooked.



Low surface temperature

All kettle bowls are well insulated across their entire exterior, making them even safer to use. Exceptional thermal efficiencies ensure energy savings and operational cost reductions.



Spray gun

This solid spray gun is designed for cleaning the kettle. The robust design of the spray gun means that it will tolerate rough handling or being dropped. The spray can easily be set from concentrated to spread. The spray gun is fitted to a hose, which is supplied from a separate mixer tap.



Environmentally friendly

During the development of the product, a focus was placed on producing an environmentally friendly design, so that the consumption of electricity and water is minimised when the kettle is in use. The manufacturing process is carried out giving every possible consideration to the environment, and the long lifetime of the product ensures that the natural resources that are used are exploited optimally. As the kettle is primarily made from recyclable materials, it is also environmentally friendly after it has reached the end of its working life.



Fully welded construction

All Joni kettles are manufactured to the highest quality standards, as the kettle bowls are fully welded there is reduced possibility of food buildup in difficult to clean areas. This maximises hygiene and minimises cleaning times.

EASYSMOBILE - ELECTRIC TILTING KETTLES ON CASTORS



EasyMobile Range — Simple to operate with electric tilt and simple controls plus the mobility to be moved to various locations. Available in volumes up to 100L capacity.

Full stainless steel construction with 316 stainless bowl, etched litre markings, hand shower hose, hinged lid and integrated water filling.

3 x 400V+N+PE, 50/60Hz connection

Product Code	Capacity	Dimensions (mm)	Amps	kW
AU112001	40L	956W x 868D x 1250H	22	15
AU112002	60L	1005W x 893D x 1250H	22	15
AU112003	80L	1035W x 908D x 1250H	22	15
AU112004	100L	1085W x 933D x 1250H	29	20

EASYSTAND - ELECTRIC TILTING KETTLE ON A STAND



EasyStand Range— Simple to operate with electric tilt and simple controls plus the flexibility to install in any location with ease. Available in volumes up to 100L capacity.

Full stainless steel construction with 316 stainless bowl, etched litre markings, hand shower hose, hinged lid and integrated water filling.

3 x 400V+N+PE, 50/60Hz connection

Product Code	Capacity	Dimensions (mm)	Amps	kW
AU111001	40L	916W x 868D x 1250H	22	15
AU111002	60L	965W x 893D x 1250H	22	15
AU111003	80L	995W x 908D x 1250H	22	15
AU111004	100L	1045W x 933D x 1250H	29	20

MULTI RANGE - ELECTRIC TILTING KETTLE



Multi Range — offers advanced cooking control with digital display, food temperature control and electric water flow meter.

Full stainless steel construction with 316 stainless bowl, etched litre markings, hand shower hose, hinged lid and integrated water filling.

3 x 400V+PE, 50/60Hz connection

Product Code	Capacity	Dimensions (mm)	Amps	kW
AU104001	40L	1056W x 798D x 1200H	22	15
AU104003	60L	1105W x 823D x 1200H	22	15
AU104005	80L	1135W x 838D x 1200H	22	15
AU104007	100L	1185W x 863D x 1200H	29	20
AU104009	120L	1185W x 863D x 1200H	29	20
AU104011	150L	1302W x 1075D x 1200H	43	30
AU104013	200L	1352W x 1075D x 1200H	43	30
AU104015	250L	1450W x 1075D x 1200H	65	45
AU104017	300L	1550W x 1075D x 1200H	65	45

Direct steam versions available upon request

MULTIMIX - ELECTRIC TILTING KETTLE WITH INTEGRATED STIRRER



MultiMix Range — Utilising all the features of the Multi Range with the addition of an integrated stirrer, the MultiMix is the workhorse of any kitchen.

Full stainless steel construction with 316 stainless bowl, etched litre markings, SlowMix, hand shower hose, hinged lid and integrated water filling.

3 x 400V+PE, 50/60Hz connection

Product Code	Capacity	Dimensions (mm)	Amps	kW
AU105001	40L	1056W x 798D x 1200H	26	16.1
AU105003	60L	1105W x 823D x 1200H	26	16.1
AU105005	80L	1135W x 838D x 1200H	26	16.1
AU105007	100L	1185W x 863D x 1200H	33	20
AU105009	120L	1185W x 863D x 1200H	33	20
AU105011	150L	1302W x 1075D x 1200H	50	32.2
AU105013	200L	1352W x 1075D x 1200H	50	32.2
AU105015	250L	1450W x 1075D x 1200H	72	48
AU105017	300L	1550W x 1075D x 1200H	72	48

Direct steam versions available upon request

OPTI RANGE - ELECTRIC TILTING KETTLE



Opti Range — offers all the operational features of the Multi Range with additional tilting height clearance, perfect in production kitchens.

Full stainless steel construction with 316 stainless bowl, etched litre markings, hand shower hose, hinged lid and integrated water filling.

3 x 400V+PE, 50/60Hz connection

Product Code	Capacity	Dimensions (mm)	Amps	kW
AU101001	40L	1096W x 701D x 1200H	22	15
AU101003	60L	1145W x 750D x 1200H	22	15
AU101005	80L	1175W x 780D x 1200H	22	15
AU101007	100L	1225W x 830D x 1200H	29	20
AU101009	120L	1225W x 830D x 1200H	29	20
AU101011	150L	1342W x 957D x 1200H	43	30
AU101013	200L	1392W x 1007D x 1200H	43	30
AU101015	250L	1490W x 1105D x 1200H	65	45
AU101017	300L	1590W x 1205D x 1200H	65	45

Direct steam versions available upon request

OPTIMIX - ELECTRIC TILTING KETTLE WITH INTEGRATED STIRRER



OptiMix Range — Offers all the operational features of the MultiMix Range with additional tilting height clearance, perfect in production kitchens.

Full stainless steel construction with 316 stainless bowl, etched litre markings, SlowMix, hand shower hose, hinged lid and integrated water filling.

3 x 400V+PE, 50/60Hz connection

Product Code	Capacity	Dimensions (mm)	Amps	kW
AU102001	40L	1096W x 701D x 1200H	26	16.1
AU102003	60L	1145W x 750D x 1200H	26	16.1
AU102005	80L	1175W x 780D x 1200H	26	16.1
AU102007	100L	1225W x 830D x 1200H	33	21
AU102009	120L	1225W x 830D x 1200H	33	21
AU102011	150L	1342W x 957D x 1200H	50	32.2
AU102013	200L	1392W x 1007D x 1200H	50	32.2
AU102015	250L	1490W x 1105D x 1200H	72	48
AU102017	300L	1590W x 1205D x 1200H	72	48

Direct steam versions available upon request

MAXI RANGE - ELECTRIC TILTING KETTLE



Maxi Range — offers all the advanced cooking features of the Multi Range with added cooking volume and is the perfect choice for large scale production kitchens.

Full stainless steel construction with 316 stainless bowl, etched litre markings, hand shower hose, hinged lid and integrated water filling.

3 x 400V+PE, 50/60Hz connection

Product Code	Capacity	Dimensions (mm)	Amps	kW
AU106001	400L	1840W x 1150D x 1200H	87	60
AU106003	500L	1840W x 1150D x 1200H	87	60

Direct steam versions available upon request

MAXIMIX - ELECTRIC TILTING KETTLE WITH INTEGRATED STIRRER



MaxiMix Range — offers all the advanced cooking features of the MultiMix Range with added cooking volume and is the perfect choice for large scale production kitchens.

Full stainless steel construction with 316 stainless bowl, etched litre markings, SlowMix, hand shower hose, hinged lid and integrated water filling.

3 x 400V+PE, 50/60Hz connection

Product Code	Capacity	Dimensions (mm)	Amps	kW
AU107001	400L	1840W x 1150D x 1200H	95	63
AU107003	500L	1840W x 1150D x 1200H	95	63

Direct steam versions available upon request


GROUP INSTALLATIONS— ALL MODELS EXCEPT EASYSTAND AND EASYMOBILE



Most kettles can be installed in a group installation sharing a common pillar between kettles. Key installation benefits include a reduction in the space required under the canopy, can provide additional space for other equipment as well as reducing the number of fixings required in the floor.

For more information regarding group installations, mixed model installations or specific installation requests please contact Comcater for assistance.

FACTORY FITTED OPTIONS*



IN-KETTLE CHILLING— OPTIMIX QUICKCHILL AND MAXIMIX QUICKCHILL

Chilling using chilled water from an external chilling system

Jacket chilling using chilled water from an external chilling system can be used to cool the kettle. The water is fed through the steam jacket, where it chills the contents of the kettle and returns to the ice bank. It is a simple and reliable way of chilling. Water consumption is low and the chilling effect is high, as the temperature of the chilled water is typically 0.5°C.

Edge freezing is avoided as the chilling water is above freezing point. The stirrer can therefore rotate slowly, so treating the food gently.

When the chilling ends, the correct water level in the steam generator is automatically restored.

The dimensions of the chilling system and the ice bank will depend on the number and size of kettles and the expected number of chillings per day.

These dimensions must therefore be determined by a chilling systems contractor, who can also assess whether any existing chilling equipment can be reused.

OPTIMIX QUICKCHILL - ELECTRIC TILTING KETTLE WITH INTEGRATED STIRRER AND IN-KETTLE CHILLING


Product Code	Capacity	Dimensions (mm)	Amps	kW
AU103001	80L	1425W x 900D x 1200H	26	16.1
AU103003	100L	1475W x 900D x 1200H	33	21
AU103007	150L	1592W x 957D x 1200H	50	32.2
AU103009	200L	1642W x 1007D x 1200H	50	32.2
AU103011	250L	1740W x 1105D x 1200H	72	48
AU103013	300L	1840W x 1205D x 1200H	72	48

Direct steam versions available upon request








MAXIMIX QUICKCHILL - ELECTRIC TILTING KETTLE WITH INTEGRATED STIRRER AND IN-KETTLE CHILLING

Product Code	Capacity	Dimensions (mm)	Amps	kW
AU108001	400L	1940W x 1150D x 1200H	95	63
AU108003	500L	1940W x 1150D x 1200H	95	63

Direct steam versions available upon request



DRAIN VALVES / BUTTERFLY VALVES —ALL MODELS (EXCLUDES 40L CAPACITIES)

	Product Code	Description
	170006	Butterfly valve without elbow, 2" type ISO Clamp
	170012	Butterfly valve with fixed elbow, 2" type ISO Clamp
	170021	Loose elbow for Butterfly Valve, 2" type ISO Clamp
	170007	Butterfly valve without elbow, 3" type ISO Clamp
	170013	Butterfly valve with fixed elbow, 3" type ISO Clamp
	170022	Loose elbow for Butterfly Valve, 3" type ISO Clamp
	170020	Drain valve, Echtermann, 2"

Note: SMS and DS type fittings also available in 2" and 3" diameters upon request

ROTATABLE LID —ALL MODELS

Product Code	Description
170065	Rotatable lid, 360 degrees, eases lid cleaning

MOUNTING PILLAR ON LEFT SIDE—ALL MODELS

Product Code	Description
170005	Surcharge for mounting pillar on left side (right side standard)

HOT WATER CONNECTION TO SPOUT—ALL MODELS

Product Code	Description
170066	Hot water to spout—reduces water boiling times

OPTIONAL ACCESSORIES

SIEVE PLATE



Allows liquids to be drained from the kettle while retaining the solid food products.
Examples – straining water from potatoes to make mash or straining stock from bones.

EASY & MULTI RANGES

Product Code	Capacity
17156	40L
17157	60L
17158	80L
17159	100L & 120L
17160	150L
17161	200L
17162	250L
17163	300L

OPTI & MAXI RANGES

Product Code	Capacity
17146	40L
17148	60L
17149	80L
17150	100L & 120L
17151	150L
17152	200L
17153	250L
17154	300L
17164	400L & 500L

POURING PLATE



Provides a closed funnel when tilting the kettle to remove liquids and assists in creating a more concentrated area for the pouring spout when emptying into smaller buckets and tubs.

EASY & MULTI RANGES

Product Code	Capacity
17228	40L
17229	60L
17230	80L
17231	100L & 120L
17232	150L
17233	200L
17234	250L
17235	300L

OPTI & MAXI RANGES

Product Code	Capacity
17237	40L
17238	60L
17239	80L
17240	100L & 120L
17241	150L
17242	200L
17243	250L
17244	300L
17236	400L & 500L

OPTIONAL ACCESSORIES

POUR ASSIST



Fitted to the spout of the kettle GN-containers can be placed on the Pour assist shelf when emptying the kettle, it removes the need for staff to hold a tray to empty into and avoids splashing and lifting. By turning the shelf it can be used as a table for ingredients when filling the kettle.

EASY & MULTI RANGES

Product Code	Capacity
175012	40L
175013	60L
175014	80L
175015	100L & 120L
175017	150L
175018	200L
175019	250L
175020	300L

OPTI & MAXI RANGES

Product Code	Capacity
175023	40L
175024	60L
175025	80L
175026	100L & 120L
175027	150L
175028	200L
175029	250L
175030	300L
175031	400L & 500L

INSTALLATION AIDS




Utilised to strengthen the anchoring connections between the kettle and the kitchen floor. For advise on selecting the correct installation method taking into consideration site specifications please contact your local Comcater representative.

STAND INSTALLATIONS



Available on the Multi, MultiMix, Opti, OptiMix, Maxi and MaxiMix models stand units provide flexibility during installation where floors may be out of level. This solution also provides for ease of cleaning under the kettle and flexibility in compact installation spaces. For advise on stand installations please contact your local Comcater representative.

CLEANING TOOL



Product Code	Capacity
24349	40L
24350	60L
24351	80L
24352	100L
24353	120L
24354	150L
24355	200L
24357	250L
24356	300L
24358	400L
24359	500L

WHIPPING TOOL



Product Code	Capacity
175058	40L
175059	60L
175060	80L
175061	100L
175062	120L
175063	150L
175064	200L
175065	250L
175066	300L
175067	400L
175068	500L

MEASURING ROD



Product Code	Capacity
15390	40L
15394	60L
15396	80L
15398	100L
15400	120L
15401	150L
15402	200L
15403	250L
15404	300L
15405	400L
19650	500L

TUBE CLEANER - ALL MODELS



Product Code

175032

TROLLEY - ALL MODELS



Product Code

175098

WALL BRACKET - ALL MODELS



Product Code

175099

Terms and conditions of sale

- These terms and conditions ("terms of trade") apply to all transactions between the supplier ("we/us") Comcatex Pty Ltd (ABN 53 005 974 185) 156 Swann Drive, Derrimut, 3026, Victoria and the customer ("you") notwithstanding any statement to the contrary which may be contained in the order. They may be varied by us at any time by notice in writing to you.
 - In these terms of trade:
 - "goods" refers to goods supplied to you by us and comprises equipment, accessories and spare parts;
 - "services" refers to any services supplied to you pursuant to a quotation and these terms of trade;
 - "quotation" means a written description of the goods or services to be provided, and/or an estimate of our charges for the performance of the work required;
 - "non-standard items" means goods not normally stocked by us.
- ### QUOTATIONS AND ORDERS
- Quotations:
 - are valid and open for acceptance for a period of 30 days from the date of the quotation;
 - are based upon the cost of materials available at the time of preparation of the quotation and on delivery occurring within 90 days from the date of the quotation; and
 - are to be construed as an invitation to treat and not as an offer to sell the goods the subject of the quotation.
 - We reserve the right to amend any quotation before completion of an order to take into account:
 - any change in your original order; and
 - any rise or fall in the cost of completing the order.We will notify you of any amendment as soon as practicable, at which point the amended quotation will be the estimate or quotation for the purposes of these terms of trade.
 - An agreement for sale of the goods arises when an order for the goods is placed in writing by you on our standard order form (unless otherwise agreed) specifying the required date of delivery and:
 - that order is signed by us and accepted in writing; or
 - that order is otherwise satisfied or performed in whole or in part by us.
 - Placement of an order by you signifies acceptance by you of these terms of trade and the most recent quotation.
 - We may in our absolute discretion refuse to provide goods where:
 - goods are unavailable for any reason whatsoever;
 - credit limits cannot be agreed upon or have been exceeded;
 - payment for goods previously provided to you or any related corporation of yours or to any other party who is, in the reasonable opinion of us, associated with you under the same or another supply contract, has not been received by us; or
 - they do not comply with all applicable Australian standards and regulatory requirements.
 - All prices quoted and any other charges applicable are:
 - exclusive of GST, insurance and delivery charges. GST will be payable by you upon supply of Goods. "GST" means GST within the meaning of A New Tax System (Goods & Services Tax) Act 1999 (as amended);
 - based upon foreign exchange rates at the date of the quotation and subject to change in accordance with any change in applicable foreign exchange rates between the date of the quotation and the date of payment;
 - based upon the manufacturer's price for the goods at the date of the quotation and subject to change due to any change in the manufacturer's price between the date of the quotation and the date of payment; and
 - to the extent that they include non-standard items, quoted on the basis that each item is available for sale in Australia and complies with all applicable Australian standards and regulatory requirements.
 - Goods will be supplied in carton quantity only. Your order quantity will be adjusted to nearest carton quantity. The Cambro product range is sold in carton quantities only. Your orders will be adjusted to the nearest carton quantity.
 - Where you withdraw or cancel any order following acceptance by us you must pay us as liquidated damages an amount equivalent to twenty percent (20%) of the agreed price of the goods as compensation. **ORDERS FOR NON-STOCK ITEMS MAY NOT BE CANCELLED OR RETURNED UNDER ANY CIRCUMSTANCES AT ANY STAGE.**
- ### PRICE
- Prices are to be paid in Australian currency.
 - Where a written Comcatex quotation refers to a specific foreign currency rate, variations in that rate greater than +/-3% in the value of the rate for the AUDS against the relevant foreign currency referred to in the quotation between the date of the quotation and the date of delivery shall be applied to the price of the goods, resulting in an extra cost to you in the event of a less favourable rate for the AUDS, or a credit in the event of a more favourable rate for the AUDS. The ANZ Bank sell exchange rate at noon on the relevant day shall apply as the exchange rate for these purposes.
- ### DELIVERY
- Delivery shall occur on the later of the original "required-by" date specified by you in the order. Delivery of spare parts shall be effected FOB or, in the case of equipment and accessories other than spare parts, FIS to the capital city in the State in which the order is placed. Such delivery shall only be made to your ground floor or kerbside goods-receiving areas. We do not freight orders directly to our distributors' end users. For orders of equipment and/or accessories to a value of less than \$250 (excluding GST), a \$45 (excluding GST) freight charge applies.
 - Any time given for delivery of goods is an estimate only. Subject to any obligations in respect of consumer guarantees under the Australian Consumer Law, this estimate is not binding upon us and we shall not be liable for any loss or damage whatsoever by reason of any delays in delivery of the goods and you shall not be relieved of any obligation to accept or pay for the goods by reason of such delay. If we, in our sole and absolute discretion, determine that we may be unable to complete our obligations within a reasonable time or at all, the contract may be terminated by us. In the event of such a termination, you shall have no claim against us for any damage, loss, cost or expense whatsoever.
 - If you fail to advise us in writing of any fault in goods or failure of goods to accord with the order within 48 hours of delivery, you are deemed to have accepted the goods and to have accepted that the goods are not faulty and accord with your order. Nothing in this paragraph affects your rights to any alleged failure of a guarantee under the Australian Consumer Law.
 - We authorised us to store goods which we are unable to have delivered to you due to your failure or inability to accept delivery at your expense pending notification from you to deliver them and you undertake to indemnify us for all costs incurred due to the inability to deliver, including but not limited to storage charges, freight charges and demurrage.
 - Goods accepted as returned for credit may incur a restocking fee equal to a percentage of the value of the items returned as indicated on the invoice, but not less than 30%, plus repacking costs if
- required. Goods will not be accepted for return without prior written authorisation from a Comcatex manager. Non-stock items will not be accepted as returns. Cambro returns will be accepted only in original packaging within 14 days of invoice.
- ### WARRANTIES
- On all goods except those referred to in clause 20, we offer a warranty of 12 months against defects in materials, manufacture and workmanship, following delivery. The warranty does not extend to those goods or parts of goods that are routinely replaced in the course of operation and are properly regarded as consumables.
 - The exceptions to the 12 month warranty in clause 19 are the following warranties: Goods branded Purevac, RATIONAL, Tecnomac, FRIMA, Vollrath and Mareno - defects in materials, manufacture and workmanship - 24 months from the later of the date of sale or commissioning; Brema goods - defects in materials, manufacture and workmanship - 36 months from the later of the date of sale or commissioning for all; Vitamix equipment - motor and base materials - 36 months; countertop 3d blade assembly, drive socket and sound enclosure (if included) against defects in materials and workmanship - 12 months; and motor and base - labour only - 12 months; RATIONAL parts - 12 months from the date of installation; and replacement parts - 90 days from the date of installation. The warranties in this clause do not extend to those goods or parts of goods which are routinely replaced in the course of operation and are properly regarded as consumables. Warranty period for Clearance Items may differ.
 - To obtain the benefit of the warranty, you must call Comcatex Equipment Servicing (24/7) on 1800 810 161 or email service@comcatex.com.au as soon as practicable after you notice a problem with the goods. In addition, equipment such as Vitamix blenders, Vollrath, Server and Antares goods and other small, portable equipment (Carry-In Items) must be delivered to us or our Authorised Service Agent after you have called or emailed Comcatex Equipment Servicing and been given a job number and instructions regarding delivery.
 - To honour the warranty, we (or our Authorised Service Agent) will arrange the following at no cost to you: in the case of goods that are not Carry-In Items, staff of Comcatex or our Authorised Service Agent will attend at your premises between the hours of 8 am and 4pm Monday to Friday (Normal Hours) to repair the goods and replace defective parts; in the case of Carry-In Items, we will arrange for the repair of the goods and notify you when they are to be collected.
 - We will charge you for warranty work at your premises, where you require it to be performed outside Normal Hours (at penalty rates); and where you require repairs to Carry-In Items to be undertaken at your premises (call-out and travelling time, but not labour costs, which will be billed).
 - This warranty will be void if: you or a third party have installed or operated the goods otherwise than in accordance with the manufacturer's instructions and recommendations; or the goods have been repaired, serviced, modified or tampered with in any way by someone who is not qualified to do so and in any manner not complying with the manufacturer's specifications.
 - Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.
- ### TITLE AND RISK
- Title to the goods shall remain with us until such time as we have received payment of the purchase price of the goods and the purchase price of any other goods or services previously or subsequently supplied by us to you, whereupon such title shall pass to you.
 - Until such time as title of the goods passes to you, you shall hold the goods as the bailee from us and you shall remain liable to account to us for the goods.
 - Subject to clause 30, you shall be entitled to sell, lease or deliver the goods in the ordinary course of your business. If the goods are sold by you prior to when title passes to you:
 - must be able upon demand by us to separate and identify as belonging to us goods supplied by us from other goods which are held by you;
 - must keep separate records in relation to the proceeds of the sale of any goods which have not been paid for;
 - agree that you hold the proceeds of resupply of the goods on trust for and as agent for the us immediately when they are receivable or are received;
 - agree that you must either pay the amount of the proceeds of resupply to us immediately when they are received or pay those proceeds into an account with a bank or a financial institution or deposit taking institution as trustee for us;
 - agree that any accessory or item which accedes to any of the goods by an act yours or any person at the direction or request of you, becomes and remains our property until we have received payment of the purchase price of the goods in accordance with Clause 30 when the property in the goods (including the accessory) passes to you;
 - agree that we may repossess the goods if payment for the goods is not made within the time prescribed in clause 32 (or such longer time as we may, in our complete discretion, approve in writing);
 - grant an irrevocable licence to us and our agent to enter your premises in order to recover possession of goods pursuant to this paragraph. You indemnify us in respect of any damage to property or personal injury which occurs as a result of the our entering your premises; and
 - irrevocably appoint your attorney to do all acts and things necessary to ensure the retention of title to goods including the registration of any security interest in favour of us with respect to the goods.
 - For the avoidance of doubt, if any goods are used in a manufacturing process mixed with other materials, you must record the value of goods so consumed in relation to each unit of finished product and upon sale of any unit of finished product, immediately remit that amount from the proceed of sale to you. You must provide us monthly or quarterly with records of such use.
 - Your right to sell the goods in the ordinary course of its business:
 - may be revoked at any time by us by giving notice to that effect; if you are in default for longer than seven days in the payment of any sum whatsoever due to us;
 - shall automatically cease if a receiver, controller, liquidator or administrator is appointed to any of your assets, undertaking or property; or a winding up application or order is made against you; or any petition or order in bankruptcy (against
- you is presented or made, or you go into voluntary liquidation or call a meeting or of make arrangements or compositions with your creditors.
- Risk in goods passes to you immediately upon delivery. Pending payment in full for the goods, you:
 - must not supply any of the goods to any person outside the ordinary or usual course of business;
 - must not allow any person to have or acquire any security interest in the goods; and
 - must insure the goods for the full insurable or replacement value (whichever is the higher), with an insurer licensed or authorised to conduct the business of insurance in the place where you carry on business.
- ### INVOICING AND PAYMENT
- The invoiced amount for the goods is to be paid by you no later than the last day of the month following the month in which the invoice is first issued ("the due date"). Where you fail to pay for the goods in full by the due date, we may at our discretion and without attracting any liability to you withhold delivery of all other goods for which orders have been placed by you and accepted by us.
 - Where payment is not made by the due date, interest on the outstanding amount shall be payable at the greater of the rate of one per cent above our overdraft rate from time to time, calculated from the due date until payment is made in full.
 - You are liable for all reasonable expenses (including contingent expenses such as debt collection commission) and legal costs (on a full indemnity basis) incurred by us for enforcement of obligations and recovery of monies due by you to us.
 - You authorise us to:
 - obtain credit reports from credit reporting agencies and other credit providers concerning your credit worthiness, credit standing, credit history and credit capacity for the purpose of assessing an application by you for credit and your credit worthiness;
 - to disclose reports and information to other credit providers about your credit worthiness, credit standing, credit history and credit capacity for the purpose of assessing an application by you for credit and your credit worthiness.
 - You as beneficial owner and/or registered proprietor hereby charge in favour of us your estate and interest in any real property (including but not limited to any applicable land owned by you named or described as your street address in the Credit Application (if applicable) ("Land") to secure payment of accounts rendered by us to you for the delivery and/or supply of goods, including interest payable on these accounts and costs (including legal costs on a full indemnity basis) incurred by us and including the costs to prepare and lodge a Caveat against the Land and to remove the Caveat. You further agree to execute a mortgage or mortgages in registrable form promptly at our request. If, upon request, the mortgage(s) are not executed and returned within fourteen days, then you authorise any duly authorised officer of ours to sign as your attorney. A statement of certificate signed by our duly authorised officer as to the goods supplied and any indebtedness by you shall be prima facie evidence of the supply and indebtedness.
- ### DEFAULT AND TERMINATION
- Each of the following constitutes an event of default:
 - you breach or are alleged to have breached these terms of trade for any reason (including, but not limited to, defaulting on any payment due under these terms of trade) and fail to remedy that breach within 14 days of being given notice by us to do so;
 - you, being a corporation, are subject to:
 - a winding up application or an order made against you or a meeting being called to consider a resolution for you to be wound up, deregistered or dissolved;
 - a receiver, receiver and manager, or administrator being appointed under part 5.3A of the Corporations Act 2001 to all or any part of your property or undertaking;
 - you enter into a scheme of arrangement (other than for the purposes of restructuring);
 - any assignment by you for the benefit of creditors;
 - any purported assignment by you of your rights under these terms of trade without our prior written consent;
 - you cease or threaten to cease conduct of your business in the normal manner.
 - In the event of any default, except where payment in full has been received by us, we may:
 - terminate these terms of trade;
 - terminate any or all orders and credit arrangements (if any) with you;
 - refuse to deliver goods or provide further services;
 - repossess and resell any goods delivered to you, the payment for which has not been received; or
 - retain (where applicable) all money paid on account of goods or services or otherwise.
 - in addition to any action permitted to be taken by us under this clause on the occurrence of an event of default, all invoices will become immediately due and payable.
- ### LIMITATION OF LIABILITY
- Save and except for the express warranty set out above, and to the maximum extent permitted by law, all guarantees, conditions and warranties which may at any time be implied by the common law, the Australian Consumer Law, the Fair Trading Act, the Goods Act or any other State or Federal Act or legislation are excluded. To the extent that these cannot be excluded and where the law permits, our liability in respect of any such condition or warranty shall be limited at our option to the repair or replacement of the goods or the supply of equivalent goods or the payment of the costs of replacing or repairing the goods or having them replaced or repaired.
 - Under no circumstances are we responsible in any way to you or any other person for any loss, damages, costs, expenses or other claims (including consequential damages, loss of profit or loss of revenue), as a result, direct or indirect, of any defect, deficiency or discrepancy in the goods or services including in their form, content and timeliness of deliveries, failure of performance, error, omission or defect, including, without limitation, for or in relation to any of the following:
 - any goods or services supplied to you;
 - any delay in supply of the goods or services; or
 - any failure to supply the goods or services.
- ### INDEMNITY
- You indemnify us, and will keep us, our servants and agents indemnified in respect of any claim or demand made or action commenced by any person (including, but not limited to, you) against us or for which we are liable, in connection with any loss arising from or incidental to the provision of the goods or services, any order or the subject matter of these terms of trade including, but not limited to, any legal costs incurred by us in relation to any claim or demand or
- any party/party legal costs for which we are liable in connection with any such claim or demand. This provision remains in force after the termination of these terms of trade.
- ### PPSA LEGISLATION
- You grant us a Security Interest in the goods supplied as Commercial Property, more particularly described as other goods and their Proceeds to secure your obligation to pay to purchase price of the goods and any other obligations of you to us under this agreement (together the "Indebtedness"), and, where the goods and/or Proceeds are not readily identifiable and/or traceable, or their recoverable value is insufficient to pay the Indebtedness, the Security Interest shall also extend to all your present and after acquired property, of which the goods form part, to the extent required to secure the Indebtedness.
 - As and when required by us you shall, at your own expense, provide all reasonable assistance and relevant information to enable us to register a Financing Statement or a Financing Change Statement and generally to obtain, maintain, register and enforce our Security Interest in respect of the goods supplied, in accordance with the Personal Property Securities Act 2009 ("PPSA").
 - You shall not change your name without first notifying us of the new name not less than 7 days before the change takes effect.
 - You warrant that the goods are not purchased for personal, domestic or household purposes.
 - Notwithstanding any reference to a particular invoice/order, where any sum remains outstanding by you or more than one invoice/order, any payments received from you shall be deemed to be made by you and applied by us in the following order:
 - to any obligation owed by you to us which is unsecured, in the order in which the obligations were incurred;
 - to any obligations that are secured, but not by a Purchase Money Security Interest ("PMSI"), in the order in which those obligations were incurred;
 - to obligations that are secured by a PMSI, in the order in which those obligations were incurred.
 - You and we agree to contract out of the PPSA in accordance with Section 115 of the PPSA to the extent that Section 115 applies for the benefit of, and does not impose a burden on, us. You waive your right to receive a Verification Statement in respect of any Financing Statement or Financing Change Statement registered by or on behalf of us in respect of the Security Interest created by these terms and conditions.
 - For the purpose of clauses 42 to 47, all words and phrases starting with a capital letter shall have the respective meanings given to them under, or in the context of the PPS.
- ### AGENCY AND ASSIGNMENT
- You agree that we may at any time appoint or engage an agent to perform an obligation of ours arising out of or pursuant to these terms of trade.
 - We have the right to assign and transfer to any person all or any of our title, interest, benefit, rights, duties and obligations arising in, under or from these terms of trade provided that the assignee agrees to assume any duties and obligations we owe to you under these terms of trade.
 - You are not to assign, or purport to assign, any of your obligations or rights under these terms of trade without our prior written consent.
- ### FORCE MAJEURE
- If circumstances beyond our control prevent or hinder the provision of the goods or any services, we are free from any obligation to provide the goods or services while those circumstances continue. We may elect to terminate this agreement or keep it on foot until such circumstances have ceased. Circumstances beyond our control include but are not limited to, unavailability of materials or components, strikes, lockouts, rights, natural disasters, fire, war, acts of God, government decrees, proclamations or orders, transport difficulties and failures or malfunctions of computers or other information technology systems.
- ### APPLICABLE LAW
- These terms and conditions shall at all times be governed, construed and interpreted according to the law of the State of Victoria and you hereby irrevocably submits to the jurisdiction of the courts of that State and all courts of appeal there from. Terms and Conditions are subject to change without notice. To ensure you are always viewing our latest Terms & Conditions, please visit www.comcatex.com.au/terms. COP-AR028 Comcatex Terms & Conditions of Sale Issue 012 Issue Date: 01/06/2022.



Contact us

General Enquiries

1300 309 262

24 Hour Service Hotline

1800 810 161

Equipment Sales

1800 035 327

Email

contactus@comcater.com.au
comcater.com.au

