

linea pb

a heavy duty workhorse -
capturing the past, envisioning the future.



Available Configurations: MP | AV | ABR

Available Number of Groups: 2 | 3 | 4

The Linea PB, designed by and named in recognition of Piero Bambi, introduces a new level of performance, reliability, and craftsmanship. The machine features the iconic La Marzocco polished stainless steel body, updated with simplified lines and a lower profile, equipped

with exclusive, user friendly interface software that gives the barista direct functional control over boiler temperature, brewing volume, hot water tap dose, auto-back flush as well as other options. The group cap features and integrated flow-meter to ensure that water never

leaves the saturated area of the coffee boiler, reducing temperature instability during brewing. The Linea PB is the first La Marzocco machine equipped with the new generation of proprietary electronics and iconic three-button interface.

Dual PID (coffee and steam)

Allows you to electronically control coffee and steam boiler temperature.

Digital Display

Intuitive programming makes it easy to adjust machine parameters.

High Legs - Special Order

Makes it easier to access beneath the machine.

Eco Mode

Can be programmed to enter stand-by mode, improving energy efficiency.

USB

Making it possible to update the firmware.

Barista Lights - Special Order

Led lighting allows you to focus on your extraction and the cup.

Conical Paddle - MP only

Assures progressive control of water flow and pressure before applying full pressure.

Integrated Scales - ABR only

Precision scales built in the drip tray provide an improved level of consistency.

Personalized Colors - Special Order

Customizable colors based on the RAL color system, on request.

Piero Group Caps - AV, ABR

Re-engineered internal water path and flow-meter positioning that increase temperature stability.

Programmable Doses - AV, ABR

Auto-volumetrics ensure repeatability and consistency in high-volume settings.

Cup Warmer - Special Order

Maintain espresso and cappuccino cups evenly heated at a proper temperature.

Specifications	2 groups	3 groups	4 groups
Height (cm/in)	53,3 / 21	53,3 / 21	53,3 / 21
Width (cm/in)	71 / 28	95 / 38	119 / 47
Depth (cm/in)	59 / 23	59 / 23	59 / 23
Weight (kg/lbs)	61 / 135	77 / 170	117 / 258
Voltage	200 Single Phase	200V Single Phase	200V Single Phase
	220V Single/3 Phase	220V Single/3 Phase	220V Single/3 Phase
	380V 3 Phase	380V 3 Phase	380V 3 Phase
Wattage (min)	3750	4930	6930
Wattage (max)	5450	7240	9470
Coffee Boiler Capacity (liters)	3,4	5	2 x 3,4
Steam Boiler Capacity (liters)	7	11	15

linea pb x

an update to the technical
and stylistic workings of an industry icon.



Available Configurations: AV | ABR

Available Number of Groups: 2 | 3 | 4

5 years after the launch of the Linea PB, which has become a trusted industry workhorse, La Marzocco introduced on the market a version of the machine equipped with the most advanced La Marzocco technologies. These include pre-heating system, independent boil-

ers, hot water mixing valve accessible from the side panel and Pro Touch steam wands. The Linea PB X features refreshed aesthetics based on the presence of barista lights as standard and white details such as logos, manometer, display lettering and keypads. The dynamic

preheater ensures unmatched temperature stability provide steady brew water and steam even at the peak of the morning rush. The Linea PB's lower profile and increased work area also make it practical, without abandoning world renown Italian design.

Dual PID (coffee and steam)

Allows you to electronically control coffee and steam boiler temperature.

USB

Making it possible to update the firmware.

Integrated Scales - ABR only

Precision scales built in the drip tray provide an improved level of consistency.

Eco Mode

Can be programmed to enter stand-by mode, improving energy efficiency.

Piero Group Caps

Re-engineered internal water path and flow-meter positioning that increase temperature stability.

Cup Warmer - Special Order

Maintain espresso and cappuccino cups evenly heated at a proper temperature.

Hot Water Economizer

Enables you to fine-tune the tap water temperature for tea.

Pro Touch Steam Wands

High performing steam wands that are cool to the touch.

High Legs - Special Order

Makes it easier to access beneath the machine.

Digital Display

Intuitive programming makes it easy to adjust machine parameters.

Barista Lights

Led lighting allows you to focus on your extraction and the cup.

Personalized Colors - Special Order

Customizable colors based on the RAL color system, on request.

Specifications	2 groups	3 groups	4 groups
Height (cm/in)	53,3 / 21	53,3 / 21	53,3 / 21
Width (cm/in)	71 / 28	95 / 38	119 / 47
Depth (cm/in)	59 / 23	59 / 23	59 / 23
Weight (kg/lbs)	61 / 135	77 / 170	117 / 258
Voltage	200 Single Phase	200V Single Phase	200V Single Phase
	220V Single/3 Phase	220V Single/3 Phase	220V Single/3 Phase
	380V 3 Phase	380V 3 Phase	380V 3 Phase
Wattage (min)	3350	5830	6930
Wattage (max)	5670	7790	9470
Coffee Boiler Capacity (liters)	2 x 1,3	3 x 1,3	2 x 3,4
Steam Boiler Capacity (liters)	7	11	15