
WFbli 5241

Wine fridge Professional
Perfection

LIEBHERR

Freestanding

INDUSTRY
KITCHENS

www.industrykitchens.com.au 1800 611 058




Freestanding

LIEBHERR

WFbli 5241

Wine fridge Professional
Perfection



Max. No. of Bordeaux bottles 0.75 Ltr	188 ¹
Ext. dimensions in mm (w/d/h)	597/763/1884
Int. dimensions in mm (w/d/h)	492/587/1670
Energy consumption in 365 days	119 kWh ²
Climate rating	SN-ST
Refrigerant	R 600a
Noise output	38 dB(A)
Connection Rating	1.5 A
Frequency / voltage	50/60 Hz / 220-240 V~
Fan	yes
FreshAir activated charcoal filter	yes
Humidity control via	HumiditySelect (Two-stage: "Standard" or "High")
Temperature zones	1
Adjustable cooling circuits	1
Temperature range	+5 °C to +20 °C
Door	Glass door, frame black
Side walls	black
Control unit type/position	2.4" TFT Display colorful / in the door
Operation of the control	Touch & Swipe
Alarm in case of malfunction	optical and acoustic
Liner Material	Plastic, graphite gray
Interior light	LED-Light full length on both sides
permanently activated/dimmable	yes / yes
EasyFill loading aid	yes
Shelf material	Metal board with wooden front
Storage shelves	7
running on telescopic rails	1
Height-adjustable shelves	yes
Handle	Rod handle with integrated opening mechanism
Air filter	in rear wall
Type of lock	electronic, without remote control
Self-closing door	yes
Door hinges	right, reverseable
Replaceable door seal	yes
Side-by-side capable	yes
Gross/net weight	109/104 kg
EAN-Nr.	9005382244074

Features




EasyFill loading aid

Lighten the load. The EasyFill loading aid ensures that the door of your wine storage fridge remains open from an angle of 90° – for particularly easy filling. And thanks to the SelfClosing mechanism, the door closes all by itself when opened less than 90° – always as gently as your valuable wines require.



Child lock

The child lock is programmed so as to prevent the appliance being inadvertently switched off. A symbol in the control panel indicates when the child lock is switched on.



2 height-adjustable feet

For maximum stability. With its height-adjustable feet, your wine storage cabinet can be optimally aligned and also adapts perfectly to uneven surfaces. This means you can rest assured that the door always closes tightly, no heat gets in, no condensation forms and the storage conditions remain constant, thus protecting the quality of your wine.



Display lock

Everything under control. Securing your wine collection with a door lock is one thing, but it's just as important to prevent unauthorised use of your wine storage cabinet. The new display lock, which is activated via the menu, offers a particularly reliable solution. The three-digit PIN secures your settings and therefore the optimal conditions for your wine.



Door alarm



On the alert as soon as it's open. If the door of your wine storage cabinet remains open for more than 60 seconds, the door alarm is activated. The door alarm sounds audibly and is accompanied by pulsating appliance lighting. This allows you to react as quickly as possible to maintain the optimal storage conditions for your wines.



EasyFill loading aid

Lighten the load. The EasyFill loading aid ensures that the door of your wine serving cabinet remains open from an angle of 90° – for particularly easy filling. And thanks to the SelfClosing mechanism, the door closes all by itself when opened less than 90° – always as gently as your valuable wines require.

Technical drawing



Products and their details are staged for advertising purposes. Whilst every effort is made to ensure all specifications and information in this flyer are accurate, Liebherr reserves the right to make changes without notification. Where actual appliance measurements, specifications, and ratings are crucial, we recommend that the actual appliance installation instructions that accompany each appliance be checked. (22.07.2025)

