

RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOO2360	BR78G60	Bratt Pans

ITEM

Gas tilting bratt pan 60 litres



RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOO2360	BR78G60	Bratt Pans

ITEM

Gas tilting bratt pan 60 litres



TECHNICAL SPECIFICATIONS

WIDTH (mm):	800
DEPTH (mm):	750
HEIGHT (mm):	900
WEIGHT (Kg):	124
VOLUME (m ³):	0.8
GAS POWER (kW):	14
COOKING ZONES N°:	1
COOKING ZONE DETAILS:	1x 14 kW
TANK DIM. (mm):	770x540x200(h) mm
TANK N°:	1
CAPACITY (L):	60
TEMP. RANGE (°C):	0-280 °C

DESCRIPTION


Freestanding gas tilting bratt pan in AISI 304 stainless steel. Top designed for flush alignment with hermetic seal supplied. Cooking tank with manual lifting mechanism, in stainless steel, 60-litre capacity, with 10 mm gauge bottom in Duplex. Rectangular with radiused corners for improved cleaning. Double skinned lid with drip zone at rear to convey condensate into the pan, fitted with sturdy AISI 304 stainless steel hinges with spring balancing. Manual water filling activated by a tap. Fixed water tap positioned on the top. Satin-finish tubular AISI 304 steel handle with front grip, joined to lid. Heating by means of steel burner with stabilized flame underneath the tank, gas safety valve with thermocouple. The product complies with EC regulation 1935/2004 and Italian ministerial decree 21/03/1973 (Materials and Objects intended to come into contact with Food) MOCA. Appliance equipped with stainless steel adjustable feet.



RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOO2360	BR78G6O	Bratt Pans

ITEM

Gas tilting bratt pan 60 litres



INSTALLATION SPECIFICATIONS

(G) Gas Inlet:	Ø1/2"
(AF) Cold Water Inlet:	Ø1/2-H=100mm.

