

RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOO3430	CI94ETG	Induction Ranges

ITEM

2 zone full surface induction top on open stand



RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOO3430	CI94ETG	Induction Ranges

ITEM

2 zone full surface induction top on open stand



TECHNICAL SPECIFICATIONS

WIDTH (mm):	400
DEPTH (mm):	920
HEIGHT (mm):	900
WEIGHT (Kg):	59
VOLUME (m ³):	0.5
EL. POWER (kW):	14
VOLTAGE:	VAC400-3
INTERNAL BASE UNIT DIM. (mm):	360x400(h)x900 mm
COOKING ZONES N°:	2
COOKING ZONES DIM. (mm):	345x695mm
COOKING ZONE DETAILS:	2x 7kW
IP GRADE:	IPX5

DESCRIPTION


Freestanding electric full-coverage induction boiling top on open cabinet base, glass ceramic top, thickness 6 mm hermetically sealed to top; pot detection system which activates heating upon presence of cooking receptacles. Appliance constructed in AISI 304 stainless steel. Ergonomic knobs shaped to prevent water infiltration. Equipped with 2 independent cooking zones with 7 kW output. Cooking zones marked with screen printed circles on the glass-ceramic surface. Control knob for selection of 6 power settings. Indicator lights indicating activation of heating and correct appliance operation. Integral power-box, main safety sensor. IPX5 water-resistant rating.



RANGE	CODE	MODEL	FUNCTION
MI - 90	MAMCOOO3430	CI94ETG	Induction Ranges

ITEM

2 zone full surface induction top on open stand



INSTALLATION SPECIFICATIONS

(E) Electrical Connection: VAC400-3 50 / 60 Hz

