

RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO340	PL74EG	Plancha 2-in-1

ITEM

Electric plancha 2-in-1 400 mm width top on open stand



RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO340	PL74EG	Plancha 2-in-1

ITEM

Electric plancha 2-in-1 400 mm width top on open stand



TECHNICAL SPECIFICATIONS

WIDTH (mm):	400
DEPTH (mm):	750
HEIGHT (mm):	900
WEIGHT (Kg):	
VOLUME (m ³):	0.4
EL. POWER (kW):	5
VOLTAGE:	VAC400 3N
INTERNAL BASE UNIT DIM. (mm):	360x400(h)x700 mm
COOKING ZONES N°:	2
COOKING ZONES DIM. (mm):	330x495mm
COOKING ZONE DETAILS:	2x 2,5kW
IP GRADE:	IPX5
TEMP. RANGE (°C):	50-350

DESCRIPTION


Freestanding electric boiling top with hotplate, on open cabinet base, in AISI 304 stainless steel. 20/10 pressed steel top with anti-spill front edge, designed for flush alignment with hermetic seal supplied. Top designed to accommodate water column accessory. Hotplate made of stainless steel with hardened chrome contact surface. Maintains heat and reduces heat loss in the environment with considerable energy saving. Recessed hotplate flush with top, with radiused corners and bevelled upper edge, 330x495 mm cooking zone, 18 mm thick. Large perimeter channel with opening for run-off to grease collection draw. 2 independent 2,5 kW cooking zones 330x247mm. Thermostatic temperature control for direct cooking from 50 to 280°C, for indirect cooking from 50 to 350°C. Heat control knob shaped to prevent water infiltration, equipped with integral indicator lights for instant recognition of heating and correct operation of the appliance. Hotplates equipped with automatic reset safety thermostat that trips if the appliance is switched on with an unsuitable pan or no pan at all. IPX5 water-resistant rating. Appliance equipped with stainless steel adjustable feet.



RANGE	CODE	MODEL	FUNCTION
MI - 70	MAMCOOOO340	PL74EG	Plancha 2-in-1

ITEM

Electric plancha 2-in-1 400 mm width top on open stand



INSTALLATION SPECIFICATIONS

(E) Electrical Connection: **VAC400 3N 50/60 Hz**

