



0900-6-WBCB - Economic Corner Workbench, 100mm Splashback & Undershelf

Quick Overview

All Stainless Steel Corner Workbench with Splashback and Solid Undershelf - WBCB6-0900
600mm Wide

- 100mm Splashback
- 600 mm deep & 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- Locking drawers available*

Legs

- 1.2 mm S/S; 42 mm & 98 mm
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)

Benchtops

- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 20 mm thick & S/S panel
- Special S/S & 98 mm & 99 mm channel reinforcements under

- As the bench size increases so does the number of channels

Undershelves

- Height of shelf is fully adjustable, also an extra shelf can be added

- 1.2 mm S/S

- Special & 98 mm & 99 mm channel reinforcements under to suit the bench type & size, and as the bench size increases so does the & 98 mm & 99 mm channel width; S/S 1.2 mm thick

Splashbacks

- Stainless steel backing
- All S/S lined & bevelled
- 180 mm high; 30 mm thick
- Fully enclosed & folded under top (not gal. or open)

Description

All Stainless Steel Corner Workbench with Splashback and Solid Undershelf - WBCB6-0900

600mm Wide

- 100mm Splashback
- 600 mm deep × 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- Locking drawers available*

Legs

- 1.2 mm S/S; 42 mm Ø
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)

Benchtops

- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 20 mm thick & S/S panel
- Special S/S ' U ' channel reinforcements under
- As the bench size increases so does the number of channels

Undershelves

- Height of shelf is fully adjustable, also an extra shelf can be added
- 1.2 mm S/S
- Special ' U ' channel reinforcements under to suit the bench type & size, and as the bench size increases so does the ' U ' channel width; S/S 1.2 mm thick

Splashbacks

- Stainless steel backing
- All S/S lined & bevelled
- 180 mm high; 30 mm thick
- Fully enclosed & folded under top (not gal. or open)

2 Years Parts only Warranty

Your Shipping Specifications

Net Weight (Kg)	0
Width (mm)	600
Depth (mm)	600
Height (mm)	900
Packing Width (mm)	980
Packing Depth (mm)	980
Packing Height (mm)	110
Power	0
Warranty	2 Years Parts Only