



## DSB6-1200C/A Double Centre Sink Bench with Pot Undershelf

### Quick Overview

- All Stainless Steel Double Centre Sink Bench with Pot Undershelf - DSB6-1200C/A
- 1200 mm wide
- Free optional leg brace instead of pot shelf, please specify leg brace on order if required
- Bowl size 400mmW x 400D x 300H; 90 mm Ø drain hole
- 600 mm deep x 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
- 1.2 mm S/S
- 15 mm wet edge
- Centre bowl positioning
- Bowls are fully welded, polished inside & out
- 90 mm Ø drain hole

### Description

- All Stainless Steel Double Centre Sink Bench with Pot Undershelf -DSB6-1200C/A
- 1200 mm wide
- Free optional leg brace instead of pot shelf, please specify leg brace on order if required
- Bowl size 400mmW x 400D x 300H; 90 mm Ø drain hole
- 600 mm deep x 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
- 1.2 mm S/S
- 15 mm wet edge
- Centre bowl positioning
- Bowls are fully welded, polished inside & out
- 90 mm Ø drain hole
- Splashbacks
  - Stainless Steel backed • 150 mm high; 30 mm thick
  - Bevelled • fully enclosed
- Legs
  - 1.2 mm S/S; 42 mm Ø
  - Fully adjustable S/S polished disc feet that match the legs perfectly
  - Castor kits available (lockable)
- Benchtops
  - 1.2 mm material; SUS304 (18/8)
  - Lined with XPS board, 15 mm thick & S/S panel
  - Special S/S 'U' channel reinforcements under
  - As the bench size increases so does the number of channels

Pot Undershelves

- 1.2mm S/S (18/8)
- Outer frame tubes: 38 Ø 1.2 mm tube
- Inner tubes: 25 Ø 1 mm tube with 40 mm spacing

2 Years Parts only Warranty

Your Shipping Specifications

---

Net Weight (Kg)	0
Width (mm)	1200
Depth (mm)	600
Height (mm)	900
Packing Width (mm)	670
Packing Depth (mm)	1270
Packing Height (mm)	530
Power	0
Warranty	2 Years Parts Only