



WBB6-1200/A Workbench with Splashback

Quick Overview

All Stainless Steel Workbench with Splashback and Solid Undershelf - WBB6-1200/A

1200mm Wide

Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required

OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories

• 600 mm deep • 900 mm high

• Specially designed for quick & simple assembly

• Comes with instruction manual & tools

• Supplied flat-packed for ease of transport

• 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs

• Locking drawers available*

Legs

• 1.2 mm S/S; 42 mm •

• Fully adjustable S/S polished disc feet that match the legs perfectly

• Castor kits available (lockable)

Benchtops

• 1.2 mm material; SUS304 (18/8)

• Lined with XPS board, 20 mm thick & S/S panel

• Special S/S • channel reinforcements under

- As the bench size increases so does the number of channels

Undershelves

• Height of shelf is fully adjustable, also an extra shelf can be added

• 1.2 mm S/S

• Special • channel reinforcements under to suit the bench type & size, and as the bench size increases so does the • channel width; S/S 1.2 mm thick

Splashbacks

• Stainless steel backing

• All S/S lined & bevelled

• 150 mm high; 30 mm thick

• Fully enclosed & folded under top (not gal. or open)

Description

All Stainless Steel Workbench with Splashback and Solid Undershelf - WBB6-1200/A

This work table comes included with a slick undershelf and splashback, and comes to our shores from stainless steel and catering

equipment brand, Modular Systems, who stock a wide range of efficient stainless steel benches and products. This unit is easy to clean, hygienic and packed flat for easy assembly with instruction manual and tools.

1200mm Wide

Free optional leg brace instead of solid shelf; please specify leg brace on purchase order if required

OPTIONAL DRAWERS AVAILABLE; - See Stainless Steel Accessories

- 600 mm deep × 900 mm high
- Specially designed for quick & simple assembly
- Comes with instruction manual & tools
- Supplied flat-packed for ease of transport
- 4 legs per bench - 2100 & 2400 mm wide benches have 6 legs
- Locking drawers available*

Legs

- 1.2 mm S/S; 42 mm Ø
- Fully adjustable S/S polished disc feet that match the legs perfectly
- Castor kits available (lockable)

Benchtops

- 1.2 mm material; SUS304 (18/8)
- Lined with XPS board, 20 mm thick & S/S panel
- Special S/S ' U ' channel reinforcements under
- As the bench size increases so does the number of channels

Undershelves

- Height of shelf is fully adjustable, also an extra shelf can be added
- 1.2 mm S/S
- Special ' U ' channel reinforcements under to suit the bench type & size, and as the bench size increases so does the ' U ' channel width; S/S 1.2 mm thick

Splashbacks

- Stainless steel backing
- All S/S lined & bevelled
- 150 mm high; 30 mm thick
- Fully enclosed & folded under top (not gal. or open)

2 Years Parts only Warranty

Your Shipping Specifications

Net Weight (Kg)	0
Width (mm)	1200
Depth (mm)	600
Height (mm)	900
Packing Width (mm)	670
Packing Depth (mm)	1270
Packing Height (mm)	275
Power	0
Warranty	2 Years Parts Only