

# INDUSTRY KITCHENS

[www.industrykitchens.com.au](http://www.industrykitchens.com.au) 1800 611 058

## SDX<sup>®</sup> THERMOBOX<sup>®</sup>



*Keeping the right temperature*

**MOFFAT<sup>®</sup>**

# Technical summary



|                         |                                                                                                        |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
|-------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| SERIES                  | K ECO                                                                                                  |                                                                                         |                                                                                         | S                                                                                        |                                                                                          |                                                                                          | F & E                                                                                     |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| COLOUR                  | BLUE                                                                                                   |                                                                                         |                                                                                         | BLACK                                                                                    |                                                                                          |                                                                                          | RED                                                                                       |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| TYPE                    | COOLING                                                                                                |                                                                                         |                                                                                         | NEUTRAL                                                                                  |                                                                                          |                                                                                          | HEATED                                                                                    |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| TECHNOLOGY              | COMPRESSOR                                                                                             |                                                                                         |                                                                                         | ISOLATED ONLY                                                                            |                                                                                          |                                                                                          | CONVECTION & STATIC                                                                       |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| SIZES                   |                       |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| INNER CONTAINER         | Fully welded container in stainless steel.                                                             |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| GUIDES                  | Stainless steel, pressed from the inner container.                                                     |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| CAPACITY GN1/I          | 4<br>                | 6<br> | 8<br> | 10<br> | 12<br> | 14<br> | 8+8<br> | 10+10<br> | 12+12<br> | 14+14<br> | 12+12+12<br> |
| SPACING                 | 80mm                                                                                                   |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| MAXIMUM LOAD            | 30 kg per pair of guides                                                                               |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| INSULATION:             | Polyurethane.                                                                                          |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| DOOR                    | Recessed for best insulation properties, internal surface made of smooth and seamless stainless steel. |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| EXTERIOR WALLS AND DOOR | ABS plastic.                                                                                           |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| TOP FRAME               | A stable upper and lower galvanised steel coated frame with PVC corners.                               |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| TROLLEY FRAME:          | Reject list of stainless steel coated with PVC.                                                        |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| WHEELS                  | 160 mm castors, two fixed, two swivel with brakes.                                                     |                                                                                         |                                                                                         |                                                                                          |                                                                                          |                                                                                          |                                                                                           |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| VOLT                    | 230v                                                                                                   |                                                                                         |                                                                                         | -                                                                                        |                                                                                          |                                                                                          | 230v                                                                                      |                                                                                             |                                                                                             |                                                                                             |                                                                                                |
| EFFECT                  | 190w                                                                                                   |                                                                                         |                                                                                         | -                                                                                        |                                                                                          |                                                                                          | 550w/1000w                                                                                |                                                                                             |                                                                                             |                                                                                             |                                                                                                |



|                               |                                                                                                           |                                                                 |
|-------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
| SERIES                        | SF & SE                                                                                                   | KF & CE                                                         |
| COLOUR                        | BLACK/RED                                                                                                 | BLUE/RED                                                        |
| TYPE                          | NEUTRAL<br>& HEATED                                                                                       | COOLED<br>& HEATED                                              |
| TECHNOLOGY                    | ISOLATION ONLY &<br>CONVECTION HEATING<br>OR STATIC HEATING                                               | COMPRESSOR COOLING<br>& CONVECTION HEATING<br>OR STATIC HEATING |
| INNER<br>CONTAINER            | Fully welded container in stainless steel.                                                                |                                                                 |
| GUIDES                        | Stainless steel, pressed from the inner container.                                                        |                                                                 |
| SPACING                       | 80mm                                                                                                      |                                                                 |
| MAXIMUM<br>LOAD               | 30 kg per pair of guides                                                                                  |                                                                 |
| INSULATION:                   | Polyurethane.                                                                                             |                                                                 |
| DOOR                          | Recessed for best insulation properties, internal surface<br>made of smooth and seamless stainless steel. |                                                                 |
| EXTERIOR<br>WALLS AND<br>DOOR | ABS plastic.                                                                                              |                                                                 |
| TOP FRAME                     | A stable upper and lower galvanised steel coated<br>frame with PVC corners.                               |                                                                 |
| TROLLEY<br>FRAME:             | Reject list of stainless steel coated with PVC.                                                           |                                                                 |
| WHEELS                        | 160 mm castors, two fixed, two swivel with brakes.                                                        |                                                                 |

COOLED

≡ NEUTRAL

||| HEATED

## THERMOBOX® K ECO COMPRESSOR COOLING

K-boxes are excellent for food that is to be served cold, and for transporting and storing food that is to be heated up subsequently.

## THERMOBOX® S ISOLATED BOX

S-boxes are ideal for food that is to be served cold as well as for transporting and storing food that is to be heated at a later stage in the process.

## THERMOBOX® F CONVECTION HEATED THERMOBOX® E STATIC HEATED

F & E boxes are ideal for storing hot food where the quality of the food is maintained during transport.

||| HEATED  
≡ NEUTRAL

## THERMOBOX® SF & SE

These Thermoboxes are capable of transporting both hot and cold food at the same time. One part of the unit is neutral, while the other part is heated by convection.

||| HEATED  
\* COOLED

## THERMOBOX® SF & CE

These Thermoboxes are capable of transporting both hot and cold food at the same time. Compressor cooling is used one part, while convection heating is used in the other part.

# Single Thermobox<sup>®</sup>

|    |                                                                                                                            |                                                                                                                                        |                                                                                                                                                                           |                                                                                                                                      |                                                                                                                                                                     |
|----|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4  | ≡ S60R                                                                                                                     |                                                                                                                                        | ≡ E60R                                                                                                                                                                    |                                                                                                                                      |                                                                                                                                                                     |
|    |                                           |                                                       |                                                                                                                                                                           |                                                                                                                                      |                                                                                                                                                                     |
|    | <p>Neutral Thermobox®<br/>Weight : 37kg<br/>Tray Capacity : 4 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 710 x H 870</p>   | <p>Electric Heated Thermobox®<br/>Weight : 41kg<br/>Tray Capacity : 4 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 710 x H 895</p>       |                                                                                                                                                                           |                                                                                                                                      |                                                                                                                                                                     |
| 6  | ≡ S90R                                                                                                                     | * K90R                                                                                                                                 | ≡ E90R                                                                                                                                                                    | ≡ F90R                                                                                                                               | ≡ F90R-BUC                                                                                                                                                          |
|    |                                           |                                                       |                                                                                          |                                                    |                                                                                  |
|    | <p>Neutral Thermobox®<br/>Weight : 41kg<br/>Tray Capacity : 6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 710 x H 1030</p>  | <p>Compressor Chilling Thermobox®<br/>Weight : 70kg<br/>Tray Capacity : 6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1115</p>  | <p>Electric Heated Thermobox®<br/>Weight : 41kg<br/>Tray Capacity : 6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 710 x H 1055</p>                                         | <p>Convection Heated Thermobox®<br/>Weight : 45kg<br/>Tray Capacity : 6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1055</p>  | <p>Convection Heated Thermobox®<br/>Weight : 52kg<br/>Tray Capacity : 6 x 1/1 GN<br/>80mm Tray Pitch<br/>Colour: Black - Undercounter<br/>W 525 x D 770 x H 820</p> |
| 8  | ≡ S120R                                                                                                                    | * K120R                                                                                                                                | ≡ E120R                                                                                                                                                                   | ≡ F120R                                                                                                                              |                                                                                                                                                                     |
|    |                                         |                                                     |                                                                                        |                                                  |                                                                                                                                                                     |
|    | <p>Neutral Thermobox®<br/>Weight : 45kg<br/>Tray Capacity : 8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 710 x H 1190</p>  | <p>Compressor Chilling Thermobox®<br/>Weight : 73kg<br/>Tray Capacity : 8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1275</p>  | <p>Electric Heated Thermobox®<br/>Weight : 48kg<br/>Tray Capacity : 8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 710 x H 1215</p>                                         | <p>Convection Heated Thermobox®<br/>Weight : 49kg<br/>Tray Capacity : 8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1215</p>  |                                                                                                                                                                     |
| 10 | ≡ S150R                                                                                                                    | * K150R                                                                                                                                | ≡ F150R-BCB                                                                                                                                                               | ≡ F150R                                                                                                                              |                                                                                                                                                                     |
|    |                                         |                                                     |                                                                                        |                                                  |                                                                                                                                                                     |
|    | <p>Neutral Thermobox®<br/>Weight : 47kg<br/>Tray Capacity : 10 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 710 x H 1155</p> | <p>Compressor Chilling Thermobox®<br/>Weight : 75kg<br/>Tray Capacity : 10 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1430</p> | <p>Convection Heated Thermobox®<br/>Weight : 61kg<br/>Tray Capacity : 10 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1180<br/>Colour : Black<br/>Central Brake</p> | <p>Convection Heated Thermobox®<br/>Weight : 61kg<br/>Tray Capacity : 10 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1180</p> |                                                                                                                                                                     |



|                 |                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                      |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4<br>4<br>□     |  <b>EE120R</b>                                                                                                                                                     |  <b>SE120R</b>                                                                                                                                             |  <b>CE120R</b>                                                                                                                                                     |                                                                                                                                                                                                                                                      |
|                 |  <p>Electric Heating/Electric Heated Thermobox® Combination<br/>Weight : 54kg<br/>Tray Capacity : 4+4 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 710 x H 1310</p>  |  <p>Neutral/Electric Heated Thermobox® Combination<br/>Weight : 53kg<br/>Tray Capacity : 4+4 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1310</p>   |  <p>Active Chilling/Electric Heated Thermobox® Combination<br/>Weight : 65kg<br/>Tray Capacity : 4+4 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 830 x H 1310</p>   |                                                                                                                                                                                                                                                      |
| 6<br>6<br>□     |  <b>SE150R</b>                                                                                                                                                     |  <b>SF150R</b>                                                                                                                                             |  <b>CE150R</b>                                                                                                                                                     |  <b>CF150R</b>                                                                                                                                                     |
|                 |  <p>Neutral/Electric Heated Thermobox® Combination<br/>Weight 56kg<br/>Tray Capacity 4+6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1285</p>               |  <p>Neutral/Convection Heated Thermobox® Combination<br/>Weight 60kg<br/>Tray Capacity 4+6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1285</p>     |  <p>Active Chilling/Electric Heated Thermobox® Combination<br/>Weight 66kg<br/>Tray Capacity 4+6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 830 x H 1285</p>       |  <p>Active Chilling/Convection Heated Thermobox® Combination<br/>Weight 70kg<br/>Tray Capacity 4+6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 830 x H 1350</p>     |
| 4<br>6<br>□     |  <b>EE150R</b>                                                                                                                                                   |                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                      |
|                 |  <p>Electric Heated/Electric Heated Thermobox® Combination<br/>Weight : 56kg<br/>Tray Capacity : 6+4 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 710 x H 1285</p> |                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                      |
| 6/8<br>6/4<br>□ |  <b>SE180R6</b>                                                                                                                                                  |  <b>SE180R8</b>                                                                                                                                          |  <b>CE180R6</b>                                                                                                                                                  |  <b>CE180R8</b>                                                                                                                                                  |
|                 |  <p>Neutral/Electric Heated Thermobox® Combination<br/>Weight : 63kg<br/>Tray Capacity : 6+6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1445</p>         |  <p>Neutral/Electric Heated Thermobox® Combination<br/>Weight : 60kg<br/>Tray Capacity : 4+8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 770 x H 1445</p> |  <p>Active Chilling/Electric Heated Thermobox® Combination<br/>Weight : 69kg<br/>Tray Capacity : 6+6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 830 x H 1445</p> |  <p>Active Chilling/Electric Heated Thermobox® Combination<br/>Weight : 70kg<br/>Tray Capacity : 6+6 x 1/1 GN<br/>80mm Tray Pitch<br/>W 525 x D 830 x H 1445</p> |



## Double Stacked Thermobox®

| 6 | SS180R                                                                                                                                  | SF180R                                                                                                                                            | KF180R                                                                                                                                                  | 6 | SE210R                                                                                                                                          |
|---|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------|
|   |                                                        |                                                                  |                                                                        |   |                                                              |
|   | <b>Neutral/Neutral Thermobox® Combination</b><br>Weight 56kg<br>Tray Capacity 6+6 x 1/1 GN<br>80mm Tray Pitch<br>W 525 x D 710 x H 1420 | <b>Neutral/Convection Heated Thermobox® Combination</b><br>Weight 62kg<br>Tray Capacity 6+6 x 1/1 GN<br>80mm Tray Pitch<br>W 525 x D 770 x H 1445 | <b>Active Chilling/Electric Heated Thermobox® Combination</b><br>Weight 98kg<br>Tray Capacity 6+6 x 1/1 GN<br>80mm Tray Pitch<br>W 525 x D 770 x H 1665 |   | <b>Neutral/Electric Heated Thermobox® Combination</b><br>Weight 67kg<br>Tray Capacity 6+8 x 1/1 GN<br>80mm Tray Pitch<br>W 525 x D 770 x H 1605 |

## SDX Thermobox® Portable

| 4 | S30R                                                                                                                  | E30R                                                                                                                           | S600R                                                                                                                | E600R                                                                                                                           |
|---|-----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
|   |                                    |                                             |                                   |                                             |
|   | <b>Neutral Thermobox®</b><br>Weight : 9.5kg<br>Tray Capacity : 4 x 1/2 GN<br>80mm Tray Pitch<br>W 425 x D 380 x H 415 | <b>Electric Heating Thermobox®</b><br>Weight :10.5kg<br>Tray Capacity : 4 x 1/2 GN<br>80mm Tray Pitch<br>W 425 x D 380 x H 415 | <b>Neutral Thermobox®</b><br>Weight : 13kg<br>Tray Capacity : 4 x 1/1 GN<br>80mm Tray Pitch<br>W 425 x D 645 x H 415 | <b>Electric Heating Thermobox®</b><br>Weight : 14.5kg<br>Tray Capacity : 4 x 1/1 GN<br>80mm Tray Pitch<br>W 425 x D 645 x H 415 |

## Trolleys for Portable Thermobox®

| H62                                                                                  | H68                                                                                                         | H78                                                                                                         | H78S                                                                                                          | FLEXI - GROCERIES                                                                     |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|   |                          |                          |                           |  |
| Maximum Load 200kg<br>Weight 5kg<br>W 660 x D 440 x H 175<br>Adapted for S600 & E600 | Maximum Load 200kg<br>Weight 13kg<br>W 470 x D 670 x H 200<br>H 900 with handles<br>Adapted for S600 & E600 | Maximum Load 200kg<br>Weight 13kg<br>W 450 x D 660 x H 450<br>H 900 with handles<br>Adapted for S600 & E600 | Maximum Load 200kg<br>Weight 17.5kg<br>W 480 x D 660 x H 630<br>H 900 with handles<br>Adapted for S600 & E600 | Weight : 40kg<br>W 435 x D 695 x H 1265                                               |

# Side-by-Side Thermobox®

Measurements in mm

**\*Note:** Dual cordset standard on side by side models  
Single cordset option available at time of order

|            |                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8/8<br>□   | <div>     EE240R</div> <div></div> <div>Electric Heated/Electric Heated Thermobox® Combination<br/>Weight : 96kg<br/>Tray Capacity : 8+8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 700 x H 1215</div>           | <div>     FF240R</div> <div></div> <div>Convection Heated/Convection Heated Thermobox® Combination<br/>Weight : 110kg<br/>Tray Capacity : 8+8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 770 x H 1125</div>     | <div>≡   SE240R</div> <div></div> <div>Neutral/Electric Heated Thermobox® Combination<br/>Weight : 86kg<br/>Tray Capacity : 8+8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 750 x H 1215</div>                | <div>≡   SF240R</div> <div></div> <div>Neutral/Convection Heated Thermobox® Combination<br/>Weight : 90kg<br/>Tray Capacity : 8+8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 770 x H 1215</div>                | <div>*   CE240R</div> <div></div> <div>Active Chilling/Electric Heated Thermobox® Combination<br/>Weight : 100kg<br/>Tray Capacity : 8+8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 830 x H 1215</div>     |
|            | <div>*   CF240R</div> <div></div> <div>Active Chilling/Convection Heated Thermobox® Combination<br/>Weight : 115kg<br/>Tray Capacity : 8+8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 830 x H 1215</div>         | <div>*   KE240R</div> <div></div> <div>Compressor Chilling/Electric Heated Thermobox® Combination<br/>Weight : 105kg<br/>Tray Capacity : 8+8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 770 x H 1245</div>      | <div>*   KF240R</div> <div></div> <div>Compressor Chilling/Convection Heated Thermobox® Combination<br/>Weight : 108kg<br/>Tray Capacity : 8+8 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 750 x H 1245</div> | <div>10/10<br/>□</div>                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                               |
| 12/12<br>□ | <div>     EE360R</div> <div></div> <div>Electric Heated/Electric Heated Thermobox® Combination<br/>Weight : 120kg<br/>Tray Capacity : 12+12 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 700 x H 1355</div>      | <div>     FF360R</div> <div></div> <div>Convection Heated/Convection Heated Thermobox® Combination<br/>Weight : 114kg<br/>Tray Capacity : 12+12 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 770 x H 1355</div> | <div>≡≡ SS360R</div> <div></div> <div>Neutral/Neutral Thermobox® Combination<br/>Weight : 100kg<br/>Tray Capacity : 12+12 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 710 x H 1330</div>                    | <div>≡   SF360R</div> <div></div> <div>Neutral/Convection Heated Thermobox® Combination<br/>Weight : 115kg<br/>Tray Capacity : 12+12 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 770 x H 1355</div>           | <div>*   CE360R</div> <div></div> <div>Active Chilling/Electric Heated Thermobox® Combination<br/>Weight : 115kg<br/>Tray Capacity : 12+12 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 830 x H 1355</div> |
|            | <div>*   KF300R</div> <div></div> <div>Compressor Chilling/Convection Heated Thermobox® Combination<br/>Weight : 150kg<br/>Tray Capacity : 12+12 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 770 x H 1575</div> | <div>14/14<br/>□</div>                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                               | <div>     FF420R</div> <div></div> <div>Convection Heated/Convection Heated Thermobox® Combination<br/>Weight : 128kg<br/>Tray Capacity : 14+14 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 770 x H 1515</div> | <div>≡   SF420R</div> <div></div> <div>Neutral/Convection Heated Thermobox® Combination<br/>Weight : 126kg<br/>Tray Capacity : 14+14 x 1/1 GN<br/>80mm Tray Pitch<br/>W 930 x D 770 x H 1515</div>        |



**Australia**  
**moffat.com.au**

Australia  
Moffat Pty Limited  
Victoria/Tasmania  
740 Springvale Road  
Mulgrave, Victoria 3170  
Telephone +61 3-9518 3888  
Facsimile +61 3-9518 3833  
vsales@moffat.com.au

New South Wales  
Telephone +61 2-8833 4111  
nswsales@moffat.com.au

South Australia  
Telephone +61 3-9518 3888  
vsales@moffat.com.au

Queensland / Northern Territory  
Telephone +61 7-3630 8600  
qldsales@moffat.com.au

Western Australia  
Telephone +61 8-9413 2400  
wasales@moffat.com.au

**New Zealand**  
**moffat.co.nz**

Moffat Limited  
Rolleston  
45 Illinois Drive  
Izone Business Hub  
Rolleston 7675  
Telephone +64 3-983 6600  
Facsimile +64 3-983 6660  
sales@moffat.co.nz

Auckland  
Telephone +64 9-574 3150  
sales@moffat.co.nz

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd  
AN.SDX.8PP.01.24



an Ali Group Company



The Spirit of Excellence