

STIMA[®]

made in Italy

SINCE 1995

quality, technology and warranty

THE OVEN THAT CHANGES EVERYTHING, WITHOUT LIMITS

UPPER AND LOWER HEATING ELEMENTS

Maximum efficiency
with lower energy consumption
thanks to the management of the heating elements
by latest-generation computer systems

Integrated
Extraction
Hood

DIGITAL OVEN | 2

- Upper Chamber Dimensions: 41 cm x 36 cm x 9 cm
- Lower Chamber Dimensions: 41 cm x 36 cm x 9 cm
- Width: 63 cm
- Depth: 45.5 + 11 cm
- Height: 50 cm
- Weight: 47 kg
- Voltage: 220 V single-phase – 50/60 Hz*
- Temperature: max 520°C/968°F
- Standby Power Consumption: 0.8 KW/hour
- Maximum Power Consumption: 2.3 KW

* on request 380 V 3P+N+T – 50/60 Hz



UPPER AND LOWER HEATING ELEMENTS

Integrated
Extraction
Hood

DIGITAL OVEN | 2XL

- Upper Chamber Dimensions: 66 cm x 42 cm x 9 cm
- Lower Chamber Dimensions: 66 cm x 42 cm x 9 cm
- Width: 88 cm
- Depth: 50 + 11 cm
- Height: 50 cm
- Weight: 72.5 kg
- Voltage: 220 V single-phase – 50/60 Hz*
- Temperature: max 520°C/968°F
- Standby Power Consumption: 1.5 KW/hour
- Maximum Power Consumption: 3.5 KW

* on request 380 V 3P+N+T – 50/60 Hz



UPPER AND LOWER HEATING ELEMENTS

THE OVEN THAT CHANGES EVERYTHING, WITHOUT LIMITS

VP1 REVOLUTION

- Chamber Dimensions: 41 cm x 36 cm x 15 cm
- Width: 63 cm
- Depth: 45.5 + 11 cm
- Height: 41 cm
- Weight: 37 kg
- Voltage: 220v single-phase – 50/60 Hz*
- Temperature: max 400°/752°F
- Standby Power Consumption: 0.8 KW/hour
- Maximum Power Consumption: KW 1.8

* on request 380 V 3P+N+T – 50/60 Hz



UPPER AND LOWER HEATING ELEMENTS

Integrated
Extraction
Hood

VP1 REVOLUTION 2/V

- Chamber Dimensions: 41 cm x 36 cm x 15 cm
- Width: 63 cm
- Depth: 45.5 + 11 cm
- Height: 41 cm
- Weight: 37 kg
- Voltage: 220 V single-phase – 50/60 Hz*
- Temperature: max 390°/734°F
- Standby Power Consumption: 0.8 KW/hour
- Maximum Power Consumption: KW 1.8

* on request 380 V 3P+N+T – 50/60 Hz



UPPER AND LOWER HEATING ELEMENTS

Integrated
Extraction
Hood

VP3 REVOLUTION

- Upper Chamber Dimensions: 41 cm x 42 cm x 9 cm
- Central Chamber Dimensions: 41 cm x 42 cm x 10.5 cm
- Lower chamber Dimensions: 41 cm x 42 cm x 11.5 cm
- Width: 66 cm
- Depth: 54+7 cm
- Height: 64 cm
- Weight: 55 kg
- Voltage: 220 V single-phase – 50/60 Hz*
- Temperature: max 520°/ 968°F
- Standby Power Consumption: KW/hour 2.5
- Maximum Power Consumption: Kw 3,5

* on request 380 V 3P+N+T – 50/60 Hz



Integrated
Extraction
Hood

THE OVEN THAT CHANGES EVERYTHING, WITHOUT LIMITS

VP3 XL REVOLUTION

- Upper Chamber Dimensions: 66 cm x 42 cm x 9 cm
- Central Chamber Dimensions: 66 cm x 42 cm x 10,5 cm
- Lower Chamber Dimensions: 66 cm x 42 cm x 11.5 cm
- Width: 91 cm
- Depth: 54+7 cm
- Height: 64 cm
- Weight: 85 kg
- Voltage: 380 V 3P+N+T – 50/60 Hz*
- Temperature: max 520°/ 968°F
- Standby power consumption: KW/hour 2.5
- Maximum Power Consumption: KW 6.6

* on request 220 V single-phase - 50/60 Hz



Integrated
Extraction
Hood

VP CHEF REVOLUTION

- Upper Chamber Dimensions: 41 cm x 42 cm x 9 cm
- Lower Chamber Dimensions: 41 cm x 42 cm x 23 cm
- Width: 66 cm
- Depth: 54+7 cm
- Height: 64 cm
- Weight: 55 kg
- Voltage: 220 V single-phase – 50/60 Hz*
- Temperature: max 520°/ 968°F
- Standby power consumption: KW/hour 2
- Maximum Power Consumption: KW 3

* on request 380v 3P+N+T – 50/60 Hz



Integrated
Extraction
Hood

VP CHEF XL REVOLUTION

- Upper Chamber Dimensions: 66 cm x 42 cm x 9 cm
- Lower Chamber Dimensions: 66 cm x 42 cm x 23 cm
- Width: 91 cm
- Depth: 54+7 cm
- Height: 64 cm
- Weight: 85 kg
- Voltage: 380 V 3P+N+T – 50/60 Hz*
- Temperature: max 520°/ 968f
- Standby power consumption: KW/hour 2.5
- Maximum Power Consumption: KW 4.5

* on request 220 V single-phase - 50/60 Hz



Integrated
Extraction
Hood

CP 2001/2

- Width: 59 cm
- Depth: 53 cm
- Height: 58 cm
- Voltage: 220 V
- Maximum power: 2400 W
- Weight: 37 kg
- 150 first courses per hour

Integrated
Extraction
Hood

* on request 380 V 3P+N+T – 50/60 Hz



CP 2001/4

- Width: 76 cm
- Depth: 53 cm
- Height: 58 cm
- Voltage: 220 V
- Maximum power: 3100 W
- Weight: 45 kg
- 300 first courses per hour

Integrated
Extraction
Hood

* on request 380 V 3P+N+T – 50/60 Hz



SPEEDY CHEF TOUCH

- Width: 43 cm
- Depth: 48 cm
- Height: 60 cm
- Voltage: 220 V
- Maximum power: 1.9 KW
- Weight: 18 kg
- Internal width: 35 cm

Integrated
Extraction
Hood

* on request 380 V 3P+N+T – 50/60 Hz



@STIMA.SRL



@STIMA SRL



@STIMA.SRL

STIMA

made in Italy

S.T.I.M.A s.r.l.

Via Prato, 23 – 51031 Agliana (Pistoia) Italy - P.IVA/ VAT 01749930978 C.F. 04645790488

Tel. +39 0574 718898 - Fax. +39 0574 679176

Email: info@stimasrl.com - <https://www.stimasrl.com>

The data and texts contained in this leaflet are provided for indicative purposes only and are not binding for S.T.I.M.A. S.R.L., which reserves the right to make changes to the models described at any time

