

ALFA420EH

Family	Ovens
Subfamily	4 trays 600x400 mm o GN1/1
Oven type	Fan with humidification
Power supply	400 V 3N~ / 17 A / 6,9 kW / 50 Hz
Other electrical connection	230 V~ / 30 A / 6,9 kW / 50-60 Hz
Adjustable feet	Yes
Product dimensions WxDxH	xx mm
Maximum depth with open door	1145 mm



Aesthetics

Door with stainless steel stripes	Yes	Digit display color	White
Display type	LCD Touch	Front panel	Yes

Controls

Timer setting range	1 minute -99h + endless
---------------------	-------------------------


Construction

Cavity dimensions (lxdxh)	672x437x340mm	Humidification levels	6 + manual
Cavity material	Stainless steel	Components cooling system	Yes
Shelves number	4	Timer type	Electronic timer
Tray frame support	Chrome	Temperature range	50-280°C
Shelves distance	77 mm	End cooking signal	Yes
Door construction	Yes	Manual reset safety thermostat	Yes
Door opening	Tilting	Lighting	2 LED lamps
Handle type	Smeg	Light power	40 W
Openable glass	Removable	Water load pipe	Yes
Max standard speed motor rpm	2	Power cable length	170 cm
Water injection on each fan	Yes	Back panel	Galvanized

Logistic Information

Packed product dimensions (WxDxH) 640x960x845 mm
EAN code 8017709274948

Net weight 62,000 kg
Gross weight (kg) 72,000 kg



Q	MORSETTO EQUIPOTENZIALE EARTH TERMINAL
E	CAVO ALIMENTAZIONE ELETTRICA ELECTRICITY SUPPLY CABLE
C	TUBO DI CARICO FILLER HOSE
S	TUBO DI SCARICO (solo su alcuni modelli) DRAIN HOSE (on some models only)
D	TUBO DI CARICO PER DOCCETTA LAVAGGIO (solo su alcuni modelli) WATER SUPPLY MANUAL WASHING SYSTEM (on some models only)

Compatible Accessories



3743
Flat aluminium tray



3751
Flat perforated aluminium tray



3805
Flat chrome-plated wire grid



3810
Corrugated grid for baguettes

Symbols glossary



Fan forced heating



Fan forced heating with humidity
injection

Benefit (TT)

LCD Touch

Interfaccia intuitiva per una regolazione semplice e precisa dei parametri di cottura

The control panel, simple and intuitive, is designed to offer a seamless and effortless user experience. Equipped with dedicated buttons, it allows precise adjustment of every cooking parameter, from temperature to duration, humidity level to fan speed. The central display provides a clear and immediate overview of the selected settings, ensuring you always have everything under control for flawless results, without compromise.

Clip-open

Easily accessible glass for effortless maintenance and cleaning

The glass panels are designed to be easily accessible and inspectable, ensuring great convenience during cleaning and maintenance operations. This feature significantly simplifies the process, making it quick and efficient, while ensuring that every intervention can be carried out with maximum comfort and complete safety.