

INDUSTRY
KITCHENS

www.industrykitchens.com.au 1800 611 058

TOTAL BAKERY SOLUTIONS



MOFFAT®





MARKET LEADERS IN BAKERY EQUIPMENT

Our team of industry-trained sales consultants provide advice to help you select the right equipment for your bakery, using the knowledge that only comes from many years of extensive industry experience.

With a history of more than 30 years of manufacturing and distributing a complete range of equipment for the bread-making professionals, food processing, distribution groups and retail chains, our extensive range provides solutions to cover each and every requirement within the bakery process.



CONTENTS

05

Ovens



16

Dividers, Divider
Rounders



22

Mixers



38

Bread Plant



44

Warewashing

12

Retarder Provers, Provers
and Holding Cabinets



18

Slicers



28

Pastry Sheeters



40

Pans and Trays



46

Coffee Equipment

14

Moulders



21

Kettles



36

Depositors



42

Ice Machines,
Refrigeration





TOTAL BAKERY SOLUTIONS

OUR BAKERY PRODUCT RANGE:

MOFFAT

Rotel
VTL KneadMaster

DAUB 
Bakery Machinery

E TAGLIARINI

RONDO

 **Varimixer**

turbofan
CONVECTION OVEN SYSTEMS

Silhouette2

FRIGINOX 

PARA MOUNT

Craftsman

spiroforce

Versatile

 **sottovia**

Curlflow

CIBERPAN

MONO

flamit
BAKERY AND PASTRY EQUIPMENT

 **THERMOGEL**
FOOD AND BEVERAGE EQUIPMENT

 **MIMAC**
FOOD PROCESSING EQUIPMENT

Rapidmac

 **stm**
INDUSTRIAL ELECTRICITY



CALL US ON 1300 268 798



VISIT US AT WWW.MOFFAT.COM.AU



OVENS



Rotel®
VTL ADVANTAGE

The Rotel 3 is designed to be more energy efficient, faster and offers outstanding new features.

STANDARD FEATURES:

- Touch screen controls that operate with minimal staff input
- Individual chamber control display
- Up to 99 baking programs/icon-driven menu
- Automatic preheating of all decks
- Split bake/multiple product program feature applied to all decks
- Available with a stone sole option



AUR33D3S
3 DECK 3 SPLIT BAKERY OVEN



AUR34DHC
4 DECK HIGH CROWN BAKERY OVEN



AUR34D1S
4 DECK 1 SPLIT BAKERY OVEN

MINI ROTEL BAKERY OVENS



AUR3M3D3S
3 DECK 3 SPLIT
BAKERY OVEN



AUR3M4D1S
4 DECK 1 SPLIT
BAKERY OVEN



AUR3M4DHC
4 DECK HIGH CROWN
BAKERY OVEN



COMPACT. VERSATILE. ENERGY EFFICIENT.

World's smallest footprint with incredible baking results. Tagliavini has a rich history of manufacturing rack and deck ovens that deliver outstanding baking performance. Reliable and built to last in the most demanding of baking environments.



RVT665EHT



RT68E-DT



RT810E-DT

ROTOVENT | ROTOR SINGLE AND DOUBLE RACK OVENS

- Double steam generator for high volume steam production
- Two-speed air circulating fans inside the baking chamber



3EMT24676BST



3EMT34676BSPT



3EMT34676BSP-IL

DECK | MODULAR DECK OVENS

- Baking chamber fitted with 'SMART' control panel, cement baking tiles and light
- Steam generator fitted on each deck



ET94



ET183



ET244

ELECTRIC DECK | SETTER OVENS

- Fitted with digital and computerised control panels
- Steam generator fitted on each deck

turbofan[®]

CONVECTION OVEN SYSTEMS

TURBOFAN E35-30, 6 TRAY FULL SIZE ELECTRIC CONVECTION OVEN

The new Turbofan E35 puts you in control of high-performance oven technology for precision baking, roasting and regeneration. Available in **Digital** or **Touch** control panel.



E35D6-30



E35T6-30

MANUAL | DIGITAL ELECTRIC CONVECTION OVENS



E28M4



E32D4



E33D5

PROVER AND HOLDING CABINETS

turbofan
CONVECTION OVEN SYSTEMS



P85M8

PROVER AND HOLDING CABINET

- 8 406mm x 736mm tray capacity
- 76mm tray spacing
- Off / Proof / Hold mode selection
- Mechanical thermostat



P85M12

PROVER AND HOLDING CABINET

- 12 406mm x 736mm tray capacity
- 74mm tray spacing
- Off / Proof / Hold mode selection
- Mechanical thermostat





FG150ECS+



The updated Mono Eco Touch convection boasts the latest in energy saving features and now also offers the option of a variable speed internal chamber fan to provide the perfect baking environment for even the most delicate products.

MONO ELECTRIC CONVECTION OVENS

- Touch sensitive controller
- Multi-bake function with 4 separate timer settings
- Reversing fans for even baking
- Storage capacity for 240 bake programs



4MD03



ELECTRIC MULTI DECK OVENS

- Production capacity of up to 21 loaves per deck
- Electronic control panels with top and bottom heat (temperature) controls, bake timer, and digital display readouts
- Suitable for tray sizes up to 460mm x 760mm
- Available in 4 - 12 tray configurations



RP1RG



RP1RS

RETARDER PROVER

- Humidity adjustable up to 100%
- Temperature adjustable up to 40C
- Refrigeration adjustable down to -2C
- Available in reach-in or roll-in models

MOULDERS

Versatile®

miracle®

STANDARD FEATURES

- Recommended weight range
35 - 1000gms
- Maximum output 900 loaves /
1800 rolls per hour
- LightSpeed operator protection
system
- Available in 4 piecing options



VM704



VM404



FCL4



F4

STANDARD FEATURES

- Perfect for the production of long rolls, flat rolls and baguettes
- Four rollers for superior finished product quality
- Felt belts for gentle handling of the dough
- Easy adjustments to achieve the required final result

PARA **MOUNT**®

WHEN THE BUDGET COUNTS
LOOK TO PARAMOUNT





ROBOCUT2-R20T2



ROBOTRAD-S20W



D20-A2

STANDARD FEATURES

- Round / square dividing chamber
- Divides into 20 equally weighted pieces
- Operates in a weight range of 150 - 1000gms, varied between models
- Positive lock latch secures the lid ensuring operator safety





DR2-4/30



DR-ROBOT2-4/30A



SM2-430

STANDARD FEATURES

- Semi / fully-automatic
- Produces 30 pieces per operation, weight range 40 - 110gms
- Supplied with 3 moulding plates
- Supplied with a 4 pin, 10amp plug



A photograph of a loaf of sliced bread, likely whole wheat, resting on a rustic wooden surface. Several slices are cut and fanned out to the left, revealing a porous, golden-brown interior. To the right of the loaf, two stalks of wheat are placed diagonally. The background is filled with more wheat stalks, creating a warm, natural aesthetic. A solid blue circle is overlaid in the center of the image, containing the word "SLICERS" in white, uppercase, sans-serif font.

SLICERS



AUTO

FLOOR MODEL SLICER

- 12 - 18mm slice thickness options
- Approx 300 loaves per hour
- Sturdy and compact design
- Fitted with side mounted bag blower



MANO

FLOOR MODEL SLICER

- 12 - 18mm slice thickness options
- Approx 250 loaves per hour
- Sturdy and compact design
- Progressive traction lever on loaf pusher



PRIMO

BENCH MODEL SLICER

- 12 - 18mm slice thickness options
- Approx 200 loaves per hour
- Sturdy and compact design
- Progressive traction lever on loaf pusher



SM2BS12

BENCH MODEL SLICER

- 12, 15, 18 or 22mm slice thickness options
- Bench mounted bread slicer
- Fitted with start / stop switch
- Fitted with emergency stop switch



HCS1114

FLOOR MODEL SLICER

- 11mm / 12.5mm / 14mm / 15.5mm / 18mm slice thickness options
- Twin frame unit fitted with two independent motors
- Loaf guides incorporate into rear chute
- V type stainless steel bagging spade



SIL1215M1P

FLOOR MODEL SLICER

- 12 & 15mm / 13 & 17mm slice thickness options
- Single wide frame unit fitted with single or 3 phase motor
- Flat type stainless steel bagging spade
- Supplied on castors

FLOOR MODEL SLICER

- 11, 12 or 14mm slice thickness options
- 520mm wide working width (max loaf width)
- Slices up to 800 loaves per hour
- Maximum slicing height 120mm
- Incorporated bag blower



208/52-11



BENCHMARK FOR PRODUCTIVE KITCHENS

Never again will your cooking pot stick.
Never again will you need to lift heavy hot pots.



VIKING COMBI



VIKING 4G



PROVENO 4G



MIXERS

SPIRAL MIXERS

PARAMOUNT



PARAMOUNT | SM2-80TW

SOTTORIVA



SOTTORIVA | SINTE5160G

spiroforce®



SPIROFORCE | SF60

STANDARD FEATURES

- 25 - 300kg dough capacity
- Fixed or removable stainless steel bowl
- 2 speed operation
- Supplied on adjustable feet wheels for added stability

COMPLETE YOUR SPIRAL MIXERS WITH....



Rapidmac.

WATER CHILLER
RAPIDMAC50



THERMOGEL

WATER CHILLER
FW60



stm
INDUSTRIAL ELECTRONICS

WATER METERS
DOMIX35

Storage or direct flow options are available in capacities of 60 – 300 litres of chilled water per hour. Water meters are available in volume dispensing or blending and dispensing options



PRODUCING ROBUST MIXERS FOR 100 YEARS

The range of professional BEAR mixers includes models from 5 to 200 litres and editions specifically developed for pizza production. The ERGO mixers are ergonomically designed to eliminate heavy lifting and minimise injuries in the kitchen environment.



TEDDYR



TEDDYS

PLANETARY MIXERS

- 5 litre capacity
- Stainless steel bowl with white plastic lid; Stainless steel whip, hook and beater
- Plastic safety/splash guard
- Available in black, red, white and silver



KODIAK20



KODIAK30

PLANETARY MIXERS

- 20 litre capacity
- Fitted with 'Kodiak' controller
- Patented Magnetic Perspex guard, easily removed for cleaning
- Stainless steel bowl, beater whip and hook

PLANETARY MIXERS

- 30 litre capacity
- Stainless steel whip, hook and beater
- Manual bowl lowering
- Ergonomic height trolley with 5 wheels



AR30VL-1



AR60VL-1



AR200VL-4

PLANETARY MIXERS

- 30 - 200 litre capacity
- Fitted with VL-1 control panel, manual speed regulation, manual bowl lift
- Start/Stop control with timer Set/Shut Off function
- Includes stainless steel bowl, beater, whisk and hook



AE60VL-4



AE100VL-4



AE140VL-4

ERGO VARIMIXERS

- 60 - 140 litre capacity
- Stainless steel bowl, beater, whisk and hook
- Fitted with a VL-4 control panel including auto bowl lift
- Timer & emergency stop switch



BM20AT3PS



BM40AT3PS



BM60AT3PS

PLANETARY MIXERS

- 20 - 80 litre capacity
- 3 fixed speed with 15 minute timer
- Includes batter beater, dough hook, wire whisk, stainless steel bowl and a wire safety guard
- Supplied standard with automatic bowl scraper



SHEETERS

RONDO

HIGH QUALITY PASTRY SHEETING AND FORMING MACHINES

The Swiss brand RONDO is appreciated by thousands of bakers around the world for its quality engineering. The ranges of dough sheeters are known for their gentle dough processing to create faultless blocks and dough bands for high-quality baked products.



STM5303B



STM615



SS0685

RONDO



SS0685

AUTOMAT 2000 FLOOR SHEETER

- Recommended dough block weight 6 - 12.5kg
- Side push button control
- Automatic roller gap reduction
- Optional automatic flour duster



SSH6707H

RONDOSTAR 5000 FLOOR SHEETER

- Recommended dough block weight 6 - 12.5kg
- Colour touchscreen with 100 programs possible
- Include automatic flour duster
- Simple and quick to clean

RONDO



SSH7907H

COMPAS 4.0 FLOOR SHEETER

- Recommended dough block weight 6 - 20kg
- Side push button control
- 100 program operation
- Includes automatic flour duster



SS0685C

AUTOMAT-CUTOMAT 2000 FLOOR SHEETER / CUTTING STATION

- Recommended dough block weight 6 - 12.5kg
- Side push button control
- Automatic roller gap reduction
- Optional automatic flour duster

RONDO



POLYLINE

STANDARD FEATURES

- Up to 99 products can be memorised with a built-in USB port
- Mechanical filling device
- Four motorised accessories can be controlled via the control panel
- Flour collecting tray



CROISSOMAT 4.0

STANDARD FEATURES

- Produces perfect croissants automatically
- Suitable for unfilled croissants
- Up to 900 units per row per hour
- Available in 2 - 6 production rows



SM2-630E

FLOOR SHEETER

- 630mm wide belt
- 1400mm conveyor table length
- Forward and reverse hand operating controls
- Foot pedals controls



SF500BVDX1000



SF600DX1200

STANDARD FEATURES

- Bench and floor models
- Digital display for lamination thickness
- Single or three-phase options
- Various table lengths available

CIBERPAN



1PH-120 DIVIDER

STANDARD FEATURES

- Volumetric suction divider with pre rounder
- Weight range 80 – 950 grams
- Output 1400 – 2400 pieces per hour



C93E



CV1500

STANDARD FEATURES

- Options for Static or Dynamic intermediate provers
- Capacities from 177 – 492 usable pieces
- Variable discharge speed on all model

MOFFAT SERVICE

RELIABILITY & REPORTING

Moffat service technicians are qualified in Gas and/or Electric equipment of most major brands.

Using our Moffat service technicians, you can rest assured that all service reports on your equipment are recorded and maintained. The on-site electronic field service reporting system allows us to:

- Detailed track report complete with photos
- Provide fully priced service reports
- Sign-on-screen capabilities
- Mandatory risk assessment forms



NATIONAL 24/7 SERVICE HOTLINE
CALL US ON 1300 264 217.



**SPARES
WEBSTORE**

Purchase Moffat spares directly online
spares.moffat.com.au



**FIND OUT MORE ABOUT THE SPARES
WEBSTORE. CALL US ON 1300 263 107.**



CONFECTIONARY
DEPOSITORS



MAXIDROP



BABYDROP



DOSIMAX-XL

Craftsman®



PUMP1050

CONFECTIONARY DEPOSITORS

- Various models available to suit most applications
- Stationary and rotary templates
- Wire cut options
- Injection fillers
- Transfer pumps

BREAD
PLANT



BP02

BREAD PLANT

- Automatic plant for the production of long loaves, tin loaves and baguettes
- Available in 1300 loaves per hour as standard
- 10-minute intermediate prover time
- Consists of SVP piston divider / AS rounder / CLI.1-384 / CLI intermediate prover / F4 long load moulder



MINI ELESFF



WINNER


PANS
& TRAYS



MPAN3680

BREAD PAN WITH LID

- 3 strapped 680 gram bread pan
- Press formed pan with rounded corners
- Aluminised steel 0.7mm thick
- Teflon coated internal pan
- Optional lid



MBAGUETTE516

BAGUETTE TRAY


- 5 row perforated baguette tray
- 16" and 18' options available
- Teflon coated,
- Aluminised alloy, 1.2mm thick
- 2.5mm perforations



MTR18FP

TRAY RACK

- 10 - 18 shelf for front loading
- Adjustable to suit 16" or 18" trays
- Flat pack production racks
- Stainless steel construction



MBT318PPTFE

BAKING TRAY

- Premium 3-sided perforated baking tray
- 16" and 18' options available
- Aluminium alloy, 2mm thick
- Perforation 2.5mm
- PTFE or natural finish, perforated or non-perforated options

MADE FOR EXTREME ENVIRONMENTS

Scotsman Ice Systems cater to the needs of different industries by offering a wide product range with various ice shapes and types.



ECS87 AS OX



AF107 AS OX



MF66 AS OX | UBH1100



MXG M 437 AS OX | SB393



SELF-ADAPTING INTELLIGENT CHILLING

Friginox I-Chilling blast chillers / freezers utilise the cooling air temperature automatically adapted to the product to be cooled.



MX20ATS7



MX85ATS7



MX3STS7-C

CRYSTAL CLEAR WASHTECH STRENGTH

Washtech offers professional warewashing equipment in an extensive range of sizes and options.



GM



UL



XP



PW2

CYCLE TIME



RACK WIDTH



DOOR OPENING




WATER USE



WIDTH / BENCH GAP



TW


INTERNAL
DIMENSIONS

UNDERCOUNTER

- W 865mm x D 660mm x H 845mm
- 1PH / 15A
- Electromechanical design



AL8


INTERNAL
DIMENSIONS

PASSTHROUGH

- W 905mm x D 760mm x H 1745mm
- 3PH
- Electromechanical design



PW1


INTERNAL
DIMENSIONS

FRONT LOADING

- W 680mm x D 780mm x H 1790mm
- 3PH
- Electromechanical design



PW3

INTERNAL
DIMENSIONS

FRONT LOADING

- W 1330mm x D 920mm x H 1750mm
- 3PH
- Electromechanical design





BE INSPIRED WITH THE CUTTING-EDGE BREWING TECHNOLOGY

Rancilio has been coffeing the world since 1927, specialising in traditional & fully automatic coffee machine manufacturing for true coffee lovers all over the world.



KRYO 65 OD



QuBe PRO MILK



NEXT TOP MILK

COFFEE GRINDER

- 64mm flat burrs
- Hopper Capacity: 1.3kg
- LED soft touch control panel

AUTOMATIC COFFEE MACHINES

- Designed for Self Serve, Bakeries & Retail outlets
- Output: 120 - 300 cups per day
- Compact size



CLASSE 5 USB TALL - 1GR



CLASSE 5 USB TALL - 2GR



CLASSE 5 USB TALL - 3GR

STANDARD FEATURES

- 4 - 11 litre capacity
- Brushed stainless steel, ABS and nylon panels
- 2 steam wands with C-lever steam system (1 steam wand for 1 GR)
- 1 hot water dispenser with manual value knob control



CLASSE 7 USB TALL - 2GR



CLASSE 7 USB TALL - 3GR

STANDARD FEATURES

- 11 - 16 litre capacity
- Brushed stainless steel, ABS and nylon panels
- 2 steam wands with C-lever steam system
- iSteam version – automatic steam wand with programmable temperature sensor



Your allies at work



DECK ELETRIC OVENS



ROTARY OVENS



FIXED COMBU



TRONIK



ROTOR



ANULA



MODULAR



ROTOVENT



TERMINAL

LIAVINI

work every day

STATION OVENS



COMBINED ELECTRIC OVENS



INDUSTRIAL BAKING



RA



TERMOVENT



ATLAS



K



MODULAR
PIZZA



AUTOMATED OVEN
LONG SYSTEMS



Australia
moffat.com.au

Moffat Pty Limited

Victoria/Tasmania
740 Springvale Road
Mulgrave, Victoria 3170
Telephone +61 3-9518 3888
Facsimile +61 3-9518 3833
vsales@moffat.com.au

New South Wales
Telephone +61 2-8833 4111
nswsales@moffat.com.au

South Australia
Telephone +61 3-9518 3888
vsales@moffat.com.au

Queensland / Northern Territory
Telephone +61 7-3630 8600
qldsales@moffat.com.au

Western Australia
Telephone +61 8-9413 2400
wasales@moffat.com.au

New Zealand
moffat.co.nz

Moffat Limited

Rolleston
45 Illinois Drive
Izone Business Hub
Rolleston 7675
Telephone +64 3-983 6600
Facsimile +64 3-983 6660
sales@moffat.co.nz

Auckland
Telephone +64 9-574 3150
sales@moffat.co.nz

TOLL FREE
1300 268 798



© Copyright Moffat Pty Limited
Moffat 07/24



an Ali Group Company



The Spirit of Excellence