

INDUSTRY  
KITCHENS

[www.industrykitchens.com.au](http://www.industrykitchens.com.au) 1800 611 058

# TOTAL BAKERY SOLUTIONS



**MOFFAT**®





# MARKET LEADERS IN BAKERY EQUIPMENT

Our team of industry-trained sales consultants provide advice to help you select the right equipment for your bakery, using the knowledge that only comes from many years of extensive industry experience.

With a history of more than 30 years of manufacturing and distributing a complete range of equipment for the bread-making professionals, food processing, distribution groups and retail chains, our extensive range provides solutions to cover each and every requirement within the bakery process.



# CONTENTS

05

Ovens



16

Dividers, Divider  
Rounders



22

Mixers



38

Bread Plant



44

Warewashing

12

Retarder Provers, Provers  
and Holding Cabinets



18

Slicers



28

Pastry Sheeters



40

Pans and Trays



46

Coffee Equipment

14

Moulders



21

Kettles



36

Depositors



42

Ice Machines,  
Refrigeration





# TOTAL BAKERY SOLUTIONS

OUR BAKERY PRODUCT RANGE:

**MOFFAT**

**Rotel**  
VTL KneadMaster

**DAUB**   
Bakery Machinery

**E** TAGLIARINI

**RONDO**

 **Varimixer**

**turbofan**  
CONVECTION OVEN SYSTEMS

**Silhouette2**

**FRIGINOX** 

**PARA** MOUNT

**Craftsman**

**spiroforce**

**Versatile**

 **sottovia**

**Curlflow**

**CIBERPAN**

**MONO**

**flamit**  
BAKERY AND PASTRY EQUIPMENT

 **THERMOGEL**  
FOOD AND BEVERAGE EQUIPMENT

 **MIMAC**  
FOOD PROCESSING EQUIPMENT

**Rapidmac**

 **stm**  
INDUSTRIAL ELECTRICITY



CALL US ON 1300 268 798



VISIT US AT [WWW.MOFFAT.COM.AU](http://WWW.MOFFAT.COM.AU)



A photograph of several blueberry muffins in white paper liners, arranged on a rustic wooden surface. Some muffins are in the foreground, while others are in the background, creating a sense of depth. Several fresh blueberries are scattered around the muffins. A solid blue circle is centered over the image, containing the word "OVENS" in white, uppercase, sans-serif font.

OVENS



**Rotel®**  
VTL ADVANTAGE

The Rotel 3 is designed to be more energy efficient, faster and offers outstanding new features.



## STANDARD FEATURES:

- Touch screen controls that operate with minimal staff input
- Individual chamber control display
- Up to 99 baking programs/icon-driven menu
- Automatic preheating of all decks
- Split bake/multiple product program feature applied to all decks
- Available with a stone sole option



AUR33D3S  
3 DECK 3 SPLIT BAKERY OVEN



AUR34DHC  
4 DECK HIGH CROWN BAKERY OVEN



AUR34D1S  
4 DECK 1 SPLIT BAKERY OVEN

## MINI ROTEL BAKERY OVENS



AUR3M3D3S  
3 DECK 3 SPLIT  
BAKERY OVEN



AUR3M4D1S  
4 DECK 1 SPLIT  
BAKERY OVEN



AUR3M4DHC  
4 DECK HIGH CROWN  
BAKERY OVEN



COMPACT. VERSATILE. ENERGY EFFICIENT.

World's smallest footprint with incredible baking results. Tagliavini has a rich history of manufacturing rack and deck ovens that deliver outstanding baking performance. Reliable and built to last in the most demanding of baking environments.



RVT665EHT



RT68E-DT



RT810E-DT

### ROTOVENT | ROTOR SINGLE AND DOUBLE RACK OVENS

- Double steam generator for high volume steam production
- Two-speed air circulating fans inside the baking chamber



3EMT24676BST



3EMT34676BSPT



3EMT34676BSP-IL

### DECK | MODULAR DECK OVENS

- Baking chamber fitted with 'SMART' control panel, cement baking tiles and light
- Steam generator fitted on each deck



ET94



ET183



ET244

### ELECTRIC DECK | SETTER OVENS

- Fitted with digital and computerised control panels
- Steam generator fitted on each deck

## TURBOFAN E35-30, 6 TRAY FULL SIZE ELECTRIC CONVECTION OVEN

The new Turbofan E35 puts you in control of high-performance oven technology for precision baking, roasting and regeneration. Available in **Digital** or **Touch** control panel.



E35D6-30



E35T6-30

## MANUAL | DIGITAL ELECTRIC CONVECTION OVENS



E28M4



E32D4



E33D5



## PROVER AND HOLDING CABINETS

**turbofan**  
CONVECTION OVEN SYSTEMS



P85M8

### PROVER AND HOLDING CABINET

- 8 406mm x 736mm tray capacity
- 76mm tray spacing
- Off / Proof / Hold mode selection
- Mechanical thermostat



P85M12

### PROVER AND HOLDING CABINET

- 12 406mm x 736mm tray capacity
- 74mm tray spacing
- Off / Proof / Hold mode selection
- Mechanical thermostat





FG150ECS+



The updated Mono Eco Touch convection boasts the latest in energy saving features and now also offers the option of a variable speed internal chamber fan to provide the perfect baking environment for even the most delicate products.

#### MONO ELECTRIC CONVECTION OVENS

- Touch sensitive controller
- Multi-bake function with 4 separate timer settings
- Reversing fans for even baking
- Storage capacity for 240 bake programs



4MD03



#### ELECTRIC MULTI DECK OVENS

- Production capacity of up to 21 loaves per deck
- Electronic control panels with top and bottom heat (temperature) controls, bake timer, and digital display readouts
- Suitable for tray sizes up to 460mm x 760mm
- Available in 4 - 12 tray configurations



RP1RG



RP1RS

#### RETARDER PROVER

- Humidity adjustable up to 100%
- Temperature adjustable up to 40C
- Refrigeration adjustable down to -2C
- Available in reach-in or roll-in models

## MOULDERS

**Versatile®**

**miracle®**

### STANDARD FEATURES

- Recommended weight range  
35 - 1000gms
- Maximum output 900 loaves /  
1800 rolls per hour
- LightSpeed operator protection  
system
- Available in 4 piecing options



VM704



VM404



FCL4



F4

### STANDARD FEATURES

- Perfect for the production of long rolls, flat rolls and baguettes
- Four rollers for superior finished product quality
- Felt belts for gentle handling of the dough
- Easy adjustments to achieve the required final result

**PARA****MOUNT**®

WHEN THE BUDGET COUNTS  
LOOK TO PARAMOUNT







ROBOCUT2-R20T2



ROBOTRAD-S20W



D20-A2

### STANDARD FEATURES

- Round / square dividing chamber
- Divides into 20 equally weighted pieces
- Operates in a weight range of 150 - 1000gms, varied between models
- Positive lock latch secures the lid ensuring operator safety





DR2-4/30



DR-ROBOT2-4/30A



SM2-430

## STANDARD FEATURES

- Semi / fully-automatic
- Produces 30 pieces per operation, weight range 40 - 110gms
- Supplied with 3 moulding plates
- Supplied with a 4 pin, 10amp plug



A photograph of a loaf of bread, sliced into several pieces, resting on a rustic wooden surface. The bread has a golden-brown crust and a soft, porous interior. Several stalks of wheat are scattered around the bread, adding to the rustic theme. A blue circular graphic is overlaid on the image, containing the word "SLICERS" in white capital letters.

SLICERS



AUTO

#### FLOOR MODEL SLICER

- 12 - 18mm slice thickness options
- Approx 300 loaves per hour
- Sturdy and compact design
- Fitted with side mounted bag blower



MANO

#### FLOOR MODEL SLICER

- 12 - 18mm slice thickness options
- Approx 250 loaves per hour
- Sturdy and compact design
- Progressive traction lever on loaf pusher



PRIMO

#### BENCH MODEL SLICER

- 12 - 18mm slice thickness options
- Approx 200 loaves per hour
- Sturdy and compact design
- Progressive traction lever on loaf pusher



SM2BS12

#### BENCH MODEL SLICER

- 12, 15, 18 or 22mm slice thickness options
- Bench mounted bread slicer
- Fitted with start / stop switch
- Fitted with emergency stop switch





HCS1114

## FLOOR MODEL SLICER

- 11mm / 12.5mm / 14mm / 15.5mm / 18mm slice thickness options
- Twin frame unit fitted with two independent motors
- Loaf guides incorporate into rear chute
- V type stainless steel bagging spade



SIL1215M1P

## FLOOR MODEL SLICER

- 12 & 15mm / 13 & 17mm slice thickness options
- Single wide frame unit fitted with single or 3 phase motor
- Flat type stainless steel bagging spade
- Supplied on castors

## FLOOR MODEL SLICER

- 11, 12 or 14mm slice thickness options
- 520mm wide working width (max loaf width)
- Slices up to 800 loaves per hour
- Maximum slicing height 120mm
- Incorporated bag blower



208/52-11



## BENCHMARK FOR PRODUCTIVE KITCHENS

Never again will your cooking pot stick.  
Never again will you need to lift heavy hot pots.



VIKING COMBI



VIKING 4G



PROVENO 4G





MIXERS

## SPIRAL MIXERS

**PARAMOUNT**



PARAMOUNT | SM2-80TW

**SOTTORIVA**



SOTTORIVA | SINTE5160G

**spiroforce**



SPIROFORCE | SF60

### STANDARD FEATURES

- 25 - 300kg dough capacity
- Fixed or removable stainless steel bowl
- 2 speed operation
- Supplied on adjustable feet wheels for added stability

### COMPLETE YOUR SPIRAL MIXERS WITH....



**Rapidmac**

**WATER CHILLER**  
RAPIDMAC50



**THERMOGEL**

**WATER CHILLER**  
FW60



**stm**  
INDUSTRIAL ELECTRONICS

**WATER METERS**  
DOMIX35

Storage or direct flow options are available in capacities of 60 – 300 litres of chilled water per hour. Water meters are available in volume dispensing or blending and dispensing options



## PRODUCING ROBUST MIXERS FOR 100 YEARS

The range of professional BEAR mixers includes models from 5 to 200 litres and editions specifically developed for pizza production. The ERGO mixers are ergonomically designed to eliminate heavy lifting and minimise injuries in the kitchen environment.



TEDDYR



TEDDYS

### PLANETARY MIXERS

- 5 litre capacity
- Stainless steel bowl with white plastic lid; Stainless steel whip, hook and beater
- Plastic safety/splash guard
- Available in black, red, white and silver



KODIAK20



KODIAK30

### PLANETARY MIXERS

- 20 litre capacity
- Fitted with 'Kodiak' controller
- Patented Magnetic Perspex guard, easily removed for cleaning
- Stainless steel bowl, beater whip and hook

### PLANETARY MIXERS

- 30 litre capacity
- Stainless steel whip, hook and beater
- Manual bowl lowering
- Ergonomic height trolley with 5 wheels



AR30VL-1



AR60VL-1



AR200VL-4

## PLANETARY MIXERS

- 30 - 200 litre capacity
- Fitted with VL-1 control panel, manual speed regulation, manual bowl lift
- Start/Stop control with timer Set/Shut Off function
- Includes stainless steel bowl, beater, whisk and hook



AE60VL-4



AE100VL-4



AE140VL-4

## ERGO VARIMIXERS

- 60 - 140 litre capacity
- Stainless steel bowl, beater, whisk and hook
- Fitted with a VL-4 control panel including auto bowl lift
- Timer & emergency stop switch





BM20AT3PS



BM40AT3PS



BM60AT3PS

### PLANETARY MIXERS

- 20 - 80 litre capacity
- 3 fixed speed with 15 minute timer
- Includes batter beater, dough hook, wire whisk, stainless steel bowl and a wire safety guard
- Supplied standard with automatic bowl scraper







# SHEETERS

# RONDO

## HIGH QUALITY PASTRY SHEETING AND FORMING MACHINES

The Swiss brand RONDO is appreciated by thousands of bakers around the world for its quality engineering. The ranges of dough sheeters are known for their gentle dough processing to create faultless blocks and dough bands for high-quality baked products.



STM5303B



STM615



SS0685

# RONDO



SS0685

## AUTOMAT 2000 FLOOR SHEETER

- Recommended dough block weight 6 - 12.5kg
- Side push button control
- Automatic roller gap reduction
- Optional automatic flour duster



SSH6707H

## RONDOSTAR 5000 FLOOR SHEETER

- Recommended dough block weight 6 - 12.5kg
- Colour touchscreen with 100 programs possible
- Include automatic flour duster
- Simple and quick to clean

# RONDO



SSH7907H

## COMPAS 4.0 FLOOR SHEETER

- Recommended dough block weight 6 - 20kg
- Side push button control
- 100 program operation
- Includes automatic flour duster



SS0685C

## AUTOMAT-CUTOMAT 2000 FLOOR SHEETER / CUTTING STATION

- Recommended dough block weight 6 - 12.5kg
- Side push button control
- Automatic roller gap reduction
- Optional automatic flour duster

# RONDO



POLYLINE

## STANDARD FEATURES

- Up to 99 products can be memorised with a built-in USB port
- Mechanical filling device
- Four motorised accessories can be controlled via the control panel
- Flour collecting tray



CROISSOMAT 4.0

## STANDARD FEATURES

- Produces perfect croissants automatically
- Suitable for unfilled croissants
- Up to 900 units per row per hour
- Available in 2 - 6 production rows





SM2-630E

## FLOOR SHEETER

- 630mm wide belt
- 1400mm conveyor table length
- Forward and reverse hand operating controls
- Foot pedals controls



SF500BVDX1000



SF600DX1200

## STANDARD FEATURES

- Bench and floor models
- Digital display for lamination thickness
- Single or three-phase options
- Various table lengths available

# CIBERPAN



1PH-120 DIVIDER

## STANDARD FEATURES

- Volumetric suction divider with pre rounder
- Weight range 80 – 950 grams
- Output 1400 – 2400 pieces per hour



C93E



CV1500

## STANDARD FEATURES

- Options for Static or Dynamic intermediate provers
- Capacities from 177 – 492 usable pieces
- Variable discharge speed on all model

# MOFFAT SERVICE

## RELIABILITY & REPORTING

Moffat service technicians are qualified in Gas and/or Electric equipment of most major brands.

Using our Moffat service technicians, you can rest assured that all service reports on your equipment are recorded and maintained. The on-site electronic field service reporting system allows us to:

- Detailed track report complete with photos
- Provide fully priced service reports
- Sign-on-screen capabilities
- Mandatory risk assessment forms



**NATIONAL 24/7 SERVICE HOTLINE**  
**CALL US ON 1300 264 217.**



**SPARES  
WEBSTORE**

Purchase Moffat spares directly online  
**[spares.moffat.com.au](http://spares.moffat.com.au)**



**FIND OUT MORE ABOUT THE SPARES  
WEBSTORE. CALL US ON 1300 263 107.**



A close-up photograph of a metal tray filled with rows of macarons. The macarons are arranged in three columns: orange, pink, and white. Each macaron has a textured, ruffled top and a smooth bottom. The filling is visible between the shells. A large, solid blue circle is overlaid in the center of the image, containing the text 'CONFECTIONARY DEPOSITORS' in white, uppercase, sans-serif font.

CONFECTIONARY  
DEPOSITORS



MAXIDROP



BABYDROP



DOSIMAX-XL

**Craftsman®**



PUMP1050

## CONFECTIONARY DEPOSITORS

- Various models available to suit most applications
- Stationary and rotary templates
- Wire cut options
- Injection fillers
- Transfer pumps





BREAD  
PLANT



BP02

## BREAD PLANT

- Automatic plant for the production of long loaves, tin loaves and baguettes
- Available in 1300 loaves per hour as standard
- 10-minute intermediate prover time
- Consists of SVP piston divider / AS rounder / CLI.1-384 / CLI intermediate prover / F4 long load moulder



MINI ELESFF



WINNER




PANS  
& TRAYS



MPAN3680

#### BREAD PAN WITH LID

- 3 strapped 680 gram bread pan
- Press formed pan with rounded corners
- Aluminised steel 0.7mm thick
- Teflon coated internal pan
- Optional lid



MBAGUETTE516

#### BAGUETTE TRAY


- 5 row perforated baguette tray
- 16" and 18' options available
- Teflon coated,
- Aluminised alloy, 1.2mm thick
- 2.5mm perforations



MTR18FP

#### TRAY RACK

- 10 - 18 shelf for front loading
- Adjustable to suit 16" or 18" trays
- Flat pack production racks
- Stainless steel construction



MBT318PPTFE

#### BAKING TRAY

- Premium 3-sided perforated baking tray
- 16" and 18' options available
- Aluminium alloy, 2mm thick
- Perforation 2.5mm
- PTFE or natural finish, perforated or non-perforated options



## MADE FOR EXTREME ENVIRONMENTS

Scotsman Ice Systems cater to the needs of different industries by offering a wide product range with various ice shapes and types.



ECS87 AS OX



AF107 AS OX



MF66 AS OX | UBH1100



MXG M 437 AS OX | SB393



## SELF-ADAPTING INTELLIGENT CHILLING

Friginox I-Chilling blast chillers / freezers utilise the cooling air temperature automatically adapted to the product to be cooled.



MX20ATS7



MX85ATS7



MX3STS7-C



## CRYSTAL CLEAR WASHTECH STRENGTH

Washtech offers professional warewashing equipment in an extensive range of sizes and options.



GM



UL



XP



PW2

CYCLE TIME



RACK WIDTH



DOOR OPENING




WATER USE



WIDTH / BENCH GAP



TW


INTERNAL  
DIMENSIONS

## UNDERCOUNTER

- W 865mm x D 660mm x H 845mm
- 1PH / 15A
- Electromechanical design



AL8


INTERNAL  
DIMENSIONS

## PASSTHROUGH

- W 905mm x D 760mm x H 1745mm
- 3PH
- Electromechanical design



PW1


INTERNAL  
DIMENSIONS

## FRONT LOADING

- W 680mm x D 780mm x H 1790mm
- 3PH
- Electromechanical design



PW3

INTERNAL  
DIMENSIONS

## FRONT LOADING

- W 1330mm x D 920mm x H 1750mm
- 3PH
- Electromechanical design





## BE INSPIRED WITH THE CUTTING-EDGE BREWING TECHNOLOGY

Rancilio has been coffeing the world since 1927, specialising in traditional & fully automatic coffee machine manufacturing for true coffee lovers all over the world.



KRYO 65 OD



QuBe PRO MILK



NEXT TOP MILK

### COFFEE GRINDER

- 64mm flat burrs
- Hopper Capacity: 1.3kg
- LED soft touch control panel

### AUTOMATIC COFFEE MACHINES

- Designed for Self Serve, Bakeries & Retail outlets
- Output: 120 - 300 cups per day
- Compact size



CLASSE 5 USB TALL - 1GR



CLASSE 5 USB TALL - 2GR



CLASSE 5 USB TALL - 3GR

### STANDARD FEATURES

- 4 - 11 litre capacity
- Brushed stainless steel, ABS and nylon panels
- 2 steam wands with C-lever steam system (1 steam wand for 1 GR)
- 1 hot water dispenser with manual value knob control



CLASSE 7 USB TALL - 2GR



CLASSE 7 USB TALL - 3GR

### STANDARD FEATURES

- 11 - 16 litre capacity
- Brushed stainless steel, ABS and nylon panels
- 2 steam wands with C-lever steam system
- iSteam version – automatic steam wand with programmable temperature sensor



*Your allies at work*



DECK ELETRIC OVENS



ROTARY OVENS



FIXED COMBU



TRONIK



ROTOR



ANULA



MODULAR



ROTOVENT



TERMINAL



# LIAVINI

work every day

STATION OVENS



COMBINED ELECTRIC OVENS



INDUSTRIAL BAKING



RA



TERMOVENT



ATLAS



K



MODULAR  
PIZZA



AUTOMATED OVEN  
LONG SYSTEMS



**Australia**  
**moffat.com.au**

**Moffat Pty Limited**

Victoria/Tasmania  
740 Springvale Road  
Mulgrave, Victoria 3170  
Telephone +61 3-9518 3888  
Facsimile +61 3-9518 3833  
vsales@moffat.com.au

New South Wales  
Telephone +61 2-8833 4111  
nswsales@moffat.com.au

South Australia  
Telephone +61 3-9518 3888  
vsales@moffat.com.au

Queensland / Northern Territory  
Telephone +61 7-3630 8600  
qldsales@moffat.com.au

Western Australia  
Telephone +61 8-9413 2400  
wasales@moffat.com.au

**New Zealand**  
**moffat.co.nz**

**Moffat Limited**

Rolleston  
45 Illinois Drive  
Izone Business Hub  
Rolleston 7675  
Telephone +64 3-983 6600  
Facsimile +64 3-983 6660  
sales@moffat.co.nz

Auckland  
Telephone +64 9-574 3150  
sales@moffat.co.nz

**TOLL FREE**  
**1300 268 798**



© Copyright Moffat Pty Limited  
Moffat 07/24



an Ali Group Company



The Spirit of Excellence