

# CALDOBAKE

ELECTRIC CONVECTION OVENS

INDUSTRY  
KITCHENS

[www.industrykitchens.com.au](http://www.industrykitchens.com.au) 1800 611 058



**MERIS**  
FOOD EQUIPMENT EXPERTS

# Cooking quality



## Uniform baking

The AIR.Plus technology ensures perfect uniformity within every single pan, on all trays, from the top one to the bottom one.




## **AIR.PLUS**

### **UNIFORM BAKING WITHOUT COMPROMISE**

Air is the medium for the heat transmission and thereafter the means to bake products. The performance of air flow is fundamental to obtain uniformity of baking in all the points of the single tray and in all the trays. For this reason the air flow inside the chamber plays a leading role in the design of all SPIDOCOOK CALDOBAKE ovens.

The AIR.Plus technology has been designed by SPIDOCOOK to obtain perfect distribution of the air and heat inside the baking chamber. At the end of the baking, thanks to the AIR.Plus technology, foods have a uniform external color and their consistency will remain intact for several hours.




## **DRY.PLUS**

### **TEXTURE AND SHAPE CRUNCHY OUTSIDE, SOFT INSIDE**

The presence of humidity during the last phases of the baking of leavened products can compromise the achievement of the desired result. DRY.Plus technology allows the rapid extraction of the humidity from the baking chamber released by the food.

DRY.Plus technology ensures the texture of the baked products, allowing to obtain a dry and well structured internal structure and a crisp and crumbly external surface.



# Maximum versatility

## Innovative and functional.

The innovative Baking Essentials pans and grids allow the ability to deal with all types of baking, otherwise only possible with additional professional equipment, for example traditional pizza ovens or static pastry ovens.

### BAGUETTE.GRID

Ultralight chromium plated tray to bake 5 large baguettes.



#### IDEAL FOR:

- Frozen baguettes, frozen sandwich baguettes

#### ADVANTAGES

- Bake up to 10 mini-baguettes in 18 minutes
- Maximum heat distribution for quick baking

### FORO.BAKE

Perforated aluminium pan.



#### IDEAL FOR


- Frozen bread and pastries

#### ADVANTAGES

- Perforated surface to allow better transpiration of moisture
- Ultra low edge for maximum baking uniformity

### FORO.BLACK

Non-stick perforated aluminium pan.



#### IDEAL FOR

- Frozen bread and pastries

#### ADVANTAGES

- Baking parchment is not required
- Ultra low edge for maximum baking uniformity

### FAKIRO™

12mm thick aluminium plate, flat on one side and ribbed on the other for duel use.



#### IDEAL FOR

- Pizza, focaccia, bread, sandwiches

#### ADVANTAGES

- Focaccias and sandwiches heated in just 3 minutes
- 12mm thick for stone baked effect

### BAKE

Aluminium tray.



#### IDEAL FOR

- Frozen bread and pastries

#### ADVANTAGES

- Thin tray for rapid heat exchange
- Ultra low edge for maximum baking uniformity

### PAN.FRY

Enamel coated pan.



#### IDEAL FOR

- Food regeneration

#### ADVANTAGES

- 2 cm deep for a greater capacity
- Possibility to contain liquids or seasoned food

### FORO.SILICO

Silicon aluminium tray.



#### IDEAL FOR

- Frozen bread and pastries

#### ADVANTAGES



- Baking paper not necessary
- Ultra-low edges for improved air circulation

BAKING ESSENTIALS

ESSENTIAL FOR YOUR DAILY PRODUCTION

Within the SPIDOCOOK research applied to the baking process we could not miss particular attention to accessories and equipment needed to increase the versatility of the oven for your everyday use.

There is a Baking Essentials solution for each type of product: from croissants to pizzas, from biscuits to a salt cake.

|                                                                                                                                            |                                                                                                                                          |                                                                                                                                          |                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <div>CALDOBAKE L3/L4</div> <div>460X330</div>                                                                                              | <div></div> <div>FORO.BAKE</div> <div>TG 310</div>      | <div></div> <div>FORO.BLACK</div> <div>TG 330</div>    | <div>CALDOBAKE S3</div> <div>342X242</div>                                                                                                 |
| <div></div> <div>BAKE</div> <div>TG 305</div>             | <div></div> <div>PAN.FRY</div> <div>TG 350</div>        | <div></div> <div>FAKIRO™</div> <div>TG 335</div>       | <div></div> <div>BAKE</div> <div>TG 205</div>           |
| <div></div> <div>BAGUETTE.GRID</div> <div>GRP 310</div> | <div></div> <div>CHROMO GRID</div> <div>GRP 305</div> | <div></div> <div>FORO.SILICO</div> <div>TG 314</div> | <div></div> <div>CHROMO GRID</div> <div>GRP 205</div> |

PROTEK.SAFE™

SAFETY AND EFFICIENCY


Protek.SAFE™ technology is a part of the NON.STOP EFFORTS program at SPIDOCOOK to reduce to a minimum the environmental impact of the ovens and the baking process that within them are made.

Protek.SAFE™ technology eliminates any unneeded energy loss to optimize the use of energy and to contribute to the environmental compatibility of the baking process performed in the CALDOBAKE ovens.

The unique design of the oven, the double glass door and the high isolation of the baking chamber ensure a minimum heat loss, an always perfect baking temperature and cold external surfaces for a safer and more efficient working environment.



# Details make the difference





## MODELS AND TECHNICAL CHARACTERISTICS

# CALDOBAKE

### SF003

|                               |                       |
|-------------------------------|-----------------------|
| Capacity Trays                | 3 - 342 x 242         |
| Power                         | 240V, 50-60 Hz        |
| Current                       | 2.7kW (15 Amp plug)   |
| Temperature                   | 30°C - 260°C          |
| Dimensions W x D x H (mm)     | 480 x 528 x 402       |
| Weight                        | 16kg                  |
| Packaging Size W x D x H (mm) | 610 x 520 x 418, 19kg |



### SF013

|                               |                       |
|-------------------------------|-----------------------|
| Capacity Trays                | 3 - 460 x 330         |
| Power                         | 240V, 50-60 Hz        |
| Current                       | 3.5kW (15 Amp)        |
| Temperature                   | 30°C - 260°C          |
| Dimensions W x D x H (mm)     | 600 x 640 x 402       |
| Weight                        | 20kg                  |
| Packaging Size W x D x H (mm) | 668 x 640 x 418, 23kg |



### SF023AS

|                               |                      |                      |
|-------------------------------|----------------------|----------------------|
| Capacity Trays                | 4 - 460 x 330        | 4 - 460 x 330        |
| Power                         | 240V, 50-60 Hz       | 240V, 50-60 Hz       |
| Current                       | 2.4kW (10 Amp)       | 2.7kW (15 Amp)       |
| Temperature                   | 30°C - 260°C         | 30°C - 260°C         |
| Dimensions W x D x H (mm)     | 600 x 640 x 472      | 600 x 640 x 472      |
| Weight                        | 22kg                 | 22kg                 |
| Packaging Size W x D x H (mm) | 668 x 150 x 510 25kg | 668 x 150 x 510 25kg |


### SF023



### SPE-SF043AS

|                               |                      |
|-------------------------------|----------------------|
| Capacity Trays                | 4 - 600 x 400        |
| Power                         | 240V, 50-60 Hz       |
| Current                       | 3.5kW (15 Amp)       |
| Temperature                   | 30°C - 260°C         |
| Dimensions W x D x H (mm)     | 800 x 706 x 472      |
| Weight                        | 44kg                 |
| Packaging Size W x D x H (mm) | 870 x 960 x 650 57Kg |





# spidocook<sup>TM</sup>

PROFESSIONAL BY DESIGN

Technology, design, performance have been part of our DNA since 1993, when Spidocook entered the world of professional cooking.

Today, with sales and deliveries in over 60 countries worldwide, SpidoCook is a truly global partner for all operators that are looking for quality professional cooking solutions.



**MERIS**  
FOOD EQUIPMENT EXPERTS

**Ph: 1800 265 771**  
PO Box 3859, Nunawading, VIC, 3131  
[www.meris.com.au](http://www.meris.com.au)