

# Thermaster 3 Frameless Glass Door Multideck Display Fridge - DC-187BS

## Quick Overview

- Gross Volume: 1939L
- **Sleek Edition front**
  -Concealed door hinges for a clean, minimalist front.
  -Cap-free frame: top and bottom plastic end caps removed.
  -Expanded glass height â€” more glass, less frame.
  -Matte-finish solid aluminium handle, scratch-resistant satin surface.
  -Refined front cover with engineered rounded-square ventilation.
- **Merchandising and visibility**
  -Contents are displayed from the front and two sides.
  -Energy-saving design: magnetic LED lighting on the top and integrated lighting on each shelf.
  -Bright, clean, and anti-glare.
  -Adjustable shelf angle: 0Â ° / 7Â ° / 14Â ° .
  -Low-E glass.
- **Energy-saving design**
  -EC fans and anti-reflex glass doors minimise energy consumption.
  -Self-closing doors.
  -Natural, eco-friendly refrigerant.
  -8 Star GEMS rating
- **Refrigeration and control**
  -Fan-forced cooling.
  -Digital temperature control and read-out.
  -Temperature range -1 to +5Â ° C at 25Â ° C / 60% RH ambient.
  -Suitable for dairy and milk drinks, packed meat, vegetables, fruits, and hamburgers
- **Line-ups, footprint and servicing**
  -Designed for multiplexing with building joining kits included.
  -Smaller base design to reduce floor footprint.
  -Pull-out condensing unit for easiest after-sales operation.
- **Display Area**: 4.13 mÂ²

## Description

**Thermaster 3 Frameless Glass Door Multideck Display Fridge - DC-187BS**

The Thermaster DC Series is a premium panoramic **frameless glass door multideck display fridge** designed for supermarkets, convenience stores, and grocery retailers. Available in M1 refrigerated models, the DC Series offers flexible line-up configurations, fan-forced refrigeration, and outstanding product visibility to maximise merchandising performance.

**Key Features**

- Gross Volume: 1939L
- **Sleek Edition front**
  -Concealed door hinges for a clean, minimalist front.
  -Cap-free frame: top and bottom plastic end caps removed.
  -Expanded glass height — more glass, less frame.
  -Matte-finish solid aluminium handle, scratch-resistant satin surface.
  -Refined front cover with engineered rounded-square ventilation.
- **Merchandising and visibility**
  -Contents are displayed from the front and two sides.
  -Energy-saving design: magnetic LED lighting on the top and integrated lighting on each shelf.
  -Bright, clean, and anti-glare.
  -Adjustable shelf angle: 0 ° / 7 ° / 14 ° .
  -Low-E glass.
- **Energy-saving design**
  -EC fans and anti-reflex glass doors minimise energy consumption.
  -Self-closing doors.
  -Natural, eco-friendly refrigerant.
  -8 Star GEMS rating
- **Refrigeration and control**
  -Fan-forced cooling.
  -Digital temperature control and read-out.
  -Temperature range -1 to +5 ° C at 25 ° C / 60% RH ambient.
  -Suitable for dairy and milk drinks, packed meat, vegetables, fruits, and hamburgers
- **Line-ups, footprint and servicing**
  -Designed for multiplexing with building joining kits included.
  -Smaller base design to reduce floor footprint.
  -Pull-out condensing unit for easiest after-sales operation.
- **Display Area**: 4.13 $m^2$

**2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Are Registered Within 14 Days Of Invoice**

## Your Shipping Specifications

| | |
|---|---|
| **Product Condition** | New |
| **Doors** | 3 |
| **Door Type** | Hinged Doors |
| **Body** | Colorbond |
| **Gross Volume** | 1939L |
| **Max Ambient Temperature** | 25°C, 60%RH |
| **Temperature Range** | -1 to +5 ° C |
| **Form Factor** | Upright |
| **Net Weight (Kg)** | 368 |
| **Width (mm)** | 1870+60 |
| **Depth (mm)** | 740 |
| **Height (mm)** | 2058 |
| **Packing Width (mm)** | 2042 |
| **Packing Depth (mm)** | 770 |
| **Packing Height (mm)** | 2141 |
| **Power** | 240V, 980W/10A |
| **Warranty** | 2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Are Registered Within 14 Days Of Invoice |