thermaster

THERMASTER LG SERIES I E S

The Benchmark in Beverage Refrigeration



4 YEAR

2 YEARS PARTS& LABOUR PLUS **2 YEARS** PARTS ONLY WARRANTY

WHEN PRODUCTS REGISTERED WITHIN 14 DAYS OF INVOICE

Why Choose Thermaster?

Trusted across AustraliaÕs hospitality and retail industry, the Thermaster LG range delivers reliable performance, brilliant product visibility, and energy-efficient cooling.

Built for busy environments, each unit combines aesthetic presentation with durable commercial-grade components Ñ making it the professionalÕs choice for dependable beverage display, day after day.

Proven Reliability
Trusted by professionals nationwide.

Superior Visibility
LED lighting and clear glass doors.

Energy Efficient
Fast, even cooling with low power use.

Built to Last
Durable, commercial-grade design.

Easy Maintenance
Simple to clean and service.






FEATURES

- Slim Aluminium glass door frame for better product presentation
- Stainless steel inner bottom for hygienic food storage and easy maintenance
- Illuminated LED light box for advertising
- 3 layer glass:inside layer tempering, middle layer Low-E glass and outside layer heating glass
- Hinged self-closing door
- Streamlined operation
- Natural and eco-friendly refrigerant
- LED lighting in canopy and inside cabinet
- Auto-Defrost
- Digital thermostat
- Fan force cooling system
- Top mount desing











LG-1006DF / LG-1006DF/E

LG-1563DF / LG-1563DF/E


LG-2121DF/E




	LG-1006DF	LG-1563DF
Gross Capacity (L)	1006	1563
Net Capacity (L)	702	1090
Weight (kg)	234	323
Temp.Range ˚C	-22 to -18	-22 to -18
Ambient/RH%	25/60	25/60
Power (kW/A)	1.226/15	1.85/15
Dimensions (WxDxH mm)	1253x750x2092	1880x750x2092

Lower Energy Consumption Range





	LG-1006DF/E	LG-1563DF/E	LG-2121DF/E
Gross Capacity (L)	1006	1563	2121
Net Capacity (L)	702	1090	TBA
Weight (kg)	264	373	445
Temp.Range ˚C	-22 to -18	-22 to -18	-22 to -18
Ambient/RH%	25/60	25/60	25/60
Power (kW/A)	1.205/10	1.28/10	2.533/15
Dimensions (WxDxH mm)	1253x750x2092	1880x750x2092	2058x750x2092

FEDERAL HOSPITALITY EQUIPMENT

AUS Phone: 1300 659 409
Email: sales@foodequipment.com.au
www.foodequipment.com.au

NZ Phone: 09 415 6470
Email: sales@fedproducts.co.nz
www.fedproducts.co.nz