



Thermaster Under Bench three Heated Glass Doors Bar Cooler with heater switch - LG-330TD

Quick Overview

- Heated glass doors prevent condensation and maintain crystal-clear visibility even in high-humidity venues.
- Durable black exterior, commercial-grade components, and clean internal layout designed for busy bar environments.
- Fan-forced refrigeration delivers fast pull-down and consistent temperatures across every shelf
- Bright digital controller provides accurate temperature adjustment and easy at-a-glance status checks.
- Max Ambient Temperature: 32°C, 60%RH
- Temperature Range: +2 to +8 ° C
- Suitable For Under-Bench Use
- Two Levels Of Shelving Plus Floor
- Self-Closing Doors
- Door Locks
- Auto Defrost
- Light Inside
- Strong Industrial Shelving
- Fully Adjustable Shelves
- 100mm Wall Clearance Required for Ventilation

Description

Thermaster Under Bench three Heated Glass Doors Bar Cooler with heater switch - LG-330TD

The LG Black Magic Bar Cooler Range is designed for modern bars, pubs, cafés and entertainment venues needing reliable drink display and fast service. With hinged, sliding or heated-glass options, each model delivers strong cooling, stable temperatures from +2 ° C to +8 ° C, and excellent visibility. Its fan-forced system ensures rapid recovery after opening, ideal for high-turnover beverage service. Built for durability and day-to-day efficiency, each cooler incorporates adjustable shelving, energy-efficient

LED lighting, automatic defrosting, and a robust black-coated exterior that complements any bar design. With multiple sizes from single-door to triple-door units, the Black Magic range offers a dependable solution for any venue layout or service requirement.

Key Features

- Heated glass doors prevent condensation and maintain crystal-clear visibility even in high-humidity venues.
- Durable black exterior, commercial-grade components, and clean internal layout designed for busy bar environments.
- Fan-forced refrigeration delivers fast pull-down and consistent temperatures across every shelf
- Bright digital controller provides accurate temperature adjustment and easy at-a-glance status checks.
- Max Ambient Temperature: 32 °C, 60%RH
- Temperature Range: +2 to +8 °C
- Suitable For Under-Bench Use
- Two Levels Of Shelving Plus Floor
- Self-Closing Doors
- Door Locks
- Auto Defrost
- Light Inside
- Strong Industrial Shelving
- Fully Adjustable Shelves
- 100mm Wall Clearance Required for Ventilation

2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days of Invoice

Your Shipping Specifications

| | |
|-------------------------|--|
| Product Condition | New |
| Doors | 3 |
| Door Type | Hinged Doors |
| Body | Stainless Steel |
| Gross Volume | 293L |
| Net Volume | 220L |
| Max Ambient Temperature | 32 , 60%RH |
| Temperature Range | +2 to +8 ° C |
| Form Factor | Display |
| Net Weight (Kg) | 220 |
| Width (mm) | 1350 |
| Depth (mm) | 530 |
| Height (mm) | 835 |
| Packing Width (mm) | 1400 |
| Packing Depth (mm) | 570 |
| Packing Height (mm) | 920 |
| Power | 240V, 235W/10A |
| Warranty | 2 Years Parts & Labour Plus 2 Years Parts Only Warranty When Products Registered Within 14 Days of Invoice |