



SC248G Two Door Drink Cooler

Quick Overview

Rebate available via NSW ESS program

- Two Levels Of Shelving Plus Floor
- Digital Temp. Control & Read-Out
- Zanussi Compressors
- Fan-Forced Evaporator Cooling
- Double Glazed
- Self-Closing Doors
- Door Locks
- Light Inside
- Strong Industrial Shelving
- Fully Adjustable Shelves
- 100mm Wall Clearance Required For Ventilation
- Auto Defrost
- Capacity 202 ltr

Description

SC248G Double Door Black Magic Drink Cooler

A compact and reliable drink cooler made from robust components, high-quality materials and guaranteed to cool your stock to the right degree. The practical fridge is built and designed to operate within fast-moving bars, clubs and restaurants.

This bar cooler comes to us from Temperature Thermaster, who are one of the largest distributors of coolers, fridges and freezers, and one of the best brands in the business. Thermaster knows what goes into these units to attain the most optimal temperatures.

This solid bar cooler contains two levels of shelving, powerful compressors, interior lights, locks, tough industrial shelving and double-glazed glass.

It ' s a cooler that grants easy access with practical interior functions and tough durability within an optimally cool environment.

- Suitable for underbench
- Castors are optional

High-Quality Commercial Bar Coolers

The Largest Range In Australia

Refrigerated 2 to 8 ° C

Ambient 32°C & 75% Rh

- Two Levels Of Shelving Plus Floor
- Digital Temp. Control & Read-Out
- Zanussi Compressors
- Fan-Forced Evaporator Cooling
- Double Glazed
- Self-Closing Doors
- Door Locks
- Light Inside
- Strong Industrial Shelving
- Fully Adjustable Shelves
- 100mm Wall Clearance Required For Ventilation
- Auto Defrost
- Capacity 202 Itr

* Height: 900 mm

* Height Without Castors: 880 mm

* Suitable For Under Bench Use If Castors Are Removed

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	75
Width (mm)	900
Depth (mm)	535
Height (mm)	900
Packing Width (mm)	580
Packing Depth (mm)	950
Packing Height (mm)	1050
Power	240V; 112W/10A
Warranty	2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice