



## Three sliding door bar cooler - SC316SD

### Quick Overview

Rebate available via NSW ESS program

- Two levels of shelving plus floor
- Digital temp. control & read-out
- Zanussi compressors
- 2 to 8 ° C
- Ambient 32°C & 75% RH
- Double glazed doors
- Lockable doors
- Self-closing doors
- Auto-defrost
- Strong industrial shelving
- Fully adjustable shelves
- Light inside
- On castors for easy moving & cleaning

### Description

Three sliding door bar cooler - SC316SD  
Commercial Use Professional Bar Coolers - The Largest Range in Australasia

Refrigerated: 2 to 8 ° C

- Two levels of shelving plus floor
- Digital temp. control & read-out
- Zanussi compressors
- 2 to 8 ° C
- Ambient 32°C & 75% RH
- Double glazed doors
- Lockable doors
- Self-closing doors
- Auto-defrost
- Strong industrial shelving
- Fully adjustable shelves
- Light inside
- On castors for easy moving & cleaning

Dimensions: 1350mmW x 535D x 900H

\*Allow 100mm clearance for installation, all vents must be left clear

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

## Your Shipping Specifications

---

|                     |   |
|---------------------|---|
| Net Weight (Kg)     | 92  |
| Width (mm)          | 1350  |
| Depth (mm)          | 535   |
| Height (mm)         | 900   |
| Packing Width (mm)  | 600   |
| Packing Depth (mm)  | 1400  |
| Packing Height (mm) | 1040  |
| Power               | 240V; 140W/10A outlet required  |
| Warranty            | 2 Years Parts and Labour + 2 Years Parts Only for Products Registered within 14 Days of Invoice |